

DHKSL240047431 R-1

Date of sampling	06/06/2024
Reporting date	14/07/2024

Audit ID	172662	Audit firm	SGS Bangladesh Ltd.			
Company name	Silver Composite Textile Mills L	td. (Unit-03)				
Contact person	Iqbal Hussein	lqbal Hussein				
Type of tax – tax ID no	114657465967					
Address	B. K Bari, Taltoly, Monipur, Mirzapur, Gazipur-1749					
Region state province	NA					
Town city / village	Gazipur					
Zip / Post code	1749					

Type of wastewater discharge				
Type of waste discharge	Direct Discharge			
Description of the discharge	Discharge to River.			
[If direct discharge] Temperature of receiving water body:	34.5 °C			

Type of sludge disposal pathway	
Type of sludge disposal pathway	Pathway C

Sampler accreditation certification number (ZDHC):			ZDHC-A-24-E-C001068-R3DEC-40DDB					
Sampling affiliate SGS Bangladesh Ltd.								
Sample description	Sample description							
	Simple		Composite	Comments				
(1) Untreated wastewater	NO		Reddish, composite sample at 10, 11:00, 12:00, 13:00, 14:00, 15:00, 16:00	N/A				
(2) Effluent	NO		S, Light Reddish, composite le at 09:50,10:50, 11:50, 12:50, 13:50, 14:50, 15:50	N/A				
(3) Sludge YES, Black, sample at 16:50			NO	N/A				
(4) Leachate	YES		NO	N/A				

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms.e-document.htm Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's flidings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.



DHKSL240047431 R-1

Type of treatment*			
PRELIMINARY	[√] Screening/Sieving/Grit remover (< 6 mm)		
	[] Screening/Sieving/Grit remover (≥ 6 mm)		
	[] Homogenization tank		
	[√] pH Correction		
	[] Other (please specify):		
	[] Coagulation/Flocculation		
PRIMARY	[] Dissolved air flotation (DAF)		
	[] Sedimentation tanks or Settler/Clarifier		
	[] Other (please specify):		
	[√] Activated sludge process. Aerobic reactor		
SECONDARY/BIOLOGICAL	[] Biological Biofilm reactor (MBBR, SAF, RBC)		
OLOGINE INTERPRETATION OF THE PROPERTY OF THE	[] Sequencing batch reactor (SBR)		
	[] Other (please specify):		
	[] Absorption with activated carbon		
TERTIARY	[] High rate filtration		
	[] Techniques (ozone, Fenton reaction, photo catalytic degradation)		
	[] Other (please specify):		

^{*}The information has been provided by the factory.

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms.e-document.htm Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's flidings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.



DHKSL240047431 R-1

Internal description – Final Test Report	
Testing laboratory	SGS Bangladesh Ltd.SGS India Private Limited.
Internal codification number (report number)	DHKSL240047431 R-1
Reference sample number (sample ID)	Untreated wastewater, Effluent, Sludge.
Received on	06/06/2024 at SGS Bangladesh Ltd.11/06/2024 at SGS India Private Limited.
Analysis carried out from	06/06/2024-12/06/2024 at SGS Bangladesh Ltd. 11/06/2024-14/06/2024 at SGS India Private Limited.
Arrival temperature at lab	5 °C
Comments	Samples received within 04:50 hours
Reporting date	14/07/2024

Sign for and on behalf of SGS Bangladesh Ltd

feur (1)

RAFIQUL ISLAM Chemical Lab Manager

Reason: Amendment due to update Company Name.

The Test Report No. DHKSL240047431 Dated 14/06/2024 is cancelled and superseded by the Test Report No. DHKSL240047431 R-1

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms end conditions for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.



DHKSL240047431 R-1

S	ummary of test re	esults		
Test items	Untreated wastewater	Effluent	Sludge	Leachate
Conventional Parameters and Anions	-	Fulfill Foundational Limit	Please refer to the information in TEST RESULTS	-
Heavy Metals	-	Fulfill Aspirational Limit	Please refer to the information in TEST RESULTS	ND
Alkylphenol (AP) and Alkylphenol Ethoxylates (APEOs): including all isomers	ND	-	Sample and Report Only	-
Anti- Microbials & Biocides	ND	-	-	-
Chlorinated Parafins	ND	-	-	-
Chlorobenzenes & Chlorotoluenes	ND	-	Sample and Report Only	-
Chlorophenols	ND	-	-	-
N,N-di-methylformamide (DMFa)	ND	-	-	-
Dyes – Carcinogenic or Equivalent Concern	ND	-	-	-
Dyes – Disperse (Allergenic)	ND	-	-	-
Dyes – Navy Blue Colourant	ND	-	-	-
Flame Retardants	ND	-	-	-
Glycols / Glycol Ethers	ND	-	-	-
Halogenated Solvents	ND	-	-	-
Organotin Compounds	ND	-	-	-
Other / Miscellaneous Chemicals	ND	-	-	-
Perfluorinated and Polyfluorinated Chemicals (PFCs)	ND	-	-	-
Phthalates – including all other esters of ortho-phthalic acid	ND	-	-	-
Polycyclic Aromatic Hydrocarbons (PAHs)	ND	-	Sample and Report Only	-
Restricted Aromatic Amines (Cleavable from Azo-colourants)	ND	-	-	-
UV Absorbers	ND	-	-	-
VOCs	ND	-	-	-

Remark (Indicated in each parameter)

ND = Not detected

D = Detected

NA = Not applicable

NC= Not conducted

- = Not required to be tested

@ = Maximum holding time exceeded

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms and conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms.e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.



DHKSL240047431 R-1

Test results

Wastewater1. Conventional Parameters and Anions

			Limit	nit			
Test Items	Test method			Reporting Limit	Result	Unit	
		Foundational	Progressive	Aspirational		Effluent	
рН	APHA 4500H+B	Тех	tile and Leather: 6	6-9	NA	8.1 (f)	-
Temperature Difference	APHA 2550	Textile and Leather: Δ+15	Textile and Leather: Δ+10	Textile and Leather: Δ+5	NA	0.7 (f)	₅ C
E. Coli	APHA 9221B & APHA 9221G	Tex	tile and Leather: 1	26	126	ND	MPN/100mL
Colour (436nm; 525nm; 620nm)	ISO 7887 B	Textile and Leather: 7;5;3	Textile and Leather: 5;3;2	Textile and Leather: 2;1;1	NA	5;4;2	m ⁻¹
Persistent Foam	-	Textile	and Leather: Not	visible	NA	Not Visible	-
Wastewater Flowrate	-		-		NA	105 (f)	m³/day
Ammonium-Nitrogen	APHA 4500 NH3 F	Textile: 10 Leather: 15	Textile: 1 Leather: 10	Textile: 0.5 Leather: 1	0.5	1.8	mg/L
AOX	ISO 9562	Textile: 3	Textile: 0.5	Textile: 0.1	0.1	ND	mg/L
Biochemical Oxygen Demand 5-days concentration (BOD ₅)	APHA 5210 B	Textile: 30 Leather: 50	Textile: 15 Leather: 30	Textile: 8 Leather: 20	5	8	mg/L
Chemical Oxygen Demand (COD)	APHA 5220 D	Textile: 150 Leather: 250	Textile: 80 Leather: 150	Textile: 40 Leather: 100	40	ND	mg/L
Dissolved Oxygen (DO)	APHA 4500-O-G	Textile and Le	eather: Sample an	d report only	0.5	5.1 (f)	mg/L
Oil and grease	APHA 5520-B/C	Textile: 10 Leather: 20	Textile: 2 Leather: 10	Textile: 0.5 Leather: 5	0.5	ND	mg/L
Total Phenols / Phenol Index	APHA 5530-B	Textile and Leather: 0.5	Textile:0.01 Leather: 0.3	Textile: 0.001 Leather: 0.1	0.001	ND	mg/L
Total Chlorine	APHA 4500-CI-G	Textile and Le	eather: Sample an	d report only	0.5	0.6 (f)	mg/L
Total Dissolved Solids (TDS)	APHA 2540-C	Textile and Le	eather: Sample an	d report only	50	1324	mg/L
Total Nitrogen	APHA 4500-N B/C	Textile: 20 Leather: 35	Textile: 10 Leather: 20	Textile: 5 Leather: 10	5	ND	mg/L
Total Phosphorus	APHA 4500P-J	Textile and Leather: 3	Textile: 0.5 Leather: 1	Textile: 0.1 Leather: 0.5	0.1	0.6	mg/L
Total Suspended Solids (TSS)	APHA 2540D	Textile: 50 Leather: 70	Textile: 15 Leather: 50	Textile: 5 Leather: 20	5	10	mg/L
Chloride	APHA 4500-CI D	Textile and Le	eather: Sample an	d report only	1	26	mg/L
Cyanide	APHA 4500-CN-E	Textile: 0.2	Textile: 0.1	Textile: 0.05	0.05	ND	mg/L

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms and conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.



DHKSL240047431 R-1

Sulfate	APHA 4500-SO4 E	Textile and Leather: Sample and report only			5	282	mg/L
Sulfide	APHA 4500-S2-D	Textile: 0.5 Leather: 1	Textile: 0.05 Leather: 0.5	Textile: 0.01 Leather: 0.2	0.01	ND	mg/L
Sulfite	APHA 4500-SO32-C	Textile: 2	Textile: 0.5	Textile: 0.2	0.2	ND	mg/L

Remark

ND = Not detected NA = Not applicable NC= Not conducted - = Not required to be tested (f) = Parameter tested in field # = Non accredited parameter

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.



DHKSL240047431 R-1

2. Heavy Metals

Cr (VI): ISO 18412:2005

Ba, Se, Sn: USEPA 200.8, USEPA 6010 C, USEPA 6020 A

Sb, As, Cr, Co: ISO 17294, USEPA 200.8, USEPA 6010 C, USEPA 6020 A

Cd: USEPA 200.8, USEPA 6010 C, USEPA 6020 A, Cu: USEPA 200.8, USEPA 6010 C, USEPA 6020 A, Pb: USEPA 200.8, USEPA 6010 C, USEPA 6020 A, Ni: USEPA 200.8, USEPA 6010 C, USEPA 6020 A, Ag: USEPA 200.8, USEPA 6010 C, USEPA 6020 A, Zn: USEPA 200.8, USEPA 6010 C, USEPA 6020 A, Zn: USEPA 200.8, USEPA 6010 C, USEPA 6020 A, Zn: USEPA 200.8, USEPA 6010 C, USEPA 6020 A, Zn: USEPA 200.8, USEPA 6010 C, USEPA 6020 A, Zn: USEPA 200.8, USEPA 6010 C, USEPA 6020 A, Zn: USEPA 60

Hg: EPA 200.8, EPA 6020A

B: USEPA 200.8, USEPA 6010C, USEPA 6020A

			Limit			Result	
Test items	CAS no.	Foundation al	Progressive	Aspirational	Reporting Limit	Effluent	Unit
Arsenic (As)	Various	Textile and Leather: 0.05	Textile and Leather: 0.01	Textile and Leather: 0.005	0.005	ND	mg/L
Cadmium (Cd)	Various	Textile and Leather: 0.1	Textile and Leather: 0.05	Textile and Leather: 0.01	0.01	ND	mg/L
Mercury (Hg)	Various	Textile and Leather: 0.01	Textile and Leather: 0.005	Textile and Leather: 0.001	0.001	ND	mg/L
Lead (Pb)	Various	Textile and Leather: 0.1	Textile and Leather: 0.05	Textile and Leather: 0.01	0.01	ND	mg/L
Antimony (Sb) *	Various	Textile and Leather: 0.1	Textile and Leather: 0.05	Textile and Leather: 0.01	0.01	ND	mg/L
Cobalt (Co)	Various	Textile and Leather: 0.05	Textile and Leather: 0.02	Textile and Leather: 0.01	0.01	ND	mg/L
Nickel (Ni)	Various	Textile and Leather: 0.2	Textile and Leather: 0.1	Textile and Leather: 0.05	0.05	ND	mg/L
Silver (Ag)	Various	Textile and Leather: 0.1	Textile and Leather: 0.05	Textile and Leather: 0.005	0.005	ND	mg/L
Copper (Cu)	Various	Textile and Leather: 1	Textile and Leather: 0.5	Textile and Leather: 0.25	0.25	ND	mg/L
Zinc (Zn)	Various	Textile and Leather: 5	Textile and Leather: 1	Textile and Leather: 0.5	0.1	ND	mg/L
Total Chromium (Cr)	Various	Textile: 0.2 Leather: 1.5	Textile: 0.1 Leather: 0.8	Textile: 0.05 Leather: 0.3	0.05	ND	mg/L
Chromium VI (Cr VI)	Various	Textile: 0.05 Leather: 0.15	Textile: 0.005 Leather: 0.05	Textile: 0.001 Leather: 0.02	0.001	ND	mg/L
Barium (Ba)	Various	Textile: Sample and report only			35	ND	mg/L
Selenium (Se)	Various	Textile: Sample and report only			0.5	ND	mg/L
Tin (Sn)	Various	Tex	tile: Sample and re	port only	0.1	ND	mg/L

Remark

ND = Not detected NA = Not applicable

NC= Not conducted

- = Not required to be tested# = Non accredited parameter

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms and conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.



DHKSL240047431 R-1

3. Alkylphenol (AP) & Alkylphenol Ethoxylates (APEOs): including all isomers

NP/OP: With reference to ISO 18254-1, ISO 18857-2 Followed by LC/MS & GCMS analysis. NPEO / OPEO: With reference to ISO 18254-1, ISO 18857-2 Followed by LC/MS & GCMS analysis

Test items	CAS no.	Reporting Limit (Textile and Leather)	Untreated wastewater	Unit
Octylphenol (OP)	140-66-9/ 1806-26-4/ 27193-28-8	5	ND	μg/L
Nonylphenol (NP)	104-40-5/ 11066-49-2/ 25154- 52- 3/84852-15-3	5	ND	μg/L
Octylphenolethoxylates (OPEOs)	9002-93-1/9036-19-5/68987-90-6	5	ND	μg/L
Nonylphenolethoxylates (NPEOs)	9016-45-9/26027-38-3/ 37205- 87- 1/68412-54-4/127087-87-0	5	ND	μg/L

Remark:

 $1 \mu g/L = 0.001 ppm$ ND = Not detected

NA = Not applicable NC= Not conducted

- = Not required to be tested

= Non accredited parameter

4. Anti- Microbials & Biocides

o-Phenylphenol (+salts): Solvent extraction & derivatization with BSTFA+TMCS followed by GC/MS analysis.

Triclosan: Solvent extraction & derivatization with BSTFA+TMCS followed by GC/MS analysis. Permethrin: Solvent extraction & derivatization with BSTFA+TMCS followed by GC/MS analysis.

			Result	
Test items	CAS no.	Reporting Limit (Textile)	Untreated wastewater	Unit
o-Phenylphenol (+salts)	90-43-7	Textile: 100	ND	μg/L
Triclosan	3380-34-5	Textile and Leather : 100	ND	μg/L
Permethrin	Various	Textile and Leather : 500	ND	μg/L

Remark:

 $1~\mu g/L=0.001~ppm$

ND = Not detected

NA = Not applicable

NC= Not conducted

- = Not required to be tested

= Non accredited parameter

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms and conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.



DHKSL240047431 R-1

5. Chlorinated Parafins

MCCPs: Preparation: EPA 3510.

Analysis: ISO18219-2:2021 Method for MCCP with GC-MS(NCI) or LC-MS/MS.

SCCPs: Preparation EPA 3510.

Analysis: ISO18219-1:2021,ISO 12010:2019 Methods for SCCP with GC-MS(NCI) or LC-MS/MS

Test items	CAS no.	Reporting Limit (Textile)	Result Untreated wastewater	Unit
Short chain chlorinated paraffins (C10-C13)	85535-84-8	Textile and Leather: 25	ND	μg/L
Medium-chain Chlorinated Paraffins (MCCPs) (C14-C17)	85535-85-9	Textile and Leather: 500	ND	μg/L

Remark:

 $1 \mu g/L = 0.001 ppm$ ND = Not detected NA = Not applicable NC= Not conducted

- = Not required to be tested

= Non accredited parameter

6. Chlorobenzenes & Chlorotoluenes

With reference to USEPA 8260B, USEPA 8270D, Dichloromethane extraction followed by GC/MS analysis.

Test items	CAS no.	Reporting Limit (Textile and Leather)	Result Untreated wastewater	Unit
Monochlorobenzenes	108-90-7	0.2	ND	μg/L
1,2-Dichlorobenzene	95-50-1	0.2	ND	μg/L
1,3-Dichlorobenzene	541-73-1	0.2	ND	μg/L
1,4-Dichlorobezene	106-46-7	0.2	ND	μg/L
1,2,3-Trichlorobenzene	87-61-6	0.2	ND	μg/L
1,2,4-Trichlorobenzene	120-82-1	0.2	ND	μg/L
1,3,5-Trichlorobenzene	108-70-3	0.2	ND	μg/L
1,2,3,4-Tetrachlorobenzene	634-66-2	0.2	ND	μg/L
1,2,3,5-Tetrachlorobenzene	634-90-2	0.2	ND	μg/L
1,2,4,5-Tetrachlorobenzene	95-94-3	0.2	ND	μg/L
Pentachlorobenzene	608-93-5	0.2	ND	μg/L
Hexachlorobenzene	118-74-1	0.2	ND	μg/L
2-Chlorotoluene	95-49-8	0.2	ND	μg/L
3-Chlorotoluene	108-41-8	0.2	ND	μg/L
4-Chlorotoluene	106-43-4	0.2	ND	μg/L
2,3-Dichlorotoluene	32768-54-0	0.2	ND	μg/L
2,4-Dichlorotoluene	95-73-8	0.2	ND	μg/L
2,5-Dichlorotoluene	19398-61-9	0.2	ND	μg/L
2,6-Dichlorotoluene	118-69-4	0.2	ND	μg/L
3,4-Dichlorotoluene	95-75-0	0.2	ND	μg/L

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms and conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.



DHKSL240047431 R-1

3,5-Dichlorotoluene	25186-47-4	0.2	ND	μg/L
2,3,4-Trichlorotoluene	7359-72-0	0.2	ND	μg/L
2,3,6-Trichlorotoluene	2077-46-5	0.2	ND	μg/L
2,4,5-Trichlorotoluene	6639-30-1	0.2	ND	μg/L
2,4,6-Trichlorotoluene	23749-65-7	0.2	ND	μg/L
3,4,5-Trichlorotoluene	21472-86-6	0.2	ND	μg/L
2,3,4,5-Tetrachlorotoluene	76057-12-0	0.2	ND	μg/L
2,3,5,6-Tetrachlorotoluene	29733-70-8	0.2	ND	μg/L
2,3,4,6-Tetrachlorotoluene	875-40-1	0.2	ND	μg/L
Pentachlorotoluene	877-11-2	0.2	ND	μg/L

Remark:

 $1 \mu g/L = 0.001 ppm$

ND = Not detected

NA = Not applicable

NC= Not conducted

- = Not required to be tested

7. Chlorophenols

With reference to USEPA 8270E, Solvent extraction and derivatization with KOH, acetic anhydride followed by GC/MS analysis.

			Result	
Test items	CAS no.	Reporting Limit (Textile and Leather)	Untreated wastewater	Unit
2-Chlorophenol	95-57-8	0.5	ND	μg/L
3-Chlorophenol	108-43-0	0.5	ND	μg/L
4-Chlorophenol	106-48-9	0.5	ND	μg/L
2,3-Dichlorophenol	576-24-9	0.5	ND	μg/L
2,4-Dichlorophenol	120-83-2	0.5	ND	μg/L
2,5-Dichlorophenol	583-78-8	0.5	ND	μg/L
2,6-Dichlorophenol	87-65-0	0.5	ND	μg/L
3,4-Dichlorophenol	95-77-2	0.5	ND	μg/L
3,5-Dichlorophenol	591-35-5	0.5	ND	μg/L
2,3,4-Trichlorophenol	15950-66-0	0.5	ND	μg/L
2,3,5-Trichlorophenol	933-78-8	0.5	ND	μg/L
2,3,6-Trichlorophenol	933-75-5	0.5	ND	μg/L
2,4,5-Trichlorophenol	95-95-4	0.5	ND	μg/L
2,4,6-Trichlorophenol	88-06-2	0.5	ND	μg/L
3,4,5-Trichlorophenol	609-19-8	0.5	ND	μg/L

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

^{# =} Non accredited parameter



DHKSL240047431 R-1

2,3,5,6-Tetrachlorophenol	935-95-5	0.5	ND	μg/L
2,3,4,6-Tetrachlorophenol	58-90-2	0.5	ND	μg/L
2,3,4,5-Tetrachlorophenol	4901-51-3	0.5	ND	μg/L
Pentachlorophenol PCP	87-86-5	0.5	ND	μg/L

Remark:

 $1 \mu g/L = 0.001 ppm$ ND = Not detected NA = Not applicable NC= Not conducted - = Not required to be tested

= Non accredited parameter

8. N,N-di-methylformamide (DMFa)

With reference to EPA 8015, EPA 3535A, (Solid-phase Extraction followed by GC-MS analysis

Test item	CAS no.	Reporting Limit (Textile)	Result Untreated wastewater	Unit
N,N-di-methylformamide (DMFa)	68-12-2	1000 (Sample and Report only for mock leather)	ND	μg/L

Remark:

 $1 \mu g/L = 0.001 ppm$ ND = Not detected NA = Not applicable NC= Not conducted - = Not required to be tested

= Non accredited parameter

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sqs.com/terms and conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sqs.com/terms e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.



DHKSL240047431 R-1

9. Dyes - Carcinogenic or Equivalent Concern

With reference to Liquid extraction followed by HPLC-MSD-DAD analysis.

			Result	
Test items	CAS no.	Reporting Limit (Textile and Leather)	Untreated wastewater	Unit
C.I. Direct Black 38	1937-37-7	500	ND	μg/L
C.I. Direct Blue 6	2602-46-2	500	ND	μg/L
C.I. Acid Red 26	3761-53-3	500	ND	μg/L
C.I. Basic Red 9	569-61-9	500	ND	μg/L
C.I. Direct Red 28	573-58-0	500	ND	μg/L
C.I. Basic Violet 14	632-99-5	500	ND	μg/L
C.I. Disperse Blue 1	2475-45-8	Textile: 500	ND	μg/L
C.I. Disperse Blue 3	2475-46-9	Textile: 500	ND	μg/L
C.I. Basic Blue 26 (with Michler's Ketone > 0.1%)	2580-56-5	500	ND	μg/L
C.I. Basic Green 4 (malachite green chloride)	569-64-2	500	ND	μg/L
C.I. Basic Green 4 (malachite green oxalate)	2437-29-8	500	ND	μg/L
C.I. Basic Green 4 (malachite green)	10309-95-2	500	ND	μg/L
Disperse Orange 11	82-28-0	Textile: 500	ND	μg/L
Basic violet 3 with >0.1% of Michler's Ketone*	548-62-9	500	ND	μg/L
C.I. Acid Violet 49	1694-09-3	500	ND	μg/L

Remark:

1 μg/L = 0.001 ppm ND = Not detected NA = Not applicable NC= Not conducted

- = Not required to be tested

= Non accredited parameter

*Reported concentration refers to the dye part only

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms and conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.



DHKSL240047431 R-1

10. Dyes - Disperse (Allergenic)

With reference to Liquid extraction followed by HPLC-MSD-DAD analysis.

		Reporting Limit	Result	
Test Items	CAS no.	(Textile)	Untreated wastewater	Unit
Disperse Yellow 1	119-15-3	50	ND	μg/L
Disperse Blue 102	12222-97-8	50	ND	μg/L
Disperse Blue 106	12223-01-7	50	ND	μg/L
Disperse Yellow 39	12236-29-2	50	ND	μg/L
Disperse Orange 37/59/76	13301-61-6	50	ND	μg/L
Disperse Brown 1	23355-64-8	50	ND	μg/L
Disperse Orange 1	2581-69-3	50	ND	μg/L
Disperse Yellow 3	2832-40-8	50	ND	μg/L
Disperse Red 11	2872-48-2	50	ND	μg/L
Disperse Red 1	2872-52-8	50	ND	μg/L
Disperse Red 17	3179-89-3	50	ND	μg/L
Disperse Blue 7	3179-90-6	50	ND	μg/L
Disperse Blue 26	3860-63-7	50	ND	μg/L
Disperse Yellow 49	54824-37-2	50	ND	μg/L
Disperse Blue 35	12222-75-2	50	ND	μg/L
Disperse Blue 124	61951-51-7	50	ND	μg/L
Disperse Yellow 9	6373-73-5	50	ND	μg/L
Disperse Orange 3	730-40-5	50	ND	μg/L
Disperse Blue 35	56524-77-7	50	ND	μg/L

Remark:

 $1 \mu g/L = 0.001 ppm$ ND = Not detected

NA = Not applicable

NC= Not conducted

- = Not required to be tested

= Non accredited parameter

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sqs.com/terms and conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sqs.com/terms e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.



DHKSL240047431 R-1

11. Dyes - Navy Blue Colourant

With reference to Liquid extraction followed by HPLC-MSD-DAD analysis.

Test Items	CAS no.	Reporting Limit (Textile and Leather)	Result Untreated wastewater	Unit
Component 1: C39H23Cl-CrN7O12S 2Na	118685-33-9	500	ND	μg/L
Component 2: C46H-30CrN10O20S2 3Na	Not Allocated	500	ND	μg/L

Remark:

1 μg/L = 0.001 ppm ND = Not detected NA = Not applicable NC= Not conducted

- = Not required to be tested# = Non accredited parameter

12. Flame retardants

With refernces to USEPA 527, USEPA 8270E, USEPA 8321B, Solvent extraction followed by GC/MS analysis.

Test Items	CAS no.	Reporting Limit	Result Untreated wastewater	Unit
Decabromodiphenyl ether (DecaBDE)	1163-19-5	Textile: 25 Leather: 5	ND	μg/L
Pentabromodiphenyl ether (PentaBDE)	32534-81-9	Textile: 25 Leather: 5	ND	μg/L
Octabromodiphenyl ether (OctaBDE)	32536-52-0	Textile: 25 Leather: 5	ND	μg/L
Tris(1-aziridinylphosphine oxide) (TEPA)	545-55-1	Textile: 25 Leather: 5	ND	μg/L
Polybromobiphenyls (PBBs)	59536-65-1	Textile: 25 Leather: 5	ND	μg/L
Tris(2,3-dibromopropyl phosphate) (TRIS)	126-72-7	Textile: 25 Leather: 5	ND	μg/L
Tetrabromobisphenol A (TBBPA)	79-94-7	Textile: 25 Leather: 5	ND	μg/L
Bis(2,3-dibromopropyl) phosphate	5412-25-9	Textile: 25 Leather: 5	ND	μg/L
Hexabromocyclododecane (HBCDD)	3194-55-6	Textile: 25 Leather: 5	ND	μg/L
2,2-Bis(bromomethyl)-1,3-propanediol (BBMP)	3296-90-0	Textile: 25 Leather: 5	ND	μg/L
Tris-(2-chloro-1-methylethyl) phosphate (TCPP)	13674-84-5	Textile: 25 Leather: 5	ND	μg/L
Decabromobiphenyl (DecaBB)	13654-09-6	Textile: 25	ND	μg/L
Dibromobiphenyls (DiBB)	Multiple	Textile: 25	ND	μg/L
Octabromobiphenyls (OctaBB)	Multiple	Textile: 25	ND	μg/L
Dibromopropylether	21850-44-2	Textile: 25	ND	μg/L
Heptabromodiphenyl ether (HeptaBDE)	68928-80-3	Textile: 25	ND	μg/L
Hexabromodiphenyl ether (HexaBDE)	36483-60-0	Textile: 25	ND	μg/L
Monobromobiphenyls (MonoBB)	Multiple	Textile: 25	ND	μg/L

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms and conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.



DHKSL240047431 R-1

Monobromodiphenylethers (MonoBDEs)	Multiple	Textile: 25	ND	μg/L
Nonabromobiphenyls (NonaBB)	Multiple	Textile: 25	ND	μg/L
Nonabromodiphenyl ether (NonaBDE)	63936-56-1	Textile: 25	ND	μg/L
Tetrabromodiphenyl ether (TetraBDE)	40088-47-9	Textile: 25	ND	μg/L
Tribromodiphenylethers (TriBDEs)	Multiple	Textile: 25	ND	μg/L
Boric acid	10043-35-3 11113-50-1	Textile: 100*	ND (ND) **	μg/L
Diboron trioxide	1303-86-2	Textile: 100*	ND (ND) **	μg/L
Disodium octaborate	12008-41-2	Textile: 100*	ND (ND) **	μg/L
Disodium tetraborate anhydrous	1303-96-4 1330-43-4	Textile: 100*	ND (ND) **	μg/L
Tetraboron disodium heptaoxide, hydrate	12267-73-1	Textile: 100*	ND (ND) **	μg/L
Tris(2-chloroethyl) phosphate (TCEP)	115-96-8	Textile: 25 Leather: 5	ND	μg/L
Tris(1,3-dichloro-isopropyl) phosphate (TDCP)	13674-87-8	Textile: 25 Leather: 5	ND	μg/L

Remark:

 $1 \mu g/L = 0.001 ppm$ ND = Not detected NA = Not applicable

NC= Not conducted

- = Not required to be tested# = Non accredited parameter

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sqs.com/terms and conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sqs.com/terms e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

^{*} Limit refers to elemental boron, not the salt.

^{**}Result in term of elemental boron (Result in term of the corresponding boron salt)



DHKSL240047431 R-1

13. Glycols/Glycol Ethers

With reference to USEPA 8270E, Solvent extraction followed by GC/MS analysis.

Test Items	CAS no.	Reporting Limit (Textile and Leather)	Result Untreated wastewater	Unit
Bis(2-methoxyethyl)-ether	111-96-6	50	ND	μg/L
2-ethoxyethanol	110-80-5	50	ND	μg/L
2-ethoxyethyl acetate	111-15-9	50	ND	μg/L
Ethylene glycol dimethyl ether	110-71-4	50	ND	μg/L
2-methoxyethanol	109-86-4	50	ND	μg/L
2-methoxyethylacetate	110-49-6	50	ND	μg/L
2-methoxypropylacetate	70657-70-4	50	ND	μg/L
Triethylene glycol dimethyl ether	112-49-2	50	ND	μg/L

Remark:

 $1 \mu g/L = 0.001 ppm$ ND = Not detected

NA = Not applicable NC= Not conducted

- = Not required to be tested

= Non accredited parameter

14. Halogenated solvents

With reference to USEPA 8260D, Head-space & Solvent extraction followed by GC/MS analysis.

Test Items	CAS no.	Reporting Limit (Textile and Leather)	Result Untreated wastewater	Unit
1,2-Dichloroethane	107-06-2	1	ND	μg/L
Methylene chloride	75-09-2	1	ND	μg/L
Trichloroethene	79-01-6	1	ND	μg/L
Tetrachloroethene	127-18-4	1	ND	μg/L

Remark:

 $1 \mu g/L = 0.001 ppm$

ND = Not detected

NA = Not applicable

NC= Not conducted

- = Not required to be tested

= Non accredited parameter

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms and conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.



DHKSL240047431 R-1

15. Organotin compounds

With reference to ISO 17353 and followed by GC/MS analysis

Test Items	CAS no.	Reporting Limit	Result Untreated wastewater	Unit	
rest items	OAO IIO.	(Textile and Leather)	Untreated wastewater	J	
Triclyclohexyltin (TCyHT)	Various	0.01	ND	μg/L	
Tripropyltin (TPT)	Various	0.01	ND	μg/L	
Dipropyltin compounds (DPT)	Various	0.01	ND	μg/L	
Tetrabutyltin compounds (TeBT)	Various	0.01	ND	μg/L	
Tetraoctyltin compounds (TeOT)	Various	0.01	ND	μg/L	
Tetraethyltin Compounds (TeET)	Various	0.01	ND	μg/L	
Mono-, di-and tri-octyltin derivatives	Various	0.01	ND	μg/L	
Monooctyltin (MOT)	15231-57-9	0.01	ND	μg/L	
Dioctyltin (DOT)	94410-05-6, 12531-44-4	0.01	ND	μg/L	
Trioctyltin (TOT)	Various	0.01	ND	μg/L	
Mono-, di-and tri-methyltin derivatives	Various	0.01	ND	μg/L	
Monomethyltin (MMT)	Various	0.01	ND	μg/L	
Dimethyltin (DMT)	Various	0.01	ND	μg/L	
Trimethyltin (TMT)	Various	0.01	ND	μg/L	
Mono-, di-and tri-butyltin derivatives	Various	0.01	ND	μg/L	
Monobutyltin (MBT)	1118-46-3, 78763-54-9	0.01	ND	μg/L	
Dibutyltin (DBT)	1002-53-5	0.01	ND	μg/L	
Tributyltin (TBT)	56573-85-4	0.01	ND	μg/L	
Mono-, di-and tri-phenyltin derivatives	Various	0.01	ND	μg/L	
Monophenyltin (MPhT)	Various	0.01	ND	μg/L	
Diphenyltin (DPhT)	Various	0.01	ND	μg/L	
Triphenyltin (TPhT)	892-20-6, 668-34-8	0.01	ND	μg/L	

Remark:

1 μ g/L = 0.001 ppm ND = Not detected NA = Not applicable NC= Not conducted

- = Not required to be tested

= Non accredited parameter

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms and conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.



DHKSL240047431 R-1

16. Other/Miscellaneous Chemicals

AEEA [2-(2-aminoethylamino) ethanol]: With reference to Liquid extraction followed by LCMS/LCMS-MS analysis. Bisphenol A: With reference to Solvent extraction & derivatization with BSTFA+TMCS followed by GC/MS analysis.

Thiourea: With reference to Liquid extraction followed by LCMS/LCMS-MS analysis Quinoline: With reference to Liquid extraction followed by LCMS/LCMS-MS analysis Borate, zinc salt: With reference to USEPA 200.8, USEPA 6010C, USEPA 6020A

Test Items	CAS no.	Reporting Limit (Textile)	Result Untreated wastewater	Unit
AEEA [2-(2-aminoethylamino) ethanol]	111-41-1	500	ND	μg/L
Bisphenol A	80-05-7	10	ND	μg/L
Thiourea	62-56-6	50	ND	μg/L
Quinoline	inoline 91-22-5		ND	μg/L
Borate, zinc salt	12767-90-7	100*	B: ND (ND) ** Zn: ND (ND) **	μg/L

Remark:

 $1 \mu g/L = 0.001 ppm$

ND = Not detected

NA = Not applicable NC= Not conducted

- = Not required to be tested

= Non accredited parameter

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms and conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

^{*} Limit refers to boron and zinc individually, not the salt.

^{**} Result in term of elemental boron / zinc (Result in term of the corresponding boron / zinc salt)



DHKSL240047431 R-1

17. Perfluorinated and Polyfluorinated Chemicals (PFCs)

Ionic PFAS: With reference to EPA 537:2020 and followed by LC-MSMS/LCMS analysis.

Non-ionic PFAS (FTA/FTOH): Solvent extraction & derivatisation with acetic anhydride followed by GC/MS analysis.

Test Items	CAS no.	Reporting Limit (Textile and Leather)	Result Untreated wastewater	Unit
Perfluoro-octane-sulfonic acid (PFOS)*	1763-23-1	0.01	ND	μg/L
Perfluoro-octanoic acid (PFOA)**	335-67-1	0.01	ND	μg/L
Perfluoro-octane-sulfon-amide (PFOSA)	754-91-6	0.01	ND	μg/L
1H,1H,2H,2H-Perfluorodecyl acrylate (8:2 FTA)	27905-45-9	1	ND	μg/L
1H,1H,2H,2H-Perfluorodecanol (8:2 FTOH)	678-39-7	1	ND	μg/L
N-Methyl-perfluoro-octane-sulfon-amido-ethanol (N-Me-FOSE)	24448-09-7	0.01	ND	μg/L
N-Ethyl-Perfluoro-octane-sulfon-amido-ethanol (N-Et-FOSE)	1691-99-2	0.01	ND	μg/L
N-Methyl-perfluoro-octane-sulfon-amide (N-Me-FOSA)	31506-32-8	0.01	ND	μg/L
N-Ethyl-perfluoro-octane-sulfon-amide (N-Et-FOSA)	4151-50-2	0.01	ND	μg/L
1H,1H,2H,2H-Perfluorodecanesulfonic acid (8:2 FTS)	39108-34-4	1	ND	μg/L
Methyl Perfluorooctanoate (Me-PFOA)	376-27-2	1	ND	μg/L
Ethyl Perfluorooctanoate (Et-PFOA)	3108-24-5	1	ND	μg/L
8:2 Fluorotelomer methacrylate (8:2 FTMA)	1996-88-9	1	ND	μg/L

Remark:

 $1 \mu g/L = 0.001 ppm$ ND = Not detected

NA = Not applicable

NC= Not conducted

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms and conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

^{- =} Not required to be tested

^{# =} Non accredited parameter

^{*} PFOS refer to its salts/derivative including PFOS-K (CAS No.: 2795-39-3), PFOS-Li (CAS No.: 29457-72-5), PFOS-NH4 (CAS No.: 29081-56-9), PFOS-NH(OH)₂ (CAS No.: 70225-14-8), PFOS-N(C₂H₅)₄ (CAS No.: 56773-42-3) and POSF (CAS No.: 307-35-7) ** PFOA refer to its salts including PFOA-Na (CAS No.: 335-95-5), PFOA-K (CAS No.: 2395-00-8), PFOA-Ag (CAS No.: 335-93-3), PFOA-F

⁽CAS No.: 335-66-0) and APFO (CAS No.: 3825-26-1)



DHKSL240047431 R-1

18. Phthalates - including all other esters of ortho-phthalic acid

With reference to USEPA 8270E, ISO 18856, Solvent extraction followed by GC/MS analysis.

Test Items	CAS no.	Reporting Limit (Textile and Leather)	Result Untreated wastewater	Unit
Di-2-ethylhexyl phthalate (DEHP)	117-81-7	10	ND	μg/L
Dimethoxyethyl phthalate (DMEP)	117-82-8	10	ND	μg/L
Di-n-octyl phthalate (DNOP)	117-84-0	10	ND	μg/L
Di-iso-decyl phthalate (DIDP)	26761-40-0	10	ND	μg/L
Di-iso-nonyl phthalate (DINP)	28553-12-0	10	ND	μg/L
Di-n-hexyl phthalate (DnHP)	84-75-3	10	ND	μg/L
Dibutyl phthalate (DBP)	84-74-2	10	ND	μg/L
Butyl benzyl phthalate (BBP)	85-68-7	10	ND	μg/L
Dinonyl phthalate (DNP)	84-76-4	10	ND	μg/L
Diethyl phthalate (DEP)	84-66-2	10	ND	μg/L
Di-n-propyl phthalate (DPRP)	131-16-8	10	ND	μg/L
Di-iso-butyl phthalate (DIBP)	84-69-5	10	ND	μg/L
Di-cyclohexyl phthalate (DCHP)	84-61-7	10	ND	μg/L
Di-iso-octyl phthalate (DIOP)	27554-26-3	10	ND	μg/L
1,2-benzenedicarboxylic acid, di-C7-11- branched and linearakyl esters (DHNUP)	68515-42-4, 68515-50-4	10	ND	μg/L
1,2-benzenedicarboxylic acid, di-C6-8 branched and linearalkyl esters , C7-rich (DIHP)	71888-89-6, 84777-06-0	10	ND	μg/L
Di-n-pentylphthalates	131-18-0	10	ND	μg/L
Diisopentylphthalates	605-50-5	10	ND	μg/L

Remark:

1 μ g/L = 0.001 ppm ND = Not detected NA = Not applicable NC= Not conducted

- = Not required to be tested

= Non accredited parameter

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sqs.com/terms and conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sqs.com/terms e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction for exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.



DHKSL240047431 R-1

19. Polycyclic aromatic hydrocarbons (PAHs)

With reference to USEPA 8270E, Solvent extraction followed by GC/MS analysis.

Test Items	CAS no.	Reporting Limit (Textile and Leather)	Result Untreated wastewater	Unit
Benzo(a)pyrene (BaP)	50-32-8	1	ND	μg/L
Anthracene	120-12-7	1	ND	μg/L
Pyrene	129-00-0	1	ND	μg/L
Benzo(ghi)perylene	191-24-2	1	ND	μg/L
Benzo(e)pyrene	192-97-2	1	ND	μg/L
Indeno (1,2,3-cd)pyrene	193-39-5	1	ND	μg/L
Benzo(j)fluoranthene	205-82-3	1	ND	μg/L
Benzo(b)fluoranthene	205-99-2	1	ND	μg/L
Fluoranthene	206-44-0	1	ND	μg/L
Benzo(k)fluoranthene	207-08-09	1	ND	μg/L
Acenaphthylene	208-96-8	1	ND	μg/L
Chrysene	218-01-9	1	ND	μg/L
Dibenz(a,h)anthracene	53-70-3	1	ND	μg/L
Benzo(a)anthracene	56-55-3	1	ND	μg/L
Acenaphthene	83-32-9	1	ND	μg/L
Phenanthrene	85-01-8	1	ND	μg/L
Fluorene	86-73-7	1	ND	μg/L
Naphthalene	91-20-3	1	ND	μg/L

Remark:

 $1 \mu g/L = 0.001 ppm$ ND = Not detected

NA = Not applicable

NC= Not conducted

- = Not required to be tested

= Non accredited parameter

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sqs.com/terms and conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sqs.com/terms e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.



DHKSL240047431 R-1

20. Restricted Aromatic Amines (Cleavable from Azo-colourants)

With reference to With reference to EN 14362-1 & 3 and Solvent extraction with sodium dithionite reduction followed by GC/MS and HPLC-DAD analysis.

Test Items	CAS no.	Reporting Limit (Textile and Leather)	Result Untreated wastewater	- Unit
4,4'-Methylene-bis(2-chloroaniline)	101-14-4	0.1	ND	μg/L
4,4'-Diaminodiphenylmethane	101-77-9	0.1	ND	μg/L
4,4'-Oxydianiline	101-80-4	0.1	ND	μg/L
4-Chloroaniline	106-47-8	0.1	ND	μg/L
3,3'-Dimethoxybenzidine	119-90-4	0.1	ND	μg/L
3,3'-Dimethylbenzidine	119-93-7	0.1	ND	μg/L
p-Cresidine	120-71-8	0.1	ND	μg/L
2,4,5-Trimethylaniline	137-17-7	0.1	ND	μg/L
4,4'-Thiodianiline	139-65-1	0.1	ND	μg/L
4-Aminoazobenzene	60-09-3	0.1	ND	μg/L
2,4-Diaminoanisole	615-05-4	0.1	ND	μg/L
3,3'-Dimethyl-4,4'- diaminodiphenylmethane	838-88-0	0.1	ND	μg/L
2,6-Xylidine	87-62-7	0.1	ND	μg/L
o-Anisidine	90-04-0	0.1	ND	μg/L
2-Naphthylamine	91-59-8	0.1	ND	μg/L
3,3'-Dichlorobenzidine	91-94-1	0.1	ND	μg/L
4-Aminobiphenyl	92-67-1	0.1	ND	μg/L
Benzidine	92-87-5	0.1	ND	μg/L
o-Toluidine	95-53-4	0.1	ND	μg/L
2,4-Xylidine	95-68-1	0.1	ND	μg/L
4-Chloro-o-toluidine	95-69-2	0.1	ND	μg/L
2,4-Diaminotoluene	95-80-7	0.1	ND	μg/L
o-Aminoazotoluene	97-56-3	0.1	ND	μg/L
5-Nitro-o-toluidine	99-55-8	0.1	ND	μg/L
2-Naphthylammoniumacetate	553-00-4	0.1	ND	μg/L
2,4,5-trimethylaniline hydrochloride	21436-97-5	0.1	ND	μg/L
4-chloro-o-toluidinium chloride	3165-93-3	0.1	ND	μg/L
4-methoxy-m-phenylene diammonium sulphate; 2,4-diaminoanisole sulphate	39156-41-7	0.1	ND	μg/L

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms and conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.



DHKSL240047431 R-1

Remark:

1 μg/L = 0.001 ppm ND = Not detected NA = Not applicable NC= Not conducted - = Not required to be tested # = Non accredited parameter

21.UV Absorbers

With reference to Dichloromethane extraction followed by GCMS analysis.

Test Items	CAS no.	Reporting Limit (Textile)	Result Untreated wastewater	Unit
2-(2H-benzotriazol-2-yl)-4-(tert-butyl)-6- (sec- butyl) phenol (UV-350)	36437-37-3	100	ND	μg/L
2-(2H-benzotriazol-2-yl)-4,6- ditertpentylphenol (UV-328)	25973-55-1	100	ND	μg/L
2-benzotriazol-2-yl-4,6-di-tertbutylphenol (UV-320)	3846-71-7	100	ND	μg/L
2,4-Di-tert-butyl-6-(5-chlorobenzotriazole- 2-yl) phenol (UV-327)	3864-99-1	100	ND	μg/L

Remark:

1 μg/L = 0.001 ppm ND = Not detected NA = Not applicable NC= Not conducted - = Not required to be tested

= Non accredited parameter

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms and conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.



DHKSL240047431 R-1

22. Volatile organic compounds (VOCs)

Benzene: With reference to USEPA 8260D, Head-space & Solvent extraction followed by GC/MS analysis.
m-cresol / o-cresol: With reference to USEPA 8260D, Head-space & Solvent extraction followed by GC/MS analysis
Xylene: With reference to USEPA 8260D, Head-space & Solvent extraction followed by GC/MS analysis
Toluene: With reference to USEPA 8260D, Head-space & Solvent extraction followed by GC/MS analysis

Test Items	CAS no.	Reporting Limit	Result Untreated wastewater	Unit
Benzene	71-43-2	Textile and Leather: 1	ND	μg/L
Xylene	1330-20-7	Textile: 1	ND	μg/L
o-cresol	95-48-7	Textile and Leather: 1	ND	μg/L
p-cresol	106-44-5	Textile and Leather: 1	ND	μg/L
m-cresol	108-39-4	Textile and Leather: 1	ND	μg/L
Toluene	108-88-3	Textile: 1 (Sample and Report only for mock leather)	ND	μg/L

Remark:

1 μg/L = 0.001 ppm ND = Not detected NA = Not applicable NC= Not conducted -= Not required to be tested #= Non accredited parameter

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms and conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.



Test Report No. DHKSL240047431 R-1 Date: 14/07/2024

SLUDGE

23. Sludge Parameters - Step 1 - Conventional

pH: EPA SW 9045D % Solids: EPA 160.3

Paint Filter Test: EPA 9095 B Fecal Coliform: EPA 1681

			Limit							Result	
Test Items	CAS no.	Pathway A	Pathway B	Pathway C	Pathway D	Pathway E	Pathway F	Pathway G	Reporting Limit	Sludge	Unit
рН	-	Sampl e and Report Only	Sampl e and Report Only	5-11	5-11	5-11	6.5-9	6.5-9	-	7.1	-
% Solids	-	e and	e and	e and	e and	e and	e and	Sampl e and Report Only	-	12.45	%
Paint Filter Test	-	e and	Sampl e and Report Only	e and	Pass	Pass	Pass	Sampl e and Report Only		Pass	-
Fecal Coliform	-	e and	e and	e and	e and	Sampl e and Report Only	1000	1000	1000	ND	MPN/g

Remark:

ND = Not detected
NA = Not applicable

NC= Not conducted
- = Not required to be tested

= Non accredited parameter



Test Report No. DHKSL240047431 R-1 Date: 14/07/2024

24. Sludge Parameters - Step 1 - Anions

Analysis: EPA 9014

						eight			Result		
Test Items	CAS no.	Pathway A	Pathway B	Pathway C	Pathway D	Pathway E	Pathway F	Pathway G	Reporting Limit (Textile)	Sludge	Unit
Cyanide	-	Sampl e and Report Only	e and	100	85	70	70	70	20	ND	mg/kg

Remark:

ND = Not detected

NA = Not applicable

NC= Not conducted

- = Not required to be tested

= Non accredited parameter

25. Sludge Parameters - Step 1 - Metals

Sb, As, Cr, Co, Cd, Cu, Pb, Ni, Zn: Preparation: USEPA 3050 Analysis: EPA 3050, EPA 6010D, EPA 6020B

Cr VI: Preparation: USEPA 3060 A Analysis: USEPA 3060a, USEPA 7196

Ba, Se, Ag: Preparation: USEPA 3050 Analysis: EPA 3050, EPA 6010D, EPA 6020B

Hg: Preparation: option 1: USEPA 7471 B option 2: USEPA 3051 A Analysis: EPA 3050, EPA 6010D, EPA 6020B

Test Items	CAS no.	Limit – Dry weigh	t	Reporting Limit	Result	
		Total Metals Threshold Values*	Max Total Metals limit for Pathway G		Sludge	Unit
Arsenic (As)	Various	10	75	Textile: 5 Leather 2	ND	mg/kg
Cadmium (Cd)	Various	3	85	Textile: 1 Leather 2	ND	mg/kg
Mercury (Hg)	Various	1	57	Textile: 1 Leather 0.2	ND	mg/kg
Lead (Pb)	Various	10	840	Textile: 5 Leather 2	ND	mg/kg
Antimony (Sb)	Various	12	Sample and Report Only	Textile: 5	ND	mg/kg
Cobalt (Co)	Various	1600	Sample and Report Only	Textile: 400	ND	mg/kg
Nickel (Ni)	Various	70	420	Textile: 20	112	mg/kg
Silver (Ag)	Various	100	Sample and Report Only	Textile: 50	ND	mg/kg
Copper (Cu)	Various	200	4300	Textile: 50	1309	mg/kg

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms and conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.



DHKSL240047431 R-1

Zinc (Zn)	Various	1000	7500	Textile: 400	ND	mg/kg
Total Chromium (Cr)	Various	100	3000	Textile: 50	96	mg/kg
Chromium VI (Cr VI)	Various	50	50	Textile: 20 Leather 2	ND	mg/kg
Barium (Ba)	Various	700	Sample and Report Only	Textile: 200	ND	mg/kg
Selenium (Se)	Various	10	100	Textile: 5	ND	mg/kg

Remark:

ND = Not detected

NA = Not applicable

NC= Not conducted

- = Not required to be tested

26.Sludge Parameters - Step 1 - MRSL - Alkylphenol (AP) and Alkylphenol Ethoxylates (APEOs): including all isomers NP/OP: With reference to ISO 18254-1, ISO 18857-2 Followed by LC/MS & GCMS analysis

NPEO/OPEO: With reference to ISO 18254-1, ISO 18857-2 Followed by LC/MS & GCMS analysis

			L	_imit — [Ory w	eight				Result	
Test Items	CAS no.	Pathway A	Pathway B	Pathway C	Pathway D	Pathway E	Pathway F	Pathway G	Reporting Limit (Textile and Leather)	Sludge	Unit
Octylphenol (OP)	140-66-9/ 1806-26-4/ 27193-28-8	Sample and Report Only	Sample and Report Only	and	0.4	0.4	0.4	0.4	0.4	ND	mg/kg
Nonylphenol (NP)	104-40-5/ 11066-49- 2/ 25154-52- 3/84852-15-3	Sample and Report Only	Sample and Report Only	and	0.4	0.4	0.4	0.4	0.4	ND	mg/kg
Octylphenolethoxylates (OPEOs)	9002-93-1/9036-19- 5/68987-90-6	Sample and Report Only	Sample and Report Only	and	0.4	0.4	0.4	0.4	0.4	ND	mg/kg
Nonylphenolethoxylates (NPEOs)	9016-45-9/26027-38- 3/ 37205-87- 1/68412-54-4/127087- 87-0	Sample and Report Only	Sample and Report Only	and	0.4	0.4	0.4	0.4	0.4	ND	mg/kg

Remark:

ND = Not detected

NA = Not applicable

NC= Not conducted

- = Not required to be tested

= Non accredited parameter

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms and conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

^{# =} Non accredited parameter

^{*} Leachate should be tested if Total Metals Threshold Values is exceeded in sludge.



DHKSL240047431 R-1

27. Sludge Parameters - Step 1 - MRSL - Polycyclic Aromatic Hydrocarbons (PAHs)

With reference USEPA 8270E, Solvent extraction followed by GC/MS analysis

				Limit -	- Dry w	eight				Result	
Test Items	CAS no.	Pathway A	Pathway B	Pathway C	Pathway D	Pathway E	Pathway F	Pathway G	Reporting Limit (Textile)	Sludge	Unit
Benzo(a)pyrene (BaP)	50-32-8	Sampl e and Report Only	Sampl e and Report Only	Sampl e and Report Only	0.2	0.2	0.2	0.2	0.2	ND	mg/kg
Anthracene	120-12-7	Sampl e and Report Only	Sampl e and Report Only	Sampl e and Report Only	0.2	0.2	0.2	0.2	0.2	ND	mg/kg
Pyrene	129-00-0	Only	e and Report Only	Sampl e and Report Only	0.2	0.2	0.2	0.2	0.2	ND	mg/kg
Benzo(ghi)perylene	191-24-2	Sampl e and Report Only	Only	Sampl e and Report Only	0.2	0.2	0.2	0.2	0.2	ND	mg/kg
Benzo(e)pyrene	192-97-2	Sampl e and Report Only	e and Report Only	Sampl e and Report Only	0.2	0.2	0.2	0.2	0.2	ND	mg/kg
Indeno (1,2,3-cd)pyrene	193-39-5	Sampl e and Report Only	Sampl e and Report Only	Sampl e and Report Only	0.2	0.2	0.2	0.2	0.2	ND	mg/kg
Benzo(j)fluoranthene	205-82-3	e and	e and	Sampl e and Report Only	0.2	0.2	0.2	0.2	0.2	ND	mg/kg
Benzo(b)fluoranthene	205-99-2	Sampl e and Report Only	e and	Sampl e and Report Only	0.2	0.2	0.2	0.2	0.2	ND	mg/kg
Fluoranthene	206-44-0	e and	e and	Sampl e and Report Only	0.2	0.2	0.2	0.2	0.2	ND	mg/kg
Benzo(k)fluoranthene	207-08-09	Only	Sampl e and Report Only	Sampl e and Report Only	0.2	0.2	0.2	0.2	0.2	ND	mg/kg
Acenaphthylene	208-96-8	Only	e and Report Only	Sampl e and Report Only	0.2	0.2	0.2	0.2	0.2	ND	mg/kg
Chrysene	218-01-9	e and	e and Report Only	Sampl e and Report Only	0.2	0.2	0.2	0.2	0.2	ND	mg/kg
Dibenz(a,h)anthracene	53-70-3	Sampl e and Report Only	e and	Sampl e and Report Only	0.2	0.2	0.2	0.2	0.2	ND	mg/kg
Benzo(a)anthracene	56-55-3	Sampl e and		Sampl e and	0.2	0.2	0.2	0.2	0.2	ND	mg/kg

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sqs.com/terms and conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sqs.com/terms e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.



DHKSL240047431 R-1

		Report Report Only	Report Only							
Acenaphthene	83-32-9	Sampl Samp e and e and Report Repor Only Only	e and	0.2	0.2	0.2	0.2	0.2	ND	mg/kg
Phenanthrene	85-01-8	Sampl Samp e and e and Report Repor Only Only	e and	0.2	0.2	0.2	0.2	0.2	ND	mg/kg
Fluorene	86-73-7	Sampl Samp e and e and Report Repor Only Only	e and	0.2	0.2	0.2	0.2	0.2	ND	mg/kg
Naphthalene	91-20-3	Sampl Samp e and e and Report Repor Only Only	e and	0.2	0.2	0.2	0.2	0.2	ND	mg/kg

Remark:

ND = Not detected

NA = Not applicable

NC= Not conducted

- = Not required to be tested # = Non accredited parameter

28. Sludge Parameters - Step 1 - MRSL - Chlorotoluenes With reference to USEPA 8260B, USEPA 8270D, Dichloromethane extraction followed by GC/MS analysis.

			L	.imit – C	ry weiç	jht					
Test Items	CAS no.	Pathway A	Pathway B	Pathway C	Pathway D	Pathway E	Pathway F	Pathway G	Reporting Limit (Textile and Leather)	Sludge	Unit
2-Chlorotoluene	95-49-8	Sample and Report Only	Sample and Report Only	Sampl e and Report Only	0.2	0.2	0.2	0.2	0.2	ND	mg/kg
3-Chlorotoluene	108-41-8	Sample and Report Only	Sample and Report Only	Sampl e and Report Only	0.2	0.2	0.2	0.2	0.2	ND	mg/kg
4-Chlorotoluene	106-43-4	Sample and Report Only	Sample and Report Only	e and	0.2	0.2	0.2	0.2	0.2	ND	mg/kg
2,3-Dichlorotoluene	32768-54-0	Sample and Report Only	Sample and Report Only	Sampl e and Report Only	0.2	0.2	0.2	0.2	0.2	ND	mg/kg
2,4-Dichlorotoluene	95-73-8	Sample and Report Only	Sample and Report Only	e and	0.2	0.2	0.2	0.2	0.2	ND	mg/kg
2,5-Dichlorotoluene	19398-61-9	Sample and Report Only	Sample and Report Only	e and	0.2	0.2	0.2	0.2	0.2	ND	mg/kg
2,6-Dichlorotoluene	118-69-4	Sample and Report Only	Sample and Report Only	e and	0.2	0.2	0.2	0.2	0.2	ND	mg/kg

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms and conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.



DHKSL240047431 R-1

3,4-Dichlorotoluene	95-75-0	Sample and Report Only	Sample and Report Only	Sampl e and Report Only	0.2	0.2	0.2	0.2	0.2	ND	mg/kg
3,5-Dichlorotoluene	25186-47-4	Sample and Report Only	Sample and Report Only	e and Report Only	0.2	0.2	0.2	0.2	0.2	ND	mg/kg
2,3,4-Trichlorotoluene	7359-72-0	Sample and Report Only	Sample and Report Only	e and	0.2	0.2	0.2	0.2	0.2	ND	mg/kg
2,3,6-Trichlorotoluene	2077-46-5	Sample and Report Only	Sample and Report Only	e and Report Only	0.2	0.2	0.2	0.2	0.2	ND	mg/kg
2,4,5-Trichlorotoluene	6639-30-1	Sample and Report Only	Sample and Report Only	e and	0.2	0.2	0.2	0.2	0.2	ND	mg/kg
2,4,6-Trichlorotoluene	23749-65-7	Sample and Report Only	Sample and Report Only	Sampl e and Report Only	0.2	0.2	0.2	0.2	0.2	ND	mg/kg
3,4,5-Trichlorotoluene	21472-86-6	Sample and Report Only	Sample and Report Only	Sampl e and Report Only	0.2	0.2	0.2	0.2	0.2	ND	mg/kg
2,3,4,5- Tetrachlorotoluene	76057-12-0	Sample and Report Only	Sample and Report Only	e and	0.2	0.2	0.2	0.2	0.2	ND	mg/kg
2,3,5,6- Tetrachlorotoluene	29733-70-8	Sample and Report Only	Sample and Report Only	Sampl e and Report Only	0.2	0.2	0.2	0.2	0.2	ND	mg/kg
2,3,4,6- Tetrachlorotoluene	875-40-1	Sample and Report Only	Only	e and Report Only	0.2	0.2	0.2	0.2	0.2	ND	mg/kg
Pentachlorotoluene	877-11-2	Sample and Report Only	Sample and Report Only	e and	0.2	0.2	0.2	0.2	0.2	ND	mg/kg

Remark:

ND = Not detected NA = Not applicable NC= Not conducted -= Not required to be tested

= Non accredited parameter

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sqs.com/terms and conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sqs.com/terms e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction for exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.



DHKSL240047431 R-1

LEACHATE

29. Leachate Parameters - Step 2 - Metals

As, Cd, Cr, Pb, Sb, Ba, Co, Cu, Ni, Se, Ag, Zn: Leachate Extraction: USEPA 1311 or USEPA 3051 A Analysis: ISO 11885, ISO 17294-2, USEPA 200.7, USEPA 200.8, USEPA 6010 C or USEPA 6020 A

Cr (VI): Leachate Extraction: USEPA 1311 Analysis: ISO 18412, USEPA 7196 or USEPA 7199

Hg: Leachate Extraction: USEPA 1311 of USEPA 3051 A Analysis: ISO 12846, ISO 17852, USEPA 7471 B or USEPA 6020 B

				Li	mit					Result	
Test Items	CAS no.	Pathway A	Pathway B	Pathway C	Pathway D	Pathway E	Pathway F	Pathway G	Reporting Limit	Leachate	Unit
Arsenic (As)	Various	Sample and Report Only	Sample and Report Only	5	2.75	0.5	0.5	0.5	0.005	NA	mg/L
Cadmium (Cd)	Various	Sample and Report Only	Sample and Report Only	1	0.58	0.15	0.15	0.15	0.01	NA	mg/L
Mercury (Hg)	Various	Sample and Report Only	Sample and Report Only	0.2	0.125	0.05	0.05	0.05	0.001	NA	mg/L
Lead (Pb)	Various	Sample and Report Only	Sample and Report Only	5	2.75	0.5	0.5	0.5	0.01	NA	mg/L
Antimony (Sb)	Various	Sample and Report Only	Sample and Report Only	15	7.8	0.6	0.6	0.6	0.01	NA	mg/L
Cobalt (Co)	Various	Sample and Report Only	Sample and Report Only	80	80	80	80	80	0.01	NA	mg/L
Nickel (Ni)	Various	Sample and Report Only	Sample and Report Only	20	11.75	3.5	3.5	3.5	0.05	ND (S)	mg/L
Silver (Ag)	Various	Sample and Report Only	Sample and Report Only	5	5	5	5	5	0.005	NA	mg/L
Copper (Cu)	Various	Sample and Report Only	Sample and Report Only	25	17.5	10	10	10	0.25	ND (S)	mg/L
Zinc (Zn)	Various	Sample and Report Only	Sample and Report Only	250	150	50	50	50	0.1	NA	mg/L
Total Chromium (Cr)	Various	Sample and Report Only	Sample and Report Only	15	10	5	5	5	0.05	NA	mg/L
Chromium VI (Cr VI)	Various	Sample and	Sample and	5	3.75	2.5	2.5	2.5	0.001	NA	mg/L

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms and conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.



DHKSL240047431 R-1

		Report Only	Report Only								
Barium (Ba)	Various	Sample and Report Only	Sample and Report Only	100	67.5	35	35	35	35	NA	mg/L
Selenium (Se)	Various	Sample and Report Only	Sample and Report Only	1	0.75	0.5	0.5	0.5	0.5	NA	mg/L

Remark:

ND = Not detected NA = Not applicable

NC= Not conducted

- = Not required to be tested # = Non accredited parameter

(S) = The analysis was performed by a subcontracted laboratory (SGS India Private Limited) assessed as competent.

Reference no.CH:TX: 1542027195


This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sqs.com/terms and conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sqs.com/terms e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.



DHKSL240047431 R-1

Date:

PIPING PLAN



This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms and conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.



DHKSL240047431 R-1


Date:

Annex A: Sampling photos & Sampling locations

PERSISTENT FOAM

Date & Time of Measurement: 06/06/2024 & 13:00

Sampling Location: Outlet




This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms and conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.



DHKSL240047431 R-1

Date:



GPS Data: N 24 °07.471' E 090 °22.934'

SAMPLING LOCATION, CLOSE-UP VIEW



Effluent

GPS Data: N 24 °07.496' E 090 °22.897'


SAMPLING LOCATION, CLOSE-UP VIEW



SAMPLING LOCATION, FAR VIEW



SAMPLING LOCATION, FAR VIEW



This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms and conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.



DHKSL240047431 R-1

Date:



SAMPLING LOCATION, FAR VIEW

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms and conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.



DHKSL240047431 R-1





Annex B: On-site Field Data Record Sheet

SGS

Water Sampling Record Sampling Date: 06/06/2024 Client Name: SILVER COMPOSITE TEXTILE MILLS LIMITED Tracking no. 2406060161 pH Meter: Therometer: _ Lab received container temperature: Water Types: _ BEFORE Characteristic Descriptions/Remarks Temperature (°C) Sample Volume Containers Time Sampling No. Locations No (L) Phthalates+FR+ COC+FTOA/ FTOH 4:40 2-8°C 2 L 2 (each 1 L)/Amber glass bottle with PTFE lined lid Before 1 1 (each 1 L)/Amber glass bottle with PTFE lined lid 4:42 2-8°C 1 L PAHs, Glycol Before 1 (each 1 L)/Amber glass bottle with PTFE lined lid 4:43 3 Disperse Dyes Before 2-8°C 1 L 4:44 1 (each 1 L)/Amber glass bottle with PTFE lined lid 2-8°C 1 L Chlorophenols Before 4 4:46 Before HCI topH 2-3 2-8°C 2 L 1 (each 1 L)/Amber glass bottle with PTFE lined lid 4:47 2-8°C 1 L SCCP Before 4:48 2 L 2 (each 1 L)/Amber glass bottle with PTFE lined lid Before Azo Dyes 2 (each 1 L)/Amber glass bottle with PTFE lined lid 4:50 PFCs Before 8 Checked by: Sampling by: Khoull \$ 06.06. 2024

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms and conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.



DHKSL240047431 R-1

Date:

_	GS							
acking no.	2406060161			Wate		ling Reco	ord Client Name: SILVER COMPOSI	FE TEXTILE MILLS LIMI
b received	container temperature	e:		pH Meter:			Therometer:	
				Water Types: _	BEFORE			
No.	Sampling No.	Locations	Time	рН	Temperature (°C)	Sample Volume (L)	Containers	Characteristic Descriptions/Rema
. 9	Halogenated Solvent(VOC)	Before	4:51	HCL to pH<2	2-8°C	500ml	1 (each 500ml)/Amber glass bottle with PTFE lined lid	
10	AP/APEO	Before	4:53		2-8°C	2 L	2 (each 1 Itr)/Amber glass bottle with PTFE lined lid	
11	Anti Microbial & Biocides	Before	4:54		2-8°C	2 L	2 (each 1 ltr)/Amber glass bottle with PTFE lined lid	
12	DMFa	Before	4:55		2-8°C	500ml	1 (each 500ml)/Amber glass bottle with PTFE lined lid	
13	Heavy Metals	Before	4:56	HNO3 to pH<2	2-8°C	500 ml	1 (each 500ml)/Amber glass bottle with PTFE lined lid	
14	UV Absorbers	Before	4:58		2-8°C	1 L	1 (each 1 ltr)/Amber glass bottle with PTFE lined lid	
	Kholil			Checked by:	A			Confirmed by Client:

SGS

Tracking no. 2406060161

Khouil

Water Sampling Record

Client Name: SILVER COMPOSITE TEXTILE MILLS LIMITED

Confirmed by Client:

Lab received container temperature: pH Meter-Therometer-Water Types: AFTER Characteristic
Descriptions/Remarks Temperatu (°C) pH Sample Volume No Sampling No. Locations Time Containers (L) 4:05 2-8°C 1 (each 500ml)/Amber glass bottle with PTFE lined lid 1 TSS & TDS 4:07 2 Heavy Metals HNO3 to pH<2 2-8°C 250 ml 2 (each 250ml)/Amber glass bottle with PTFE lined lid 0.45µm filter in field, Ammonium sulfate buffer to pH 9.0-9.5 4:10 (each 250ml)/Amber glass bottle with PTFE lined lid 3 Cr(VI) After 2-8°C 250 ml Heavy Metals (Murcury) 4:11 1 (each 1 L)/Amber Glass HNO3 to pH<2 2-8°C 1 L After 4:12 2-8°C (each 500ml)/Amber glass bottle with PTFE lined lid (each 500ml)/Amber glass bottle with PTFE lined lid 4:14 4:15 1 (each 1 L)/Amber Glass bottle HNO3 to pH<2 2-8°C 1 L E.coli After 0.1 ml 10%sodium thiosulfate, NaOH to pH>12 4:16 2-8°C 500 ml ST Plastic bottle 8 Cvanide After

A

Checked by:

Sampling Date: 06/06/2024

Effective Date: 03 May, 2015

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms and conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Sampling by:

26.06.2024



DHKSL240047431 R-1

Date:

-	4	1
EL	11 12	E
- The		-
- 10	BL 18	m 100

Water Sampling Record

Tracking no. 2406060161 Sampling Date: 06/06/2024 Client Name: SILVER COMPOSITE TEXTILE MILLS LIMITED Lab received container temperature: pH Meter: Therometer:		Water Types:	AFTER	
Tracking no. 2406060161 Sampling Date: 06/06/2024 Client Name: SILVER COMPOSITE TEXTILE MILLS LIMITED	Lab received container temperature:	pH Meter:		Therometer:
	Tracking no. 2406060161	Sampling Date:	06/06/2024	Client Name: SILVER COMPOSITE TEXTILE MILLS LIMITED

No.	Sampling No.	Locations	Time	рН	Temperature (°C)	Sample Volume (L)	Containers	Characteristic Descriptions/Remarks
9	Sulfite	After	4:18	Add 2 ml 2.5% EDTA Soln	2-8°C	500ml	2 (each 250ml)/Amber glass bottle with PTFE lined lid	
10	Chloride & Sulfate	After	4:19		2-8°C	500ml	1 (each 500ml)/Amber glass bottle with PTFE lined lid	
11	Total Phenolics	After	4:20	H2SO4 to pH<2	2-8°C	500ml	1 (each 500ml)/Amber glass bottle with PTFE lined lid	
12	Ammonium-N + Total N+ Total-P	After	4:21	H2SO4 to pH<2	2-8°C	500ml	1 (each 500ml)/Amber glass bottle with PTFE lined lid	
13	Oil & Grease	After	4:22	H2SO4 to pH<2	2-8°C	500ml	1 (each 500ml)/Amber glass bottle with PTFE lined lid	
14	Sulfide	Afterer	4:24	4 drops 2N Zinc acetate,NaOH> pH 9	2-8°C	250ml	2 (each 250ml)/Amber glass bottle with PTFE lined lid	
15	AOX	After	4:25	0.1 ml 10% sodium thiosulfate H2SO4, pH<2	2-8°C	1L	2 (each 500ml)/Amber glass bottle	

Sampling by: Khalil

Checked by:

d

Confirmed by Client:

66.06.2024

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms and conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.



DHKSL240047431 R-1

Date:

				Sludg	je Samj	pling Re	cord		
racking no.	2406060161			Sampling Date:	06/06/2024		Client Name: SI	LVER COMPOSITE TEXTILE	MILLS LIMITED
				Sample Types: _	Sludge				GPS Tracking info
No.	Sampling No.	Locations	Time	Colour (Visual)	Sample Volume (L)	Containers	Sludge Location	Characteristic Descriptions/Remarks	N&4°07.498' E090°22.901
1	Sludge	ETP	16:30	DORK	1 kg	2	storage		
	Sludge	Disposal pat	thway			If sludge not f	found, describe the	ne reason	
	deline defines sev osal Pathway A - C	offsite Inciner	ation at >100 lignificant Co	00oC ontrol Measures					
ZDHC Dispo ZDHC Dispo ZDHC Dispo ZDHC Dispo Processed at <1000oC ZDHC Dispo	osal Pathway B - L osal Pathway C - E osal Pathway D - L osal Pathway E - C osal Pathway F - L osal Pathway G - L	Building Prod andfill with L Offsite Inciner andfills with	imited Contration and Bu	rol Measures uilding Products					

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms and conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.



DHKSL240047431 R-1

Date:

Annex C: Limit according to regulation / Contract limit with centralized ETP (if proceed)

LOCAL WASTEWATER DISCHARGE REQUIREMENTS BASED ON The Environment Conservation Rules, 2023 (BANGLADESH LOCAL REGULATION-SCHEDULE-5)

SCHEDULE-5					
		Effluent			
Paramters	CAS No.		Value	Unit	
pH Value (min.)	-	-	6.0	-	
pH Value (max.)	-	-	9.0	-	
Temperature	-	-	Maximum 5 °C above the temperature of the water body	ōС	
Biochemical Oxygen Demand (BOD5 at 20 °C)	-	<	30	mg/L	
Chemical Oxygen Demand (COD)	-	<	200	mg/L	
Total Suspended Solids (TSS)	-	<	100	mg/L	
Total Dissolved Solid(TDS)	-	<	2100	mg/L	
Sulfide	-	<	2.0	mg/L	
Oil and Grease	-	<	10	mg/L	
Cadmium (Cd)	7440-43-9	<	0.02	mg/L	
Lead (Pb)	7439-92-1	<	0.1	mg/L	
Nickel (Ni)	7440-02-0	<	1.0	mg/L	
Chromium (Total Cr)	7440-47-3	<	0.5	mg/L	
Cobalt (Co)	7440-48-4	<	0.5	mg/L	
Phenol Compounds	-	<	1.0	mg/L	

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms and conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.