

SL52425342684601TX

Date:October 17,2024

Page 1 of 38

Date of sampling	10/10/2024
Reporting date	17/10/2024

Audit ID	182894	Audit firm	SGS Shanghai	
Company name	SUZHOU MINGDE TEXTILE CO.,LTD			
Contact person	Zhuwu Dong			
Type of tax – tax ID no	913205096082970416			
Address	Tongluo Community Cyclic Economy Test Zone, Taoyuan Town, Wujiang District, Suzhou			
Region state province	Jiangsu			
Town city / village	Suzhou			
Zip / Post code	215200			

Type of wastewater discharge				
Type of wastewater discharge	Indirect Discharge			
Description of the discharge	Discharge to Centralized Wastewater Treatment Plant: Wujiang Keou Sewage Treatment Co., Ltd Address: No. 415 Luonan Road, Taoyuan Town, Wujiang District, Suzhou City, Jiangsu Province			
[If direct discharge] Temperature of receiving water body:	Not applicable			

Type of sludge disposal pathway	
Type of sludge disposal pathway	Pathway A

Type of treatment*				
PRELIMINARY	[] Screening/Sieving/Grit remover (< 6 mm)			
	[x] Screening/Sieving/Grit remover (≥ 6 mm)			
	[x] Homogenization tank			
	[x] pH Correction			
	[] Other (please specify):			
	[x] Coagulation/Flocculation			
PRIMARY	[x] Dissolved air flotation (DAF)			
PRIIVIART	[x] Sedimentation tanks or Settler/Clarifier			
	[] Other (please specify):			
	[x] Activated sludge process. Aerobic reactor			
SECONDARY/BIOLOGICAL	[x] Biological Biofilm reactor (MBBR, SAF, RBC)			
	[] Sequencing batch reactor (SBR)			
	[] Other (please specify):			



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at https://www.sgs.com/en/Terms-and-Conditions. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company, Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing /inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or email: CN. Doccheck-Rogs.com

3rd Building, No. 889, Yishan Road, Xuhui District Shanghai, China 200233 中国・上海・徐汇区宜山路889号3号楼 邮编: 200233 t (86-21) 61402666 f (86-21) 64958763 t (86-21) 61402666 f (86-21) 64958763



SL52425342684601TX

Date:October 17,2024

Page 2 of 38

	TERTIARY	[] Absorption with activated carbon
		[x] High rate filtration
		[] Techniques (ozone, Fenton reaction, photo catalytic degradation)
		[] Other (please specify):

^{*}The information has been provided by the factory.

Sample description

	Simple	Composite	Comments	
(1) Untreated wastewater	Light brown, grab sample at 9:50	-	pH: 7.8 Temperature: 30.9 ºC	
(2) Effluent	Colorless, composite sample at 9:30, 10:30, 11:30, 12:30, 13:30, 14:30, 15:30		pH: 7.5 Temperature: 25.1 ºC	
(3) Sludge	Black, grab sample at 14:00	-	-	
(4) Leachate	YES	-	-	



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at https://www.sgs.com/en/Terms-and-Conditions. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing /inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or email: CN. Doccheck-Riggs.com

Artention: 10 check the authenticity of testing /inspection report & certificate, please contact us at telephone: (86-/35) 830/1443 or email: [0.00] N.Doccheck@ags.com.

3"Building,No.889,Yishan Road,Xuhui District Shanghai,China 200233 t (86-21) 61402666 f (86-21) 64958763 www.sgsgroup.com.cr



SL52425342684601TX

Date:October 17,2024

Page 3 of 38

nternal description – Final Test Report				
Testing laboratory	SGS Shanghai			
Internal codification number (report number)	SL52425342684601TX			
Reference sample number (sample ID)	-			
Received on	11/10/2024			
Analysis carried out from	11/10/2024 to 17/10/2024			
Arrival temperature at lab	7.3 ℃			
Comments	1. Samples received within 24 hours.			
Reporting date	17/10/2024			

Signed for and on behalf of

SGS-CSTC Standards Technical Services (Shanghai) Co., Ltd







SL52425342684601TX

Date:October 17,2024

Page 4 of 38

Summary of test results	I line			
Test items	Untreated wastewater	Effluent	Sludge	Leachate
Conventional Parameters and Anions	-	Please refer to the information in TEST RESULTS	Please refer to the information in TEST RESULTS	-
Heavy Metals	-	Fulfill aspirational limit	Please refer to the information in TEST RESULTS	Sample and report only
Alkylphenol (AP) and Alkylphenol Ethoxylates (APEOs): including all isomers	ND	-	Sample and report only	-
Anti- Microbials & Biocides	ND	-	-	-
Chlorinated Parafins	ND	-	-	-
Chlorobenzenes & Chlorotoluenes	ND	-	Sample and report only	-
Chlorophenols	ND	-	-	-
N,N-di-methylformamide (DMFa)	ND	-	-	-
Dyes – Carcinogenic or Equivalent Concern	ND	-	-	-
Dyes – Disperse (Allergenic)	ND	-	-	-
Dyes – Navy Blue Colourant	ND	-	-	-
Flame Retardants	ND	-	-	-
Glycols / Glycol Ethers	ND	-	-	-
Halogenated Solvents	ND	-	-	-
Organotin Compounds	ND	-	-	-
Other / Miscellaneous Chemicals	ND	-	-	-
Perfluorinated and Polyfluorinated Chemicals (PFCs)	D	-	-	-
Phthalates – including all other esters of ortho-phthalic acid	ND	-	-	-
Polycyclic Aromatic Hydrocarbons (PAHs)	ND	-	Sample and report only	-
Restricted Aromatic Amines (Cleavable from Azo-colourants)	ND	-	-	-
UV Absorbers	ND	-	-	-
VOCs	ND	-	-	_

Sludge disposal pathway	
Comply sludge disposal pathway	NA

Remark (indicated in each parameter)



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at https://www.sgs.com/en/Terms-and-Conditions. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company, Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing /inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or email: CN. Doccheck-Rogs.com

t (86-21) 61402666 f (86-21) 64958763

3rd Building, No. 889, Yishan Road, Xuhui District Shanghai, China 200233 中国・上海・徐汇区宜山路889号3号楼 邮編: 200233

t (86-21) 61402666

f (86-21) 64958763



SL52425342684601TX

Date:October 17,2024

Page 5 of 38

ND = Not detected (< ZDHC requirements)
D = Detected (≥ ZDHC requirements)
NA = Not applicable
- = Not required to be tested



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at https://www.sgs.com/en/Terms-and-Conditions. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction form exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company, Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing /inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or email: CN. Doccheck-Rigas.com

Artention: 1 or email: CN. Doccheck@sgs.com

ii. | 3"Building,No.889,Yishan Road,Xuhui District Shanghai,China 200233 t (86–21) 61402666 f (86–21) 64958763 www.sgsgroup.com.cn



SL52425342684601TX

Date:October 17,2024

Page 6 of 38

Test results

Wastewater

1. Conventional Parameters and Anions

			Limit			Result	
Test Items	est Items Test method	Foundational	Progressive	Aspirational	Reporting Limit	Effluent	Unit
Wastewater Flowrate	-		-		NA	3450 *	m³/day

Remark

NA = Not applicable

- = Not required to be tested



^{*=} Test data is provided by the client



SL52425342684601TX

Date:October 17,2024

Page 7 of 38

2. Heavy Metals

Cr (VI): GB/T 7467-1987 Hg: HJ 694-2014

Others: US EPA 200.8:1994

			Limit			Result	
Test items	CAS no.	Foundational	Progressive	Aspirational	Reporting Limit	Effluent	Unit
Arsenic (As)	Various	Textile and Leather: 0.05	Textile and Leather: 0.01	Textile and Leather: 0.005	0.005	ND	mg/L
Cadmium (Cd)	Various	Textile and Leather: 0.1	Textile and Leather: 0.05	Textile and Leather: 0.01	0.01	ND	mg/L
Mercury (Hg)	Various	Textile and Leather: 0.01	Textile and Leather: 0.005	Textile and Leather: 0.001	0.001	ND	mg/L
Lead (Pb)	Various	Textile and Leather: 0.1	Textile and Leather: 0.05	Textile and Leather: 0.01	0.01	ND	mg/L
Chromium VI (Cr VI)	Various	Textile: 0.05 Leather: 0.15	Textile: 0.005 Leather: 0.05	Textile: 0.001 Leather: 0.02	0.001	0.001	mg/L

3. Alkylphenol (AP) & Alkylphenol Ethoxylates (APEOs): including all isomers

NP/OP: With reference to ISO 18857-2:2009

NPEO / OPEO: With reference to ISO 18857-2:2009 or ASTM D7742-17

			Result	
Test items	CAS no.	Reporting Limit (Textile and Leather)	Untreated wastewater	Unit
Octylphenol (OP)	140-66-9/ 1806-26-4/ 27193-28-8	5	ND	μg/L
Nonyiphenol (NP)	104-40-5/ 11066-49-2/ 25154- 52- 3/84852-15-3	5	ND	μg/L
Octylphenolethoxylates (OPEOs)	9002-93-1/9036-19-5/68987-90-	5	ND	μg/L
Nonylphenolethoxylates (NPEOs)	9016-45-9/26027-38-3/ 37205- 87- 1/68412-54-4/127087-87-0	5	ND	μg/L





SL52425342684601TX

Date:October 17,2024 Page 8 of 38

4. Anti- Microbials & Biocides

o-Phenylphenol (+salts): With reference to BS EN 12673:1999

Triclosan, Permethrin: With reference to US EPA 3510C:1996 & 8270E:2018

Test items	CAS no.	Reporting Limit	Result Untreated wastewater	Unit
o-Phenylphenol (+salts)	90-43-7	Textile: 100	ND	μg/L
Triclosan	3380-34-5	Textile and Leather: 100	ND	μg/L
Permethrin	Various	Textile and Leather: 500	ND	μg/L

5. Chlorinated Parafins

With reference to ISO 12010:2019

Test items	CAS no.	Reporting Limit	Result Untreated wastewater	Unit
Short chain chlorinated paraffins (C10-C13)	85535-84-8	Textile and Leather: 25	ND	μg/L
Medium-chain Chlorinated Paraffins (MCCPs) (C14-C17)	85535-85-9	Textile and Leather: 500	ND	μg/L



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at https://www.sgs.com/en/Terms-and-Conditions. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing /inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or email: CN. Doccheck-Riggs.com

t (86-21) 61402666 f (86-21) 64958763



SL52425342684601TX

Date:October 17,2024

Page 9 of 38

6. Chlorobenzenes & Chlorotoluenes

3-Chlorotoluene, 4-Chlorotoluene: With reference to US EPA 8260D: 2018

Others: With reference to US EPA 3510C:1996 & 8270E:2018

			Result	
Test items	CAS no.	Reporting Limit (Textile and Leather)	Untreated wastewater	Unit
Monochlorobenzenes	108-90-7	0.2	ND	μg/L
1,2-Dichlorobenzene	95-50-1	0.2	ND	μg/L
1,3-Dichlorobenzene	541-73-1	0.2	ND	μg/L
1,4-Dichlorobezene	106-46-7	0.2	ND	μg/L
1,2,3-Trichlorobenzene	87-61-6	0.2	ND	μg/L
1,2,4-Trichlorobenzene	120-82-1	0.2	ND	μg/L
1,3,5-Trichlorobenzene	108-70-3	0.2	ND	μg/L
1,2,3,4-Tetrachlorobenzene	634-66-2	0.2	ND	μg/L
1,2,3,5-Tetrachlorobenzene	634-90-2	0.2	ND	μg/L
1,2,4,5-Tetrachlorobenzene	95-94-3	0.2	ND	μg/L
Pentachlorobenzene	608-93-5	0.2	ND	μg/L
Hexachlorobenzene	118-74-1	0.2	ND	μg/L
2-Chlorotoluene	95-49-8	0.2	ND	μg/L
3-Chlorotoluene	108-41-8	0.2	ND	μg/L
4-Chlorotoluene	106-43-4	0.2	ND	μg/L
2,3-Dichlorotoluene	32768-54-0	0.2	ND	μg/L
2,4-Dichlorotoluene	95-73-8	0.2	ND	μg/L
2,5-Dichlorotoluene	19398-61-9	0.2	ND	μg/L
2,6-Dichlorotoluene	118-69-4	0.2	ND	μg/L
3,4-Dichlorotoluene	95-75-0	0.2	ND	μg/L
3,5-Dichlorotoluene	25186-47-4	0.2	ND	μg/L
2,3,4-Trichlorotoluene	7359-72-0	0.2	ND	μg/L
2,3,6-Trichlorotoluene	2077-46-5	0.2	ND	μg/L
2,4,5-Trichlorotoluene	6639-30-1	0.2	ND	μg/L
2,4,6-Trichlorotoluene	23749-65-7	0.2	ND	μg/L
3,4,5-Trichlorotoluene	21472-86-6	0.2	ND	μg/L



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at https://www.sgs.com/en/Terms-and-Conditions. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing /inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or email: CN. Doccheck-Riggs.com

3rd Building, No. 889, Yishan Road, Xuhui District Shanghai, China 200233 中国・上海・徐汇区宜山路889号3号楼 邮編: 200233

t (86-21) 61402666

t (86-21) 61402666 f (86-21) 64958763 www.sgsgroup.com.cn f (86-21) 64958763 sgs.china@sgs.com



Test Report SL52425342684601TX Date:October 17,2024 Page 10 of 38

2,3,4,5-Tetrachlorotoluene	76057-12-0	0.2	ND	μg/L
2,3,5,6-Tetrachlorotoluene	29733-70-8	0.2	ND	μg/L
2,3,4,6-Tetrachlorotoluene	875-40-1	0.2	ND	μg/L
Pentachlorotoluene	877-11-2	0.2	ND	μg/L

7. Chlorophenols

With reference to BS EN 12673:1999

			Result	
Test items	CAS no.	Reporting Limit (Textile and Leather)	Untreated wastewater	Unit
2-Chlorophenol	95-57-8	0.5	ND	μg/L
3-Chlorophenol	108-43-0	0.5	ND	μg/L
4-Chlorophenol	106-48-9	0.5	ND	μg/L
2,3-Dichlorophenol	576-24-9	0.5	ND	μg/L
2,4-Dichlorophenol	120-83-2	0.5	ND	μg/L
2,5-Dichlorophenol	583-78-8	0.5	ND	μg/L
2,6-Dichlorophenol	87-65-0	0.5	ND	μg/L
3,4-Dichlorophenol	95-77-2	0.5	ND	μg/L
3,5-Dichlorophenol	591-35-5	0.5	ND	μg/L
2,3,4-Trichlorophenol	15950-66-0	0.5	ND	μg/L
2,3,5-Trichlorophenol	933-78-8	0.5	ND	μg/L
2,3,6-Trichlorophenol	933-75-5	0.5	ND	μg/L
2,4,5-Trichlorophenol	95-95-4	0.5	ND	μg/L
2,4,6-Trichlorophenol	88-06-2	0.5	ND	μg/L
3,4,5-Trichlorophenol	609-19-8	0.5	ND	μg/L
2,3,5,6-Tetrachlorophenol	935-95-5	0.5	ND	μg/L
2,3,4,6-Tetrachlorophenol	58-90-2	0.5	ND	μg/L
2,3,4,5-Tetrachlorophenol	4901-51-3	0.5	ND	μg/L
Pentachlorophenol PCP	87-86-5	0.5	ND	μg/L



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at https://www.sgs.com/en/Terms-and-Conditions. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing /inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or email: CN. Doccheck-Riggs.com

3rd Building, No. 889, Yishan Road, Xuhui District Shanghai, China 200233 中国・上海・徐汇区宜山路889号3号楼 邮編: 200233

t (86-21) 61402666

t (86-21) 61402666 f (86-21) 64958763 f (86-21) 64958763



SL52425342684601TX

Date:October 17,2024

Page 11 of 38

8. N,N-di-methylformamide (DMFa)

With reference to US EPA 8015C:2007

Test item	CAS no.	Reporting Limit (Textile)	Result Untreated wastewater	Unit
N,N-di-methylformamide (DMFa)	68-12-2	1000 (Sample and Report only for mock leather)	ND	μg/L

9. Dyes - Carcinogenic or Equivalent Concern

With reference to inhouse method followed by LC-MS/MS

			Result	
Test items	CAS no.	Reporting Limit (Textile and Leather)	Untreated wastewater	Unit
C.I. Direct Black 38	1937-37-7	500	ND	μg/L
C.I. Direct Blue 6	2602-46-2	500	ND	μg/L
C.I. Acid Red 26	3761-53-3	500	ND	μg/L
C.I. Basic Red 9	569-61-9	500	ND	μg/L
C.I. Direct Red 28	573-58-0	500	ND	μg/L
C.I. Basic Violet 14	632-99-5	500	ND	μg/L
C.I. Disperse Blue 1	2475-45-8	Textile: 500	ND	μg/L
C.I. Disperse Blue 3	2475-46-9	Textile: 500	ND	μg/L
C.I. Basic Blue 26 (with Michler's Ketone > 0.1%)	2580-56-5	500	ND	μg/L
C.I. Basic Green 4 (malachite green chloride)	569-64-2	500	ND	μg/L
C.I. Basic Green 4 (malachite green oxalate)	2437-29-8	500	ND	μg/L
C.I. Basic Green 4 (malachite green)	10309-95-2	500	ND	μg/L
Disperse Orange 11	82-28-0	Textile: 500	ND	μg/L
Basic violet 3 with >0.1% of Michler's Ketone*	548-62-9	500	ND	μg/L
C.I. Acid Violet 49	1694-09-3	500	ND	μg/L

^{*}Reported concentration refers to the dye part only





SL52425342684601TX

Date:October 17,2024

Page 12 of 38

10. Dyes - Disperse (Allergenic)

With reference to inhouse method followed by LC-MS/MS

			Result	
Test Items	CAS no.	Reporting Limit (Textile)	Untreated wastewater	Unit
Disperse Yellow 1	119-15-3	50	ND	μg/L
Disperse Blue 102	12222-97-8	50	ND	μg/L
Disperse Blue 106	12223-01-7	50	ND	μg/L
Disperse Yellow 39	12236-29-2	50	ND	μg/L
Disperse Orange 37/59/76	13301-61-6	50	ND	μg/L
Disperse Brown 1	23355-64-8	50	ND	μg/L
Disperse Orange 1	2581-69-3	50	ND	μg/L
Disperse Yellow 3	2832-40-8	50	ND	μg/L
Disperse Red 11	2872-48-2	50	ND	μg/L
Disperse Red 1	2872-52-8	50	ND	μg/L
Disperse Red 17	3179-89-3	50	ND	μg/L
Disperse Blue 7	3179-90-6	50	ND	μg/L
Disperse Blue 26	3860-63-7	50	ND	μg/L
Disperse Yellow 49	54824-37-2	50	ND	μg/L
Disperse Blue 35	12222-75-2	50	ND	μg/L
Disperse Blue 124	61951-51-7	50	ND	μg/L
Disperse Yellow 9	6373-73-5	50	ND	μg/L
Disperse Orange 3	730-40-5	50	ND	μg/L
Disperse Blue 35	56524-77-7	50	ND	μg/L



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at https://www.sgs.com/en/Terms-and-Conditions. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing /inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or email: CN. Doccheck-Riggs.com

f (86-21) 64958763 t (86-21) 61402666

3rd Building, No. 889, Yishan Road, Xuhui District Shanghai, China 200233 中国・上海・徐汇区宜山路889号3号楼 邮編: 200233

t (86-21) 61402666 f (86-21) 64958763



SL52425342684601TX

Date:October 17,2024

Page 13 of 38

11. Dyes - Navy Blue Colourant

With reference to inhouse method followed by LC-MS/MS

			Result		
Test Items	CAS no.	Reporting Limit (Textile and Leather)	Untreated wastewater	Unit	
Component 1: C39H23Cl-CrN7O12S 2Na	118685-33-9	500	ND	μg/L	
Component 2: C46H-30CrN10O20S2 3Na	Not Allocated	500	ND	μg/L	

Boric acid, Diboron trioxide, Disodium octaborate, Disodium tetraborate anhydrous, Tetraboron disodium heptaoxide, hydrate: With reference to US EPA 200.8:1994

BBMP, BIS, TRIS: With reference to inhouse method followed by LC-MS/MS

Others: With reference to US EPA 3510C:1996 & US EPA 8270E:2018

			Result	
Test Items	CAS no.	Reporting Limit	Untreated wastewater	Unit
Decabromodiphenyl ether (DecaBDE)	1163-19-5	Textile: 25 Leather: 5	ND	μg/L
Pentabromodiphenyl ether (PentaBDE)	32534-81-9	Textile: 25 Leather: 5	ND	μg/L
Octabromodiphenyl ether (OctaBDE)	32536-52-0	Textile: 25 Leather: 5	ND	μg/L
Tris(1-aziridinylphosphine oxide) (TEPA)	545-55-1	Textile: 25 Leather: 5	ND	μg/L
Polybromobiphenyls (PBBs)	59536-65-1	Textile: 25 Leather: 5	ND	μg/L
Tris(2,3-dibromopropyl phosphate) (TRIS)	126-72-7	Textile: 25 Leather: 5	ND	μg/L
Tetrabromobisphenol A (TBBPA)	79-94-7	Textile: 25 Leather: 5	ND	μg/L
Bis(2,3-dibromopropyl) phosphate	5412-25-9	Textile: 25 Leather: 5	ND	μg/L
Hexabromocyclododecane (HBCDD)	3194-55-6	Textile: 25 Leather: 5	ND	μg/L
2,2-Bis(bromomethyl)-1,3-propanediol (BBMP)	3296-90-0	Textile: 25 Leather: 5	ND	μg/L
Tris-(2-chloro-1-methylethyl) phosphate (TCPP)	13674-84-5	Textile: 25 Leather: 5	ND	μg/L
Decabromobiphenyl (DecaBB)	13654-09-6	Textile: 25	ND	μg/L
Dibromobiphenyls (DiBB)	Multiple	Textile: 25	ND	μg/L



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at https://www.sgs.com/en/Terms-and-Conditions. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing /inspection report & certificate, please contact us at telephone: (86-755) 8307 1443,

t (86-21) 61402666 f (86-21) 64958763



SL52425342684601TX

Date:October 17,2024

Page 14 of 38

Octabromobiphenyls (OctaBB)	Multiple	Textile: 25	ND	μg/L
Dibromopropylether	21850-44-2	Textile: 25	ND	μg/L
Heptabromodiphenyl ether (HeptaBDE)	68928-80-3	Textile: 25	ND	μg/L
Hexabromodiphenyl ether (HexaBDE)	36483-60-0	Textile: 25	ND	μg/L
Monobromobiphenyls (MonoBB)	Multiple	Textile: 25	ND	μg/L
Monobromodiphenylethers (MonoBDEs)	Multiple	Textile: 25	ND	μg/L
Nonabromobiphenyls (NonaBB)	Multiple	Textile: 25	ND	μg/L
Nonabromodiphenyl ether (NonaBDE)	63936-56-1	Textile: 25	ND	μg/L
Tetrabromodiphenyl ether (TetraBDE)	40088-47-9	Textile: 25	ND	μg/L
Tribromodiphenylethers (TriBDEs)	Multiple	Textile: 25	ND	μg/L
Boric acid	10043-35-3 11113-50-1	Textile: 100*	ND (ND) **	μg/L
Diboron trioxide	1303-86-2	Textile: 100*	ND (ND) **	μg/L
Disodium octaborate	12008-41-2	Textile: 100*	ND (ND) **	μg/L
Disodium tetraborate anhydrous	1303-96-4 1330-43-4	Textile: 100*	ND (ND) **	μg/L
Tetraboron disodium heptaoxide, hydrate	12267-73-1	Textile: 100*	ND (ND) **	μg/L
Tris(2-chloroethyl) phosphate (TCEP)	115-96-8	Textile: 25 Leather: 5	ND	μg/L
Tris(1,3-dichloro-isopropyl) phosphate (TDCP)	13674-87-8	Textile: 25 Leather: 5	ND	μg/L

^{*} Limit refers to elemental boron, not the salt.



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at https://www.sgs.com/en/Terms-and-Conditions. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing /inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or email: CN. Doccheck-Riggs.com

Artention: To check the authenticity of testing /inspection report & certificate, please contact us at telephone: (66-75) 6307 144.

1 3 Euilding,No.889,Yishan Road,Xuhui District Shanghai,China 200233 t (86-21) 61402666 f (86-21) 64958763 www.sgsgroup.com.c

 $[\]hbox{\bf **Result in term of elemental boron (Result in term of the corresponding boron salt)}$



SL52425342684601TX

Date:October 17,2024

Page 15 of 38

13. Glycols/Glycol Ethers

2-Ethoxyethanol, 2-Methoxyethanol, Ethylene glycol dimethyl ether, Triethylene glycol dimethyl ether: With reference to US EPA 8015C:2007 Others: With reference to US EPA 3510C:1996 & US EPA 8270E:2018

			Result	
Test Items	CAS no.	Reporting Limit (Textile and Leather)	Untreated wastewater	Unit
Bis(2-methoxyethyl)-ether	111-96-6	50	ND	μg/L
2-ethoxyethanol	110-80-5	50	ND	μg/L
2-ethoxyethyl acetate	111-15-9	50	ND	μg/L
Ethylene glycol dimethyl ether	110-71-4	50	ND	μg/L
2-methoxyethanol	109-86-4	50	ND	μg/L
2-methoxyethylacetate	110-49-6	50	ND	μg/L
2-methoxypropylacetate	70657-70-4	50	ND	μg/L
Triethylene glycol dimethyl ether	112-49-2	50	ND	μg/L

14. Halogenated solvents

With reference to US EPA 8260D: 2018

			Result	
Test Items	CAS no.	Reporting Limit (Textile and Leather)	Untreated wastewater	Unit
1,2-Dichloroethane	107-06-2	1	ND	μg/L
Methylene chloride	75-09-2	1	ND	μg/L
Trichloroethene	79-01-6	1	ND	μg/L
Tetrachloroethene	127-18-4	1	ND	μg/L



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at https://www.sgs.com/en/Terms-and-Conditions. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing /inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or email: CN. Doccheck-Riggs.com

t (86-21) 61402666

3rd Building, No. 889, Yishan Road, Xuhui District Shanghai, China 200233 中国・上海・徐汇区宜山路889号3号楼 邮編: 200233

t (86-21) 61402666

f (86-21) 64958763 f (86-21) 64958763



SL52425342684601TX

Date:October 17,2024

Page 16 of 38

15. Organotin compounds

With reference to DIN EN ISO17353:2005 (E)

			Result		
Test Items	CAS no.	Reporting Limit (Textile and Leather)	Untreated wastewater	Unit	
Triclyclohexyltin (TCyHT)	Various	0.01	ND	μg/L	
Tripropyltin (TPT)	Various	0.01	ND	μg/L	
Dipropyltin compounds (DPT)	Various	0.01	ND	μg/L	
Tetrabutyltin compounds (TeBT)	Various	0.01	ND	μg/L	
Tetraoctyltin compounds (TeOT)	Various	0.01	ND	μg/L	
Tetraethyltin Compounds (TeET)	Various	0.01	ND	μg/L	
Mono-, di-and tri-octyltin derivatives	Various	0.01	ND	μg/L	
Monooctyltin (MOT)	15231-57-9	0.01	ND	μg/L	
Dioctyltin (DOT)	94410-05-6, 12531-44-4	0.01	ND	μg/L	
Trioctyltin (TOT)	Various	0.01	ND	μg/L	
Mono-, di-and tri-methyltin derivatives	Various	0.01	ND	μg/L	
Monomethyltin (MMT)	Various	0.01	ND	μg/L	
Dimethyltin (DMT)	Various	0.01	ND	μg/L	
Trimethyltin (TMT)	Various	0.01	ND	μg/L	
Mono-, di-and tri-butyltin derivatives	Various	0.01	ND	μg/L	
Monobutyltin (MBT)	1118-46-3, 78763-54-9	0.01	ND	μg/L	
Dibutyltin (DBT)	1002-53-5	0.01	ND	μg/L	
Tributyltin (TBT)	56573-85-4	0.01	ND	μg/L	
Mono-, di-and tri-phenyltin derivatives	Various	0.01	ND	μg/L	
Monophenyltin (MPhT)	Various	0.01	ND	μg/L	
Diphenyltin (DPhT)	Various	0.01	ND	μg/L	
Triphenyltin (TPhT)	892-20-6, 668-34-8	0.01	ND	μg/L	





SL52425342684601TX

Date:October 17,2024

Page 17 of 38

16. Other/Miscellaneous Chemicals

AEEA, Thiourea: With reference to inhouse method followed by LC-MS/MS

Bisphenol A: With reference to ISO 18857-2:2009

Quinoline: With reference to US EPA 3510C:1996 & US EPA 8270E:2018

Borate, zinc salt: US EPA 200.8:1994

Test Items	CAS no.	Reporting Limit (Textile)	Result Untreated wastewater	Unit
AEEA [2-(2-aminoethylamino) ethanol]	111-41-1	500	ND	μg/L
Bisphenol A	80-05-7	10	ND	μg/L
Thiourea	62-56-6	50	ND	μg/L
Quinoline	91-22-5	50	ND	μg/L
Borate, zinc salt	12767-90-7	100*	B: ND (ND) ** Zn: ND (ND) **	μg/L

^{*} Limit refers to boron and zinc individually, not the salt.



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at https://www.sgs.com/en/Terms-and-Conditions. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only to the fullest extent of the factors of the state of the factor of the f

^{**} Result in term of elemental boron / zinc (Result in term of the corresponding boron / zinc salt)



SL52425342684601TX

Date:October 17,2024

Page 18 of 38

17. Perfluorinated and Polyfluorinated Chemicals (PFCs)

PFCs: With reference to US EPA 537.1:2020 & inhouse method FTOH: With reference to US EPA 3510C:1996 & US EPA 8270E:2018

			Result	
Test Items	CAS no.	Reporting Limit (Textile and Leather)	Untreated wastewater	Unit
Perfluoro-octane-sulfonic acid (PFOS)*	1763-23-1	0.01	ND	μg/L
Perfluoro-octanoic acid (PFOA)**	335-67-1	0.01	0.07	μg/L
Perfluoro-octane-sulfon-amide (PFOSA)	754-91-6	0.01	ND	μg/L
1H,1H,2H,2H-Perfluorodecyl acrylate (8:2 FTA)	27905-45-9	1	ND	μg/L
1H,1H,2H,2H-Perfluorodecanol (8:2 FTOH)	678-39-7	1	ND	μg/L
N-Methyl-perfluoro-octane-sulfon-amido-ethanol (N-Me-FOSE)	24448-09-7	0.01	ND	μg/L
N-Ethyl-Perfluoro-octane-sulfon-amido-ethanol (N-Et-FOSE)	1691-99-2	0.01	ND	μg/L
N-Methyl-perfluoro-octane-sulfon-amide (N-Me-FOSA)	31506-32-8	0.01	ND	μg/L
N-Ethyl-perfluoro-octane-sulfon-amide (N-Et-FOSA)	4151-50-2	0.01	ND	μg/L
1H,1H,2H,2H-Perfluorodecanesulfonic acid (8:2 FTS)	39108-34-4	1	ND	μg/L
Methyl Perfluorooctanoate (Me-PFOA)	376-27-2	1	ND	μg/L
Ethyl Perfluorooctanoate (Et-PFOA)	3108-24-5	1	ND	μg/L
8:2 Fluorotelomer methacrylate (8:2 FTMA)	1996-88-9	1	ND	μg/L

^{*} PFOS refer to its salts/derivative including PFOS-K (CAS No.: 2795-39-3), PFOS-Li (CAS No.: 29457-72-5), PFOS-NH₄ (CAS No.: 29081-56-9), PFOS-NH(OH)₂ (CAS No.: 70225-14-8), PFOS-N(C_2H_5)₄ (CAS No.: 56773-42-3) and POSF (CAS No.: 307-35-7)

^{**} PFOA refer to its salts including PFOA-Na (CAS No.: 335-95-5), PFOA-K (CAS No.: 2395-00-8), PFOA-Ag (CAS No.: 335-93-3), PFOA-F (CAS No.: 335-66-0) and APFO (CAS No.: 3825-26-1)



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at https://www.sgs.com/en/Terms-and-Conditions. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing /inspection report & certificate, please contact us at telephone: (86-755) 8307 1443,

t (86-21) 61402666 f (86-21) 64958763

3rd Building, No. 889, Yishan Road, Xuhui District Shanghai, China 200233 中国・上海・徐汇区宜山路889号3号楼 邮編: 200233

t (86-21) 61402666 f (86-21) 64958763



SL52425342684601TX

Date:October 17,2024

Page 19 of 38

18. Phthalates - including all other esters of ortho-phthalic acid

With reference to US EPA 3510C:1996 & US EPA 8270E:2018

			Result	Unit	
Test Items	CAS no.	Reporting Limit (Textile and Leather)	Untreated wastewater		
Di-2-ethylhexyl phthalate (DEHP)	117-81-7	10	ND	μg/L	
Dimethoxyethyl phthalate (DMEP)	117-82-8	10	ND	μg/L	
Di-n-octyl phthalate (DNOP)	117-84-0	10	ND	μg/L	
Di-iso-decyl phthalate (DIDP)	26761-40-0	10	ND	μg/L	
Di-iso-nonyl phthalate (DINP)	28553-12-0	10	ND	μg/L	
Di-n-hexyl phthalate (DnHP)	84-75-3	10	ND	μg/L	
Dibutyl phthalate (DBP)	84-74-2	10	ND	μg/L	
Butyl benzyl phthalate (BBP)	85-68-7	10	ND	μg/L	
Dinonyl phthalate (DNP)	84-76-4	10	ND	μg/L	
Diethyl phthalate (DEP)	84-66-2	10	ND	μg/L	
Di-n-propyl phthalate (DPRP)	131-16-8	10	ND	μg/L	
Di-iso-butyl phthalate (DIBP)	84-69-5	10	ND	μg/L	
Di-cyclohexyl phthalate (DCHP)	84-61-7	10	ND	μg/L	
Di-iso-octyl phthalate (DIOP)	27554-26-3	10	ND	μg/L	
1,2-benzenedicarboxylic acid, di-C7-11- branched and linearakyl esters (DHNUP)	68515-42-4, 68515-50-4	10	ND	μg/L	
1,2-benzenedicarboxylic acid, di-C6-8 branched and linearalkyl esters , C7-rich (DIHP)	71888-89-6, 84777-06-0	10	ND	μg/L	
Di-n-pentylphthalates	131-18-0	10	ND	μg/L	
Diisopentylphthalates	605-50-5	10	ND	μg/L	



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at https://www.sgs.com/en/Terms-and-Conditions. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing /inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or email: CN. Doccheck-Riggs.com

3rd Building, No. 889, Yishan Road, Xuhui District Shanghai, China 200233 中国・上海・徐汇区宜山路889号3号楼 邮編: 200233

t (86-21) 61402666

t (86-21) 61402666 f (86-21) 64958763 f (86-21) 64958763



SL52425342684601TX

Date:October 17,2024

Page 20 of 38

19. Polycyclic aromatic hydrocarbons (PAHs)

With reference to US EPA 3510C:1996 & US EPA 8270E:2018

Test Items	CAS no.	Reporting Limit (Textile and Leather)	Result Untreated wastewater	Unit
Benzo(a)pyrene (BaP)	50-32-8	1	ND	μg/L
Anthracene	120-12-7	1	ND	μg/L
Pyrene	129-00-0	1	ND	μg/L
Benzo(ghi)perylene	191-24-2	1	ND	μg/L
Benzo(e)pyrene	192-97-2	1	ND	μg/L
Indeno (1,2,3-cd)pyrene	193-39-5	1	ND	μg/L
Benzo(j)fluoranthene	205-82-3	1	ND	μg/L
Benzo(b)fluoranthene	205-99-2	1	ND	μg/L
Fluoranthene	206-44-0	1	ND	μg/L
Benzo(k)fluoranthene	207-08-09	1	ND	μg/L
Acenaphthylene	208-96-8	1	ND	μg/L
Chrysene	218-01-9	1	ND	μg/L
Dibenz(a,h)anthracene	53-70-3	1	ND	μg/L
Benzo(a)anthracene	56-55-3	1	ND	μg/L
Acenaphthene	83-32-9	1	ND	μg/L
Phenanthrene	85-01-8	1	ND	μg/L
Fluorene	86-73-7	1	ND	μg/L
Naphthalene	91-20-3	1	ND	μg/L





SL52425342684601TX

Date:October 17,2024

Page 21 of 38

20. Restricted Aromatic Amines (Cleavable from Azo-colourants)

With reference to EN ISO 14362-1:2017, EN ISO 14362-3:2017 (if needed), US EPA 3510C:1996 & US EPA 8270E:2018

			Result		
Test Items	CAS no.	Reporting Limit (Textile and Leather)	Untreated wastewater	Unit	
4,4'-Methylene-bis(2-chloroaniline)	101-14-4	0.1	ND	μg/L	
4,4'-Diaminodiphenylmethane	101-77-9	0.1	ND	μg/L	
4,4'-Oxydianiline	101-80-4	0.1	ND	μg/L	
4-Chloroaniline	106-47-8	0.1	ND	μg/L	
3,3'-Dimethoxybenzidine	119-90-4	0.1	ND	μg/L	
3,3'-Dimethylbenzidine	119-93-7	0.1	ND	μg/L	
p-Cresidine	120-71-8	0.1	ND	μg/L	
2,4,5-Trimethylaniline	137-17-7	0.1	ND	μg/L	
4,4'-Thiodianiline	139-65-1	0.1	ND	μg/L	
4-Aminoazobenzene	60-09-3	0.1	ND	μg/L	
2,4-Diaminoanisole	615-05-4	0.1	ND	μg/L	
3,3'-Dimethyl-4,4'-diaminodiphenylmethane	838-88-0	0.1	ND	μg/L	
2,6-Xylidine	87-62-7	0.1	ND	μg/L	
o-Anisidine	90-04-0	0.1	ND	μg/L	
2-Naphthylamine	91-59-8	0.1	ND	μg/L	
3,3'-Dichlorobenzidine	91-94-1	0.1	ND	μg/L	
4-Aminobiphenyl	92-67-1	0.1	ND	μg/L	
Benzidine	92-87-5	0.1	ND	μg/L	
o-Toluidine	95-53-4	0.1	ND	μg/L	
2,4-Xylidine	95-68-1	0.1	ND	μg/L	
4-Chloro-o-toluidine	95-69-2	0.1	ND	μg/L	
2,4-Diaminotoluene	95-80-7	0.1	ND	μg/L	
o-Aminoazotoluene	97-56-3	0.1	ND	μg/L	
5-Nitro-o-toluidine	99-55-8	0.1	ND	μg/L	
2-Naphthylammoniumacetate	553-00-4	0.1	ND	μg/L	
2,4,5-trimethylaniline hydrochloride	21436-97-5	0.1	ND	μg/L	
4-chloro-o-toluidinium chloride	3165-93-3	0.1	ND	μg/L	
4-methoxy-m-phenylene diammonium sulphate; 2,4-diaminoanisole sulphate	39156-41-7	0.1	ND	μg/L	



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at https://www.sgs.com/en/Terms-and-Conditions. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not expensate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing /inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or email: CN. Doccheck@sgs.com

3"Building,No.889,Yishan Road,Xuhui District Shanghai,China 200233 t (86-21) 61402666 f (86-21) 64958763 www.sgsgroup.com.cn

3stBuilding,No.889,Yishan Road,Xuhui District Shanghai,China 200233 中国・上海・徐汇区宜山路889号3号楼 邮编: 200233

t (86-21) 61402666

f (86–21) 64958763 f (86–21) 64958763



SL52425342684601TX

Date:October 17,2024

Page 22 of 38

21. UV Absorbers

With reference to inhouse method followed by LC-MS/MS

			Result	
Test Items	CAS no.	Reporting Limit (Textile)	Untreated wastewater	Unit
2-(2H-benzotriazol-2-yl)-4-(tert-butyl)-6- (sec- butyl) phenol (UV-350)	36437-37-3	100	ND	μg/L
2-(2H-benzotriazol-2-yl)-4,6- ditertpentylphenol (UV-328)	25973-55-1	100	ND	μg/L
2-benzotriazol-2-yl-4,6-di-tertbutylphenol (UV-320)	3846-71-7	100	ND	μg/L
2,4-Di-tert-butyl-6-(5-chlorobenzotriazole- 2-yl) phenol (UV-327)	3864-99-1	100	ND	μg/L

22. Volatile organic compounds (VOCs)

Benzene, Xylene, Toluene: With reference to US EPA 8260D: 2018

m-cresol / o-cresol / p-cresol: With reference to US EPA 3510C:1996 & US EPA 8270E:2018

Test Items	CAS no.	Reporting Limit	Result Untreated wastewater	Unit
Benzene	71-43-2	Textile and Leather: 1	ND	μg/L
Xylene	1330-20-7	Textile: 1	ND	μg/L
o-cresol	95-48-7	Textile and Leather: 1	ND	μg/L
p-cresol	106-44-5	Textile and Leather: 1	ND	μg/L
m-cresol	108-39-4	Textile and Leather: 1	ND	μg/L
Toluene	108-88-3	Textile: 1 (Sample and Report only for mock leather)	ND	μg/L

Remark

ND = Not detected (< Reporting Limit) NA = Not applicable
- = Not required to be tested



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at https://www.sgs.com/en/Terms-and-Conditions. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only

sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing /inspection report & certificate, please contact us at telephone: (86-755) 8307 1443,

3rd Building, No. 889, Yishan Road, Xuhui District Shanghai, China 200233 中国・上海・徐汇区宜山路889号3号楼 邮編: 200233 t (86-21) 61402666 f (86-21) 64958763 t (86-21) 61402666 f (86-21) 64958763



SL52425342684601TX

Date:October 17,2024

Page 23 of 38

SLUDGE

23. Sludge Parameters - Step 1 - Conventional

pH: HJ 962-2018

% Solids: HJ 613-2011

Paint Filter Test: US EPA 9095B:2004

Fecal Coliform: USEPA 1681

			Limit							Result	
Test Items	CAS no.	Pathway A	Pathway B	Pathway C	Pathway D	Pathway E	Pathway F	Pathway G	Reporting Limit	Sludge	Unit
рН	-	Sample and Report Only	Sample and Report Only	5-11	5-11	5-11	6.5-9	6.5-9	-	6.8	s.u.
% Solids	-	Sample and Report Only	and	and	and	and	and	Sample and Report Only	-	31.8	%
Paint Filter Test	-	Sample and Report Only	and	Sample and Report Only	Pass	Pass	Pass	Sample and Report Only	-	Pass	-
Fecal Coliform	-	Sample and Report Only	and	and	and Report	and Report	1000	1000	1000	ND	MPN/g

24. Sludge Parameters - Step 1 - Anions

With reference to HJ 745-2015

				Limit -	- Dry we	eight				Result	
Test Items	CAS no.	Pathway A	Pathway B	Pathway C	Pathway D	Pathway E	Pathway F	Pathway G	Reporting Limit (Textile)	Sludge	Unit
Cyanide	_	Sample and Report Only	and	100	85	70	70	70	20	ND	mg/kg





SL52425342684601TX

Date:October 17,2024

Page 24 of 38

25. Sludge Parameters - Step 1 - Metals

Cr VI: US EPA 3060A:1996 & EPA 7196A:1996

Hg: HJ 923-2017

Others: US EPA 3050B:1996 & US EPA 6020B:2014

Test Items	CAS no.	Limit – [Ory weight	Reporting Limit	Result	
		Total Metals Threshold Values*	Max Total Metals limit for Pathway G		Sludge	Unit
Arsenic (As)	Various	10	75	Textile: 5 Leather 2	14	mg/kg
Cadmium (Cd)	Various	3	85	Textile: 1 Leather 2	ND	mg/kg
Mercury (Hg)	Various	1	57	Textile: 1 Leather 0.2	ND	mg/kg
Lead (Pb)	Various	10	840	Textile: 5 Leather 2	6	mg/kg
Antimony (Sb)	Various	12	Sample and Report Only	Textile: 5	777	mg/kg
Cobalt (Co)	Various	1600	Sample and Report Only	Textile: 400	ND	mg/kg
Nickel (Ni)	Various	70	420	Textile: 20	41	mg/kg
Silver (Ag)	Various	100	Sample and Report Only	Textile: 50	ND	mg/kg
Copper (Cu)	Various	200	4300	Textile: 50	81	mg/kg
Zinc (Zn)	Various	1000	7500	Textile: 400	ND	mg/kg
Total Chromium (Cr)	Various	100	3000	Textile: 50	260	mg/kg
Chromium VI (Cr VI)	Various	50	50	Textile: 20 Leather 2	ND	mg/kg
Barium (Ba)	Various	700	Sample and Report Only	Textile: 200	ND	mg/kg
Selenium (Se)	Various	10	100	Textile: 5	ND	mg/kg

^{*} Leachate should be tested if Total Metals Threshold Values is exceeded in sludge.





SL52425342684601TX

Date:October 17,2024

Page 25 of 38

26. Sludge Parameters - Step 1 - MRSL - Alkylphenol (AP) and Alkylphenol Ethoxylates (APEOs): including all isomers

NP/OP: With reference to inhouse method followed by GC-MS

NPEO/OPEO: With reference to inhouse method followed by GC-MS & LC-MS/MS

				Limit -	- Dry we	eight				Result	
Test Items	CAS no.	Pathway A	Pathway B	Pathway C	Pathway D	Pathway E	Pathway F	Pathway G	Reporting Limit (Textile and Leather)	Sludge	Unit
Octylphenol (OP)	140-66-9/ 1806-26-4/ 27193-28-8	and	Sample and Report Only	Sample and Report Only	0.4	0.4	0.4	0.4	0.4	ND	mg/kg
Nonylphenol (NP)	104-40-5/ 11066-49- 2/ 25154-52- 3/84852-15-3	and	Sample and Report Only	Sample and Report Only	0.4	0.4	0.4	0.4	0.4	ND	mg/kg
Octylphenolethoxylates (OPEOs)	9002-93-1/9036-19- 5/68987-90-6	Sample and Report Only	Sample and Report Only	and	0.4	0.4	0.4	0.4	0.4	ND	mg/kg
Nonylphenolethoxylates (NPEOs)	9016-45-9/26027-38- 3/ 37205-87- 1/68412-54-4/127087- 87-0	and	Sample and Report Only	and	0.4	0.4	0.4	0.4	0.4	ND	mg/kg

27. Sludge Parameters - Step 1 - MRSL - Polycyclic Aromatic Hydrocarbons (PAHs)

With reference to LIC EDA 2E70 9, LIC EDA 9270E:2019

				Limit -	- Dry we	eight				Result	
Test Items	CAS no.	Pathway A	Pathway B	Pathway C	Pathway D	Pathway E	Pathway F	Pathway G	Reporting Limit (Textile)	Sludge	Unit
Benzo(a)pyrene (BaP)	50-32-8	Sample and Report Only	and	and	0.2	0.2	0.2	0.2	0.2	ND	mg/kg
Anthracene	120-12-7	Sample and Report Only	and	and	0.2	0.2	0.2	0.2	0.2	ND	mg/kg
Pyrene	129-00-0	Sample and Report Only	and	and	0.2	0.2	0.2	0.2	0.2	ND	mg/kg
Benzo(ghi)perylene	191-24-2	Sample and Report Only	and	and	0.2	0.2	0.2	0.2	0.2	ND	mg/kg



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at https://www.sgs.com/en/Terms-and-Conditions. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction form exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing /inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or email: CN. Doccheck-Riggs.com

f (86-21) 64958763

3rd Building, No. 889, Yishan Road, Xuhui District Shanghai, China 200233 中国・上海・徐汇区宜山路889号3号楼 邮編: 200233 t (86-21) 61402666 t (86-21) 61402666 f (86-21) 64958763



SL52425342684601TX

Date:October 17,2024

Page 26 of 38

·		1	1		1				<u> </u>	
Benzo(e)pyrene	192-97-2	Sample Sample and and Report Report Only Only	and	0.2	0.2	0.2	0.2	0.2	ND	mg/kg
Indeno (1,2,3-cd)pyrene	193-39-5	Sample Sample and and Report Report Only Only	and	0.2	0.2	0.2	0.2	0.2	ND	mg/kg
Benzo(j)fluoranthene	205-82-3	Sample Sample and and Report Report Only Only	and	0.2	0.2	0.2	0.2	0.2	ND	mg/kg
Benzo(b)fluoranthene	205-99-2	Sample Sample and and Report Report Only Only	and	0.2	0.2	0.2	0.2	0.2	ND	mg/kg
Fluoranthene	206-44-0	Sample Sample and and Report Report Only Only	and	0.2	0.2	0.2	0.2	0.2	ND	mg/kg
Benzo(k)fluoranthene	207-08-09	Sample Sample and and Report Report Only Only	and	0.2	0.2	0.2	0.2	0.2	ND	mg/kg
Acenaphthylene	208-96-8	Sample Sample and and Report Report Only Only	and	0.2	0.2	0.2	0.2	0.2	ND	mg/kg
Chrysene	218-01-9	Sample Sample and and Report Report Only Only	and	0.2	0.2	0.2	0.2	0.2	ND	mg/kg
Dibenz(a,h)anthracene	53-70-3	Sample Sample and and Report Report Only Only	and	0.2	0.2	0.2	0.2	0.2	ND	mg/kg
Benzo(a)anthracene	56-55-3	Sample Sample and and Report Report Only Only	and	0.2	0.2	0.2	0.2	0.2	ND	mg/kg
Acenaphthene	83-32-9	Sample Sample and and Report Report Only Only	and	0.2	0.2	0.2	0.2	0.2	ND	mg/kg
Phenanthrene	85-01-8	Sample Sample and and Report Report Only Only	and	0.2	0.2	0.2	0.2	0.2	ND	mg/kg
Fluorene	86-73-7	Sample Sample and and Report Report Only Only	and	0.2	0.2	0.2	0.2	0.2	ND	mg/kg
Naphthalene	91-20-3	Sample Sample and and	Sample and	0.2	0.2	0.2	0.2	0.2	ND	mg/kg



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at https://www.sgs.com/en/Terms-and-Conditions. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction form exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company, Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing /inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or email: CN. Doccheck-Rogs.com

3rd Building, No. 889, Yishan Road, Xuhui District Shanghai, China 200233 中国・上海・徐汇区宜山路889号3号楼 邮编: 200233 t (86-21) 61402666 f (86-21) 64958763 t (86-21) 61402666 f (86-21) 64958763



Test Report SL52425342684601TX Date:October 17,2024 Page 27 of 38

_						
	D t	D	D			
	Report	Keport	Report			
	Only	Only	Only			
	Offity	Office	Office			



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at https://www.sgs.com/en/Terms-and-Conditions. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company, Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing /inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or email: CN. Doccheck-Rogs.com

t (86-21) 61402666 f (86-21) 64958763 3rd Building, No. 889, Yishan Road, Xuhui District Shanghai, China 200233 www.sgsgroup.com.cn



SL52425342684601TX

Date:October 17,2024

Page 28 of 38

28. Sludge Parameters - Step 1 - MRSL - Chlorotoluenes

With reference to US EPA 3570 & US EPA 8270E:2018

With reference to US EP				Limit -	- Dry we	eight				Result	
Test Items	CAS no.	Pathway A	Pathway B	Pathway C	Pathway D	Pathway E	Pathway F	Pathway G	Reporting Limit (Textile and Leather)	Sludge	Unit
2-Chlorotoluene	95-49-8	and	Sample and Report Only	and	0.2	0.2	0.2	0.2	0.2	ND	mg/kg
3-Chlorotoluene	108-41-8	and	Sample and Report Only	and	0.2	0.2	0.2	0.2	0.2	ND	mg/kg
4-Chlorotoluene	106-43-4	and	Sample and Report Only	and	0.2	0.2	0.2	0.2	0.2	ND	mg/kg
2,3-Dichlorotoluene	32768-54-0	and	Sample and Report Only	and	0.2	0.2	0.2	0.2	0.2	ND	mg/kg
2,4-Dichlorotoluene	95-73-8	and	Sample and Report Only	and	0.2	0.2	0.2	0.2	0.2	ND	mg/kg
2,5-Dichlorotoluene	19398-61-9	and	Sample and Report Only	and	0.2	0.2	0.2	0.2	0.2	ND	mg/kg
2,6-Dichlorotoluene	118-69-4	and	Sample and Report Only	and	0.2	0.2	0.2	0.2	0.2	ND	mg/kg
3,4-Dichlorotoluene	95-75-0	and	Sample and Report Only	and	0.2	0.2	0.2	0.2	0.2	ND	mg/kg
3,5-Dichlorotoluene	25186-47-4	and	Sample and Report Only	Sample and Report Only	0.2	0.2	0.2	0.2	0.2	ND	mg/kg
2,3,4-Trichlorotoluene	7359-72-0	and	Sample and Report Only	Sample and Report Only	0.2	0.2	0.2	0.2	0.2	ND	mg/kg
2,3,6-Trichlorotoluene	2077-46-5	and	Sample and Report Only	Sample and Report Only	0.2	0.2	0.2	0.2	0.2	ND	mg/kg



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at https://www.sgs.com/en/Terms-and-Conditions. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction form exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company, Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing /inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or email: CN. Doccheck-Rigas.com

3rd Building, No. 889, Yishan Road, Xuhui District Shanghai, China 200233 中国・上海・徐汇区宜山路889号3号楼 邮編: 200233

t (86-21) 61402666

t (86-21) 61402666 f (86-21) 64958763 f (86-21) 64958763



SL52425342684601TX

Date:October 17,2024

Page 29 of 38

2,4,5-Trichlorotoluene	6639-30-1	Sample Sample Sampl and and and Report Report Report Only Only Only	0.2	0.2	0.2	0.2	0.2	ND	mg/kg
2,4,6-Trichlorotoluene	23749-65-7	Sample Sample Sampl and and and Report Report Report Only Only Only	0.2	0.2	0.2	0.2	0.2	ND	mg/kg
3,4,5-Trichlorotoluene	21472-86-6	Sample Sample Sampl and and and Report Report Report Only Only Only	0.2	0.2	0.2	0.2	0.2	ND	mg/kg
2,3,4,5- Tetrachlorotoluene	76057-12-0	Sample Sample Sampl and and and Report Report Report Only Only Only	0.2	0.2	0.2	0.2	0.2	ND	mg/kg
2,3,5,6- Tetrachlorotoluene	29733-70-8	Sample Sample Sampl and and and Report Report Report Only Only Only	0.2	0.2	0.2	0.2	0.2	ND	mg/kg
2,3,4,6- Tetrachlorotoluene	875-40-1	Sample Sample Sampl and and and Report Report Report Only Only Only	0.2	0.2	0.2	0.2	0.2	ND	mg/kg
Pentachlorotoluene	877-11-2	Sample Sample Sampl and and and Report Report Repor Only Only Only	0.2	0.2	0.2	0.2	0.2	ND	mg/kg



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at https://www.sgs.com/en/Terms-and-Conditions. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company, Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing /inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or email: CN. Doccheck-Rogs.com

3rd Building, No. 889, Yishan Road, Xuhui District Shanghai, China 200233 中国・上海・徐汇区宜山路889号3号楼 邮编: 200233 t (86-21) 61402666 f (86-21) 64958763 t (86-21) 61402666 f (86-21) 64958763



SL52425342684601TX

Date:October 17,2024

Page 30 of 38

LEACHATE

29. Leachate Parameters - Step 2 - Metals

Cr (VI): USEPA 1311:1992, US EPA 3060A:1996 & EPA 7196A:1996

Hg: USEPA 1311:1992 & HJ 694-2014

Others: USEPA 1311:1992 & USEPA 200.8:1994

					Limit					Result	
Test Items	CAS no.	Pathway A	Pathway B	Pathway C	Pathway D	Pathway E	Pathway F	Pathway G	Reporting Limit	Leachate	Unit
Arsenic (As)	Various	Sample and Report Only	and	5	2.75	0.5	0.5	0.5	0.005	ND	mg/L
Cadmium (Cd)	Various	Sample and Report Only	and	1	0.58	0.15	0.15	0.15	0.01	-	mg/L
Mercury (Hg)	Various	Sample and Report Only	and	0.2	0.125	0.05	0.05	0.05	0.001	-	mg/L
Lead (Pb)	Various	Sample and Report Only	and	5	2.75	0.5	0.5	0.5	0.01	-	mg/L
Antimony (Sb)	Various	Sample and Report Only	and	15	7.8	0.6	0.6	0.6	0.01	0.07	mg/L
Cobalt (Co)	Various	Sample and Report Only	and	80	80	80	80	80	0.01	-	mg/L
Nickel (Ni)	Various	Sample and Report Only	and	20	11.75	3.5	3.5	3.5	0.05	-	mg/L
Silver (Ag)	Various	Sample and Report Only	and Report	5	5	5	5	5	0.005	-	mg/L
Copper (Cu)	Various	Sample and Report Only	and	25	17.5	10	10	10	0.25	-	mg/L
Zinc (Zn)	Various	Sample and	Sample and	250	150	50	50	50	0.1	-	mg/L



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at https://www.sgs.com/en/Terms-and-Conditions. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company, Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing /inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or email: CN. Doccheck-Rigas.com

3rd Building, No. 889, Yishan Road, Xuhui District Shanghai, China 200233 中国・上海・徐汇区宜山路889号3号楼 邮編: 200233 t (86-21) 61402666 f (86-21) 64958763 t (86-21) 61402666 f (86-21) 64958763



SL52425342684601TX

Date:October 17,2024

Page 31 of 38

		Report Only	Report Only								
Total Chromium (Cr)	Various	and	Sample and Report Only	15	10	5	5	5	0.05	ND	mg/L
Chromium VI (Cr VI)	Various	and	Sample and Report Only	5	3.75	2.5	2.5	2.5	0.001	-	mg/L
Barium (Ba)	Various	and	Sample and Report Only	100	67.5	35	35	35	35	-	mg/L
Selenium (Se)	Various	and	Sample and Report Only	1	0.75	0.5	0.5	0.5	0.5	ı	mg/L

Remark

ND = Not detected (< Reporting Limit) NA = Not applicable - = Not required to be tested $1 \mu g/L = 0.001 ppm$





SL52425342684601TX

Date:October 17,2024

Page 32 of 38

Annex A: Sampling photos & Sampling locations

UNTREATED WASTEWATER

Date & Time of Measurement: 10/10/2024 9:50

GPS Data: 30°50'04" N, 120°31'21" E

SAMPLING LOCATION, CLOSE-UP VIEW



SAMPLING LOCATION, FAR VIEW



EFFLUENT

Date & Time of Measurement: 10/10/2024 9:30

GPS Data: 30°50'13" N, 120°31'23" E

SAMPLING LOCATION, CLOSE-UP VIEW



SAMPLING LOCATION, FAR VIEW





Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at https://www.sgs.com/en/Terms-and-Conditions. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Cilent's instructions, if any. The Company's sole responsibility is to its Cilent and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing /inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or semail: (CM Deschediges com

3rdBuilding,No.889,Yishan Road,Xuhui District Shanghai,China 200233 中国 • 上海 • 徐汇区宜山路889号3号楼 邮编: 200233 t (86–21) 61402666 f (86–21) t (86–21) 61402666 f (86–21)

f (86–21) 64958763 www.sgsgroup.com.cn f (86–21) 64958763 sgs.china@sgs.com



SL52425342684601TX

Date:October 17,2024 Page 33 of 38

SLUDGE

Date & Time of Measurement: 10/10/2024 14:00 GPS Data: 30°50'12" N, 120°31'27" E

SAMPLING LOCATION, CLOSE-UP VIEW



SAMPLING LOCATION, FAR VIEW





Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at https://www.sgs.com/en/Terms-and-Conditions. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only

sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing /inspection report & certificate, please contact us at telephone: (86-755) 8307 1443,



SL52425342684601TX

Date:October 17,2024

Page 34 of 38

Annex B: ZDHC Wastewater Sampling Field Data Form and Representative Sample Declaration

000	I									5-11
SGS										
			水采样现场数							
ZD	HC Wastewate	r Sampling F	<u>ield Data Fo</u>	rm and Re	presentative S	ample De	laration			
ZDHC度水采样信息	#	Sampling Informa	nion:	. t	1					
工厂名称 Factory Na	m. 4 <u>f</u> ⊾	树杨紫	结果。	2 APR4	,,,					
工厂地址 Factory Ad	dress:	- 本育 本人	1 HILE	*t1.50	相相	A 看 2 12	A 11/5	E		
采样日期 Sampling E	Date:	201410.10.		- 50						
采样特类 Sampling T	ype 🗀 la	coming Water	Muntered Wa	astowater	SETTMEN!		Slucige			
拼品ID Sample ID:			51/14-133	15.L	stf24-0335.)	sl E14-0	ध। 3		
采拌地点 Sampling L	ocation:		多相色	•	拼徵 华桦	Q.	13/24	B		
GPS敷据 GPS Data:			9:40-9:1	0 1	9:30-15:40	<u>_</u>	14:00-1	#10 .	\r	
采样对何 Sampling T	Ime:		30 444,1	11/1/E	30 30 8 1/4 /	1), FOF GI	30	ok " N , E	11171	•
采样员信息 Sampler	Information:	a) . l	1.							
采得具姓名 Sampler		3t 4	₹ <i>₽</i>							
采样员邮箱 Sampler		DAN	zhana gos	95.0M						
ZDHC便权采样员证书 ZDHC Sampler Accre		(7	101068/80	14						
采样方法 Sampling M				,						
Incoming Water	Grab G6-ho	xr Composite Manual	Others, please s	specify:						
Untreated Wastewater	/		Others, please sp	pecify:						
	Autosampler									
Effluent	□Grab Den	our Composite	Others, please a	apacify:						
Effluer# Sludge	☐ Grab ☐ 6-h	Manual								
	☐ Grab ☐ 6-h	Manual our Composite								
	□Grab □J6th □Grab □6th □Autosampler	Manual our Composite								
Sludge 拿放方式 Discharge #	Grab Dish Grab Sampler Grab Sampler Autosampler	☐ Manual our Composite ☐ ☐ Manual]Others, please a	specify:	nt) 🗌 Zero Liquid i	Discharge (ZL	D)			
Sludge 建放方式 Discharge #	Grab Désh dutosampler Grab Geh Autosampler Method: Direct Zind	Manual our Composite Manual Manual	Others, please a	specify: w/o pretzeatmen		Discharge (ZL	D)			
Sludge 拿放方式 Discharge #	Grab Déh Grab Grab Grab Grab Autosampler Autosampler Sethod: Direct Sind	Manual our Composite Manual Manual reci («úprotrestmen Vastewater Samol	Others, please a ht) indirect (v ing Field Testing stewater Samplin	specify: w/o pretreatmen a QA/QC ang Field Testin	g QA/QC	Mila	2000			
Sludge 建放方式 Discharge #	Grab Gh Grab Gh Grab Gh Grab Gh Gh Gh Autosampler Bethod: Direct Zhd st OA/OC ZDHC 1 Parameter	Manual our Composite Manual rect (expretrestmen Vastewater Sampl ZDHC Was LCS Kn:	Others, please a It indirect (v ing Field Testing towater Samplin	w/o pretroalmer a QA/QC ng Field Testin	g QA/QC	Accure	cy %			
Sludge 建放方式 Discharge #	Grab Déh Grab Grab Grab Grab Autosampler Autosampler Sethod: Direct Sind	Manual our Composite Manual Manual reci («úprotrestmen Vastewater Samol	Others, please a It indirect (v ing Field Testing towater Samplin	specify: w/o pretreatmen a QA/QC ang Field Testin	g QA/QC	Accure 94.	cy %			
Sludge 建筑方式 Discharge II ZDMC度水采样风场到	Grab Subjective State Subject	Menual Dur Composite Manual rect (expretrestmen Vastewater Sampl ZDHC Was LCS Kn: 7 ℓ 1 NA	Others, please a	w/o pretroalmer a QA/QC ng Field Teating LCS Me	g QA/QC	Accure	cy %			
Sludge 建放方式 Discharge B ZDMG度水采样俱场到 ZDMG度永萬餘豐尺寸	Grab Guissampler Grab G	□ Menuel our Composite □ Manuel rect (expretneshner Yastewater Sampl ZDHC Yvas LCS Kn: □ J J L ###	Others, please a	w/o pretreatmen a QA/QC ng Field Testin LCS Me	ng QA/QC easured	Accure 94.	cy %			
Sludge 建放方式 Discharge B ZDMG度水采样俱场到 ZDMG度永萬餘豐尺寸	Grab Subsampler Grab Grab Grab Grab Grab Grab Grab Grab	Manual Dur Composite Manual rect (wiprotrestmer Vastewater Sampl ZDHC Was LCS Knc 7 ℓ ℓ ℓ # Å Å r Flow Davice Dies ZDHC Was Meter	Others, please a in Indirect (v ing Field Testing towater Samplin own sections Vastewater Flow	w/o pretreatmer a QA/QC ng Field Testin LCS Me 3 0 M/)	eg QA/QC hasured historis Flume (U)	Accura 94- NA	cy % 7			
Sludge 建放方式 Discharge B ZDMG度水采样俱场到 ZDMG度永萬餘豐尺寸	Grab Guissampler Grab G	Manual Warnal Manual Tect (wiprotreatmer Vastewater Sampli ZDHC Was T / / / / WA From Davies Rim ZDHC V	Others, please a in Indirect (v ing Field Testing towater Samplin own sections Vastewater Flow	w/o pretroalmer a QA/QC ng Field Testin LCS Me A/A/ A/A/ r Device Dimen	g QA/QC	Accurs 94. NA	cy % 7			
Sludge 摩放方式 Discharge i ZOHC技术采样误场到 ZOHC技术高级量尺寸	Grab Subsampler Grab Grab Grab Grab Grab Grab Grab Grab	Manual Dur Composite Manual rect (wiprotrestmen Vashewater Samol ZDHC YYas LCS Km 7. UL 1/A r Flow Device Dim ZDHC V Meter NA NA	Others, please a in Indirect (v ing Field Testing towater Samplin own sections Vastewater Flow	who pretreatment a QA/QC and Field Testin LCS Me A/Q A/QC and Field Testin LCS Me A/Q A/Q A/QC A/QC A/QC A/QC A/QC A/QC A	eg QA/QC hasured histons Flume (U)	Accurs 94. NA	cy % 7			
Sludge 建放方式 Discharge B ZDMG度水采样俱场到 ZDMG度永萬餘豐尺寸	Grab Subsempler Grab Grab Grab Grab Grab Grab Grab Grab	□ Manual Dur Composite □ Manual Tract (edprotrestment Nastewater Sample ZDHO Was LCS Kno J リレ ルル T Flow Davies Dien ZDHO W	Others, please a N) Indirect (ving Field Testing towater Samplin wan wan Vastewater Flow Vastewater Flow	who pretreatment a QA/QC and Field Testing LCS Me A/Q A/QC and Field Testing LCS Me A/Q A/Q A/QC A/QC A/QC A/QC A/QC A/QC A	og QA/QC assured assured Flume (U) MA NA	Accum 94- NA Wier	Cy % 7			
Sludge 建放方式 Discharge I ZDHC技术采样现场到 EDHC技术高梯量尺寸 M	Grab Gent	Manual Dur Composite Manual Tect (wiprotrestment Vastewater Sampl ZDHC Was LCS Knc フリル ルル Flow Davice Dim ZDHC V Meter NA NA NA SISSMELES)	Others, please a Dindrect (v Ind Testing town Constitution Constitu	who protestimers and AVQC and Field Testimers AVQC AVQC AVQC AVQC AVQC AVQC AVQC AVQC	og QA/QC assured assured Flume (U) MA NA	Accum 94- NA Wier	Cy % 7			
Studge 準弦方式 Discharge is ZOMC版水采样俱场到 ZOMC版水采样俱场到	Grab Gentlement Gentleme	Manual Dur Composite Manual Pract (wiprotrestmen Nastewater Sample ZDHO Was LCS Knc アルル ルル TFlow Davice Diow Noter NA	Others, please a I) indirect (v ing Field Testing towater Samplin win win win win win win win win win w	who pretreatment a QA/QC ang Field Testing LCS Me A/Q A/QC No Povice Dimen Ppe (O) A/A NA	og QA/QC assured assured Flume (U) MA NA NA	Accurate Acc	(V)	ater flow rapa.		
Studge 華萊方式 Discharge is ZOHC度水采样混场到 ZOHC度水蒸样度尺寸 M COHC度水蒸样度尺寸	Grab Gentament Gentamen	Manual Dur Composita Manual Preci (wiprotrestmer Vastewater Sampli ZDHC Was LCS Knc フリル ルル Flow Davice Rom ZDHC W Meter NA NA NA NA NA (第五件記載) Id Test Measurem rater Sampling - F.	Others, please a It indirect (v ing Field Testing tewater Samplin Wastewater Flow Wastewater Flow Confirmat or samples have by sensite and to was on-site and to	we're pretreatment a QA/QC ang Field Teatment LCS Me A/Q A/Q and Field Teatment LCS Me A/Q	assured Sions Flume (U) NA NA As of Water/Soil sa	Accurate Acc	(V)	ater flow race.		
Studge P	Grab Gentament Gentamen	Manual Dur Composita Manual Preci (wiprotrestmer Vastewater Sampli ZDHC Was LCS Knc フリル ルル Flow Davice Rom ZDHC W Meter NA NA NA NA NA (第五件記載) Id Test Measurem rater Sampling - F.	Others, please a It indirect (v ing Field Testing tewater Samplin Wastewater Flow Wastewater Flow Confirmat or samples have by sensite and to was on-site and to	who protestimer a QA/QC LCS Me LCS Me A/A A/A Page (O) A/A NA NA hed data sheet tion even collected un even	assured Sions Flume (U) NA NA As of Water/Soil sa	Accurate Acc	(V)	ater flow race.		
EDHC度水果样俱场到 EDHC度水果样俱场到 EDHC度水果样俱场到 EDHC度水果样俱场到 EDHC度水果样度场到 EDHC度水果样度不过 EDHC度水果样度不过 EDHC度水果果果果果果果果果果果果果果果果果果果果果果果果果果果果果果果果果果果果	Grab Geh Ge	□ Manual Dur Composite □ Manual rect (expretmentment ZDHC Yias TOHC Yias TOHC Y Manual ANA NA NA NA NA NA NA NA NA	Others, please a It indirect (v ing Field Testing tewater Samplin Wastewater Flow Wastewater Flow Confirmat or samples have by sensite and to was on-site and to	we're pretreatment a QA/QC ng Field Teatment LCS Me LCS Me LCS Me LCS Me NA	ag QA/QC assured Flume (U) // NA ts of Water/Soil an adar the facility's nome ples. S Sampler Name:	Accurate Age NA	(V)		_	
EDHC度水果样現场到 EDHC度水果样現场到 EDHC度水果样現场到 EDHC度水果样現场到 EDHC度水果样現场到 EDHC度水果样現场到 EDHC度水果样現场到 EDHC度水果样現场到 EDHC度水果样現场到 EDHC度水果样現場 EDHC度水果样 EHC用工厂工作生 F展別出的医科見来網現	Grab Geh Ge	□ Manual Dur Composite □ Manual rect (expretmentment ZDHC Yias TOHC Yias TOHC Y Manual ANA NA NA NA NA NA NA NA NA	Others, please a It indirect (v ing Field Testing tewater Samplin Wastewater Flow Wastewater Flow Confirmat or samples have by sensite and to was on-site and to	we're pretreatment a QA/QC ng Field Teatment LCS Me LCS Me LCS Me LCS Me NA	ag QA/QC assured Flume (U) NA NA ts of Water/Soll sa rder the facility's normalises. S Sampler Name:	Accurate Age NA	(V)		_	
EDHC度水果样俱场到 EDHC度水果样俱场到 EDHC度水果样俱场到 EDHC度水果样俱场到 EDHC度水果样度场到 EDHC度水果样度不过 EDHC度水果样度不过 EDHC度水果果果果果果果果果果果果果果果果果果果果果果果果果果果果果果果果果果果果	Grab Geh Ge	□ Manual Dur Composite □ Manual rect (expretmentment ZDHC Yias TOHC Yias TOHC Y Manual ANA NA NA NA NA NA NA NA NA	Others, please a It indirect (v ing Field Testing tewater Samplin Wastewater Flow Wastewater Flow Confirmat or samples have by sensite and to was on-site and to	who protosalment a QA/QC ag Field Testing LCS Me A/Q M/QC Device Dimens Ppe (O) M/A NA wheel data sheet dies a calleded un abected the samp A/P M/Q A/Q A/Q A/Q A/Q A/Q A/Q A/Q A/Q A/Q A	ag QA/QC assured Flume (U) // NA ts of Water/Soil an adar the facility's nome ples. S Sampler Name:	Accurate Age NA	(V)		-	
DHC度水采样俱场到 DHC度水采样俱场到 DHC度水采样俱场到 DHC度水采样俱场到 DHC度水采样用场到 DHC度水采样。 DHC度水采样。 TEMPHONER J来问现 TEMPHONER J来问现 TEMPHONER J来问现	Grab Geh Ge	□ Manual Dur Composite □ Manual rect (expretmentment ZDHC Yias TOHC Yias TOHC Y Manual ANA NA NA NA NA NA NA NA NA	Others, please a It indirect (v ing Field Testing tewater Samplin Wastewater Flow Wastewater Flow Confirmat or samples have by sensite and to was on-site and to	who protosalment a QA/QC ag Field Testing LCS Me A/Q M/QC Device Dimens Ppe (O) M/A NA wheel data sheet dies a calleded un abected the samp A/P M/Q A/Q A/Q A/Q A/Q A/Q A/Q A/Q A/Q A/Q A	ag QA/QC assured Flume (U) // NA ts of Water/Soil an adar the facility's nome ples. S Sampler Name:	Accurate Age NA	(V)		-	
EDHC度水果样俱场到 EDHC度水果样俱场到 EDHC度水果样俱场到 EDHC度水果样俱场到 EDHC度水果样度场到 EDHC度水果样度不过 EDHC度水果样度不过 EDHC度水果果果果果果果果果果果果果果果果果果果果果果果果果果果果果果果果果果果果	Grab Gent	□ Manual Dur Composite □ Manual rect (wiprotres/mer Vastewater Sampl ZDHC Was LCS Knc フリン ルル P Flow Davice Dim ZDHC V Meter NA NA NA SINT Place Water NA NA NA SINT Place Water NA NA NA SINT Place Water NA	Others, please a It indirect (v ing Field Testing tewater Samplin Wastewater Flow Wastewater Flow Confirmat or samples have by sensite and to was on-site and to	who pretreatment a QA/QC ang Field Testine LCS Me A/Q Comp Field Testine Comp Field	ag QA/QC assured Flume (U) // NA ts of Water/Soil an adar the facility's nome ples. \$ Sampler Name:	Wier NA	(V)		-	
EDHC度水果样现场到 EDHC度水果样现场对 EDHC度水平板板对 EDHC度水平板板对 EDHCERNSTREAM EDH	Grab Gent	□ Manual Dur Composite □ Manual rect (wiprotres/mer Vastewater Sampl ZDHC Was LCS Knc フリン ルル P Flow Davice Dim ZDHC V Meter NA NA NA SINT Place Water NA NA NA SINT Place Water NA NA NA SINT Place Water NA	Others, please a It indirect (v ing Field Testing tewater Samplin Wastewater Flow Wastewater Flow Confirmat or samples have by sensite and to was on-site and to	who pretreatment a QA/QC ang Field Testine LCS Me A/Q Comp Field Testine Comp Field	ag QA/QC assured belons Flume (U) ## NA ts of Water/Soll sa dar the facility's normal tes. S Sampler Name: 東洋但证书号 splar Accreditation	Wier NA	(V)		-	
EDHC度水果样现场到 EDHC度水果样现场对 EDHC度水平板板对 EDHC度水平板板对 EDHCERNSTREAM EDH	Grab Gent	□ Manual Dur Composite □ Manual rect (wiprotres/mer Vastewater Sampl ZDHC Was LCS Knc フリン ルル P Flow Davice Dim ZDHC V Meter NA NA NA SINT Place Water NA NA NA SINT Place Water NA NA NA SINT Place Water NA	Others, please a It indirect (v ing Field Testing tewater Samplin Wastewater Flow Wastewater Flow Confirmat or samples have by sensite and to was on-site and to	who pretreatment a QA/QC ang Field Testine LCS Me A/Q Comp Field Testine Comp Field	ag QA/QC assured belons Flume (U) /// NA ts of Water/Soll sa dar the facility's normal tes. S Sampler Name: 東洋便证书号 ppler Accreditation	When will are production see 28 44 40 6	(V)		-	
EDHC度水果样现场到 EDHC度水果样现场对 EDHC度水平板板对 EDHC度水平板板对 EDHCERNSTREAM EDH	Grab Gent	□ Manual Dur Composite □ Manual rect (wiprotres/mer Vastewater Sampl ZDHC Was LCS Knc フリン ルル P Flow Davice Dim ZDHC V Meter NA NA NA SINT Place Water NA NA NA SINT Place Water NA NA NA SINT Place Water NA	Others, please a It indirect (v ing Field Testing tewater Samplin Wastewater Flow Wastewater Flow Confirmat or samples have by sensite and to was on-site and to	who pretreatment a QA/QC ang Field Testine LCS Me A/Q Comp Field Testine Comp Field	ag QA/QC assured sions Flume (U) // // NA ts of Water/Soll sa dar the facility's normal sider Name: 東洋但证书号 spler Accreditation S Sampler Signsture	Wier NA	(V)		-	



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at https://www.sgs.com/en/Terms-and-Conditions. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing /inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or email: CN. Doccheck-Riggs.com

3rd Building, No. 889, Yishan Road, Xuhui District Shanghai, China 200233 中国・上海・徐汇区宜山路889号3号楼 邮编: 200233 t (86–21) 61402666 f (86–21) 64958763 t (86-21) 61402666 f (86-21) 64958763



SL52425342684601TX

Date:October 17,2024

Page 35 of 38

Sample Sampling Time (Hours)							UN	ITREAT	ED W	ASTEW	ATER						
条単号Task Number: SLEV-635に 実料日期Sampling Date: 2014 10 10. 要託化位Client: 受給中谷Fpctory: 上げ上を切け、 大が関すり 3 大体表でである 2014 10 10. を作用のでは、 大が大きない 2014 10 10. を作用のでは、 大きない 2014 10 10. を作用のでは、 大きない 2014 10 10. を作用のでは、 大きない 2014 2014 2014 2014 2014 2014 2014 2014		ccc						水后	5平柱:	记录					SHSL-	R-WI-CS-01	6-02
条単写書sk Number: SLEV-635L 業料目期Sampling Date: 2014 10 10 接体化でConditions: 21 名 水体来でType of Water: 2014 10 10 投作 を発音であっています。 21 名 水体来でType of Water: 2014 10 10 分		3U3	_				Wa	ערוני tor Sai	wnlin	a Reco	orde				-1		
培養様類花Reference Sampling Specification: (ゼ <u>DHC-SAP</u> 口Others: 通販で 日本 日本 日本 日本 日本 日本 日本 日	化存的日本	and Norman	cl.	E14-633t. L	巫母口棚Ca	mpling Da	~ 20 L	4,10,	10.	g Necc	かい ひょうかん おおまれる かいまま かいまま かいまま かいまま かいまま かいまま かいまま かいま	Client.	TTX 1	RA9 IV 9	J4		
培養様類花Reference Sampling Specification: (ゼ <u>DHC-SAP</u> 口Others: 通販で 日本 日本 日本 日本 日本 日本 日本 日	工与供加	ask Number: Jeether Condi	tions	. 21082	水体光型Tvi	ne of Wate	r.	马拉水			受給单位	Factory:	11/1/18	12.151	母 图 序》		
培養様類花Reference Sampling Specification: (ゼ <u>DHC-SAP</u> 口Others: 通販で 日本 日本 日本 日本 日本 日本 日本 日							me numb	ner):	11-j+	Med	Tx .18	1					
展の報告 表演									-	5							
Sampling Location Sampling Time (Hours)	样品编号			采样时间				溶解氧			Alternate	Measured					
1 1 2 2 3 3 3 4 4 4 5 5 5 5 5 5 5 5 5 5 5 5 5 5	Sample Number		S		Wastewater	Receiving	pН	Oxygen	Chlorine	Flow Meter	Depth	Velocity	Volume				
対性	文·194-19961	4116	0	9:10-N:00	30.9	-	7.8.					-	6990	Pt 4	1414	14286	No
3 4 4 5 5 6 6 7 5 5 5 5 5 5 5 5 5 5 5 5 5 5 5			1														
対性 Average 答注: 存器材質: P代表PE旗。G代表玻璃瓶: VOA vial代表棕色玻璃瓶。ST.Steel代表不锈钢。G-TLC 代表素子作有特氮定内村的棕色玻璃瓶。P(A) 代表取決註的塑料板。G(A) = Glass [照片拍摄時间Time of Photo: (Acid Washed)機免注的玻璃瓶。 Container material: Por PE bottles, G for glass bottles, VOA vial for brown glass bottles, ST. Steel for stainless steel, G-TLC for brown glass bottles with Tellon liring lids, P(A) for pickled plastic bottles, G(A) = Glass (Acid Washed) for pickled glass bottles, ST. Steel for stainless steel, G-TLC for brown glass bottles with Tellon liring lids, P(A) for pickled plastic bottles, G(A) = Glass (Acid Washed) for pickled glass bottles, ST. Steel for stainless steel, G-TLC for brown glass bottles with Tellon liring lids, P(A) for pickled plastic bottles, G(A) = Glass (Acid Washed) for pickled glass bottles, ST. Steel for stainless steel, G-TLC for brown glass bottles with Tellon liring lids, P(A) for pickled plastic bottles, G(A) = Glass (Acid Washed) for pickled glass bottles, GT. Steel for stainless steel, G-TLC for brown glass bottles with Tellon liring lids, P(A) for pickled plastic bottles, G(A) = Glass (Acid Washed) for pickled glass bottles, GT. Steel for stainless steel, G-TLC for brown glass bottles with Tellon liring lids, P(A) for pickled plastic bottles, G(A) = Glass (Acid Washed) for pickled glass bottles, GT. Steel for stainless steel, G-TLC for brown glass bottles with Tellon liring lids, P(A) for pickled plastic bottles, G(A) = Glass (Acid Washed) for pickled glass bottles, GT. Steel for stainless steel, G-TLC for brown glass bottles with Tellon liring lids, P(A) for pickled plastic bottles, G(A) = Glass (Acid Washed) for pickled glass bottles, GT.			2														
対性 Average 答注: 存器材質: P代表PE旗。G代表玻璃瓶: VOA vial代表棕色玻璃瓶。ST.Steel代表不锈钢。G-TLC 代表素子作有特氮定内村的棕色玻璃瓶。P(A) 代表取決註的塑料板。G(A) = Glass [照片拍摄時间Time of Photo: (Acid Washed)機免注的玻璃瓶。 Container material: Por PE bottles, G for glass bottles, VOA vial for brown glass bottles, ST. Steel for stainless steel, G-TLC for brown glass bottles with Tellon liring lids, P(A) for pickled plastic bottles, G(A) = Glass (Acid Washed) for pickled glass bottles, ST. Steel for stainless steel, G-TLC for brown glass bottles with Tellon liring lids, P(A) for pickled plastic bottles, G(A) = Glass (Acid Washed) for pickled glass bottles, ST. Steel for stainless steel, G-TLC for brown glass bottles with Tellon liring lids, P(A) for pickled plastic bottles, G(A) = Glass (Acid Washed) for pickled glass bottles, ST. Steel for stainless steel, G-TLC for brown glass bottles with Tellon liring lids, P(A) for pickled plastic bottles, G(A) = Glass (Acid Washed) for pickled glass bottles, GT. Steel for stainless steel, G-TLC for brown glass bottles with Tellon liring lids, P(A) for pickled plastic bottles, G(A) = Glass (Acid Washed) for pickled glass bottles, GT. Steel for stainless steel, G-TLC for brown glass bottles with Tellon liring lids, P(A) for pickled plastic bottles, G(A) = Glass (Acid Washed) for pickled glass bottles, GT. Steel for stainless steel, G-TLC for brown glass bottles with Tellon liring lids, P(A) for pickled plastic bottles, G(A) = Glass (Acid Washed) for pickled glass bottles, GT. Steel for stainless steel, G-TLC for brown glass bottles with Tellon liring lids, P(A) for pickled plastic bottles, G(A) = Glass (Acid Washed) for pickled glass bottles, GT.			3														
方位 Average 参注:			-							-	_	_				-	
接続性			<u> </u>			-				-						<u> </u>	
均位 Average 養注:						-				-		-			-		
答注: 容器材態: P代表PE施、G代表安場際: VOA vial代表称色物磷酸: ST.Stee代表不锈物: G-TLC 代表表子作有特象光内村的綜色教育版: P(A) 代表版法注的塑料板: G(A) = Glass 医片拍摄时间Time of Photo: (Acid Washed)機能注的契網版: Container material: Por PE bottles, G for glass bottles, VOA vial for brown glass bottles, ST. Steel for stainless steel, G-TLC for brown glass bottles with Tellon liring lids, P(A) for pickled plastic bottles, G (A) = Glass (Acid Washed) for pickled glass bottles, ST. Steel for stainless steel, G-TLC for brown glass bottles with Tellon liring lids, P(A) for pickled plastic bottles, G (A) = Glass (Acid Washed) for pickled glass bottles, ST. Steel for stainless steel, G-TLC for brown glass bottles with Tellon liring lids, P(A) for pickled plastic bottles, G (A) = Glass (Acid Washed) for pickled glass bottles, G (A) = Glass (Acid Washed) for pickled glass bottles, G (B) = Gl			6														
来是表现。永体压绝、"0%。有无思行物等。Apparent water quality: water color, smell, presence or absence of floating objects, etc. 以汝环境。有无辩行中,是看来长区、国水区,有无居民区、工业区,在无居民区、工业区和农务保配使用区等。 Surrounding environment, whether there is a sewage outlet, whether there is a stagnant water area, a backwater area, whether there is a residential area, an industrial area, whether there is a residential area, an industrial area, an industrial area and a pesticide and fertifizer yea area, etc. 保存为文Storage method: 1本签定好Unbroken label 2.许能民间geration 2.按是Protect from light 1/4.根据指编Vibration reduction 5.以他Others:		(Acid Washed) fit Container mater	tial: P	的玻璃瓶。 for PE bottles, G fo	or glass bottles,	VOA vial for l	orown glass								100000000000000000000000000000000000000		
保护方式storage method: TA签为外Unbroken label 2 产服Refrigeration 2 通常Protect from light 1/4 点类描写vibration reduction 5.其他Others:		水质表現: 水体 周边环境: 有无 Surrounding em	颜色、 排词C vironn	"D妹、有无漂浮物 1,是香碗水区、回 nent: whether there	等。Apparent w 水区,有无层区 is a sewage out	ater quality: v 区、工业区。 Det, whether t	vater color, a 有足器域域 here is a sta	、工业区和农药 agnant water ar	化肥使用区等	\$-		residential a	area, an indust	rial area,			fion
釋员Sampler: 315 利力 客户确认Client Confirmation: デンドオ		保存方式Storag	e met	had: 1.林堡市的U					light V4.M3%	措施Vibration re	eduction :	5.其他Others			L	2	



Effective date:2023.12.26



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at https://www.sgs.com/en/Terms-and-Conditions. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company, Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing /inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or email: CN. Doccheck-Rogs.com

3rd Building, No. 889, Yishan Road, Xuhui District Shanghai, China 200233 中国・上海・徐汇区宜山路889号3号楼 邮编: 200233 t (86–21) 61402666 f (86–21) 64958763 t (86-21) 61402666 f (86-21) 64958763



SL52425342684601TX

Date:October 17,2024

Page 36 of 38

_							E	FFLUE	ENT				_	_				
ece							水质采样记录								SHSL-R-WI-CS-016-02			
	SGS	-	EL4-0337.			Wa	ter Sa	mplin	D	ords			-nt are le	c/l				
任务单号Ta	ask Number:	SL	EL4-0331.	采样日期Sai	mpling Dat	te: 2014	10	10.		委托单位	Client: _	IX /	RA OZNY 42. 1328	27.	 			
天气状况W	eather Condi	tions	21039	水体类型Typ	e of Wate	r:	110x 30			受检单位	Factory:	有4/4	72 132X	62 19 1184	Ų			
其他仪器设	t备(名称、编	号)	Other instrum	ents and equi	pment (na	me, numb	ber): <i>P 1</i>	4i +	7X-18!									
参考采样规	;≊Reference	San	pling Specifica	ation: YZDI	IC-SAP	□ Others	:						,					
样品编号 Sample Number	采样位置 Sampling Location	s	采样时间 ampling Time (Hours)	温度Terri 废水拌放 Wastewater Discharge	p (°C) 接收水体 Receiving Water	рН	溶解氧. Dissolved Oxygen (mg/L)	总策 Total Chlorine (mg/L)	废水流量 Wastewater Flow Meter (L/min)	Alternate	量流量 Measured ow 速度 Velocity (cm/s)	采样体积 Sample Volume (mL)	容器材质 Container Material	保存方式 Storage Method	可见颜色 Visible Colour	持久性泡沫 Persistent Foam (Yes/No)		
s414-033t,	排粉料。	0	9:30 - 4:46	24.4	_	7.5		7	#th	, and	/				E色达明	λ.		
771.	mr jm .	1	10:30 10:40	24.7		7.6			34 to Hol						毛色出明	٨.		
		-	307/:40	25.3		7.4		/	5,7,6		/				设度包	٨٠		
		-	D:36-h:40	25.7		7.6	/	1			/	330	Pt4	1.2,3.4	无色片的	λlu		
		\vdash	13:30-13:40	24.9		75.									淡黄色	No		
		5	14:10 14:40	27.3		74									起出的	IJ,		
		6	15:36-15:4U	27.4		7.4									无色沙的	ملا		
均值 Average				25.1		7.5.	/			/					无色出的	Į,		
条注: Remark	签注: 容器材质,P代表PE版,G代表玻璃瓶;VOA vial代表棕色玻璃瓶,ST.Steel代表不锈钢,G-TLC 代表盖子带有特氮光内衬的核色玻璃瓶,P(A) 代表版洗过的塑料瓶,G(A) = Glass											照片拍摄时间Time of Photo: 2014 N.O. 9:30. 其他現场信息: Additional on-site information 9番目と生ませんの名よ						
采样员Sar	mpler: 3 4	1/ 2	4					ive date:20				客户确认C	lient Confirm	nation:	至校立	1		



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at https://www.sgs.com/en/Terms-and-Conditions. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company, Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing /inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or email: CN. Doccheck-Rogs.com

t (86-21) 61402666 f (86-21) 64958763

3rd Building, No. 889, Yishan Road, Xuhui District Shanghai, China 200233 中国・上海・徐汇区宜山路889号3号楼 邮编: 200233

t (86-21) 61402666 f (86-21) 64958763



SL52425342684601TX

Date:October 17,2024

Page 37 of 38

SGS E多単号Task Number: <i>ろしだし</i> リオパ.3 天气状況Weather Conditions: 11 第万			So 采样日期Sampling 采样仪器Sampling	土壤采样 il Samplin g Date:	g Rec	委托单位Client: IX 「MADING SA 受检单位Factory: 第八月经》集 生状 名 第13度 生		
样品编号 Sample Number	采样位置 Sampling Location	采样时间 Sampling Time (Hours)	采样量 Sample Size	容器材质 Container Material	采样深度 Sampling Depth	样品描述 Sample Description	GPS	备注 Remark
(F.14-135 <u>}</u> 3	is the this.	14:00 - 14:10.	1800 9	9	_	果色	30° לפ'ונ"א, יצט"אן 'בר' <u>ד</u>	
		Material:G stands for	glass bottle			照片拍摄时间Time o	f Photo: 2014. 10.16 14:00	
	辞Odor around the s er: かけんり	sampling site: 日巻	集foul odor □ 很臭	very smelly 日 泉	smelly [微臭slightly smelly □	2	d



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at https://www.sgs.com/en/Terms-and-Conditions. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company, Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing /inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or email: CN. Doccheck-Rogs.com

3rd Building, No. 889, Yishan Road, Xuhui District Shanghai, China 200233 中国・上海・徐汇区宜山路889号3号楼 邮编: 200233 t (86-21) 61402666 f (86-21) 64958763 t (86-21) 61402666 f (86-21) 64958763



SL52425342684601TX

Date:October 17,2024

Page 38 of 38

Annex C: Limit according to FACTORY DISCHARGE LICENCE BASED ON GB 4287-2012 and DB 32/3432-2018 Discharge standards

1、废水污染物排放许可限值

(1) 主要排放口

排放口编号	排放口名称	污染物种类	许可排放浓度限值(mg/L)
DW001	废水排放口	氨氮 (NH3-N)	20mg/L
DW001	废水排放口	总氮 (以N计)	30mg/L
DW001	废水排放口	pH值	6-9
DW001	废水排放口	悬浮物	100mg/L
DW001	废水排放口	五日生化需氧量	150mg/L
DW001	废水排放口	化学需氧量	500mg/L
DW001	废水排放口	色度	80
DW001	废水排放口	苯胺类	1.0mg/L
DW001	废水排放口	总锑	0.1mg/L
DW001	废水排放口	硫化物	0.5mg/L
DW001	废水排放口	总磷 (以P计)	1.5mg/L

****END OF REPORT****



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at https://www.sgs.com/en/Terms-and-Conditions. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only to the fullest extent of the factors of the state of the factor of the f