

Date of sampling	17/10/2024
Reporting Date	05/11/2024

Audit ID	177038	Audit firm	INTERTEK MOROCCO
Company name	SETTAVEX, S.A.		
Contact person	LAGHZAL BOUKHANJER		
Type of tax - tax ID no	TAX No. - 06125185		
Address	ZONE INDUSTRIALLE SETTAT, BP, , ,		
Region state province	CASABLANCA/SETTAT		
Town city / village	668 SETTAT M		
Zip/Post code	26000		
Country	MARRUECOS		

Type of wastewater discharge				
Type of wastewater discharge:	Indirect discharge			
On-site effluent treatment plant (ETP):	YES			
Pre - treatment:	YES			
	Preliminary	Primary	Secondary/Biological	Tertiary
	<input checked="" type="checkbox"/> Screening/ Sieving/Grit Remover	<input checked="" type="checkbox"/> Coagulation/Flocculation	<input checked="" type="checkbox"/> Activated sludge process Aerobic reactor	<input type="checkbox"/> Absorption with activated carbon
	<input checked="" type="checkbox"/> Homogenization tank	<input checked="" type="checkbox"/> Dissolved air flotation (DAF)	<input checked="" type="checkbox"/> Biological Biofilm reactor (MBBR, SAF, RBC...)	<input type="checkbox"/> High rate filtration
	<input checked="" type="checkbox"/> pH correction	<input checked="" type="checkbox"/> Sedimentation tanks Settler/Clarifier	<input checked="" type="checkbox"/> BSequencing batch reactor (SBR)	<input type="checkbox"/> Advanced oxidation techniques (Ozone, Fenton reaction, photo catalytic degradation...)
<input type="checkbox"/> Other	<input type="checkbox"/> Other	<input type="checkbox"/> Other	<input type="checkbox"/> Other	
<input type="checkbox"/> None				
Description of discharge:	Discharging directly to municipal sewage then it goes to a municipal water treatment plant.			
[If direct discharge] ambient temperature of receiving water body (°C):	N/A			
Average total industrial wastewater generated (m3/day):	1500 m3/day			

Sludge Disposal Pathway	C
-------------------------	---

Sampler accreditation certification number (ZDHC):		C74D106819591	
Sample description	Simple	Composite	Comments
(1) Untreated wastewater (BT)	N/A	[Navy colour, composite sample at 08h00, 09h00, 10h00, 11h00, 12h00, 13h00, 14h00]	pH: 10.60, 10.65, 10.80, 10.80, 10.90, 10.90, 10.90
(2) Effluent (AT)	N/A	[Uncolored composite sample at: 08h15, 09h15, 10h15, 11h15, 12h15, 13h15, 14h15]	pH: 7.40, 7.45, 7.40, 7.10 7.00, 7.25, 7.15

SOFTLINES WASTEWATER TESTING

TEST REPORT LA-241964

Number: SETTAVEX

(3) Sludge	Navy grab sample at: 14h30	N/A	pH: 6.80
------------	----------------------------------	-----	----------

Local Legal Data	
Local Legal Standard name [a]	RADEEC
Local legal standard no. [a]:	N/A
Parameters (ZDHC WWSG V2.1, Table 2-3) exceeded local regulation:	No exceeded
Discharge permit provided:	No

Internal description – Intertek Lab Issuing Final Test Report	
Sampling laboratory	INTERTEK MOROCCO
Testing laboratory	INTERTEK IBÉRICA SPAIN S.L.U.
Date received sample	24/10/2024
Date and time of the beginning of sampling	17/10/2024, 08:00
Date and time of the end of sampling	17/10/2024, 14:30
Testing period	24/10/2024 to 31/10/2024
Reporting date	05/11/2024
Arrival Temperature at Lab	17.5°C (TT)
Internal codification number	LA-241964
Reference sample number	SETTAVEX
Comments	Maximum recommended temperature during transportation has been exceeded, so the results may not reflect the initial state of the sample (T), the applicant has approved the testing performance. Maximum recommended holding time has been exceeded for some parameters, so the results marked as @ may not reflect the initial state of the sample.(7 days)



Summary of test results		
Wastewater/ MRSL - Test items	Testing period	Sample 1 (untreated)
Alkylphenols (APs) & Alkylphenol ethoxylates (APEOs)	From 28/10/2024 to 29/10/2024	ND (@)
Anti - Microbials & Biocides	From 28/10/2024 to 29/10/2024	ND (@)
Chlorinated parafins	From 29/10/2024 to 30/10/2024	ND (@)
Chlorobenzenes and Chlorotoluenes	From 29/10/2024 to 30/10/2024	ND (@)
Chlorophenols	From 24/10/2024 to 25/10/2024	ND (@)
Dimethyl Formamide (DMFa) (*)	From 29/10/2024 to 30/10/2024	ND (@)
Dyes – Carcinogenic or Equivalent Concern	From 28/10/2024 to 29/10/2024	ND (@)
Dyes – Disperse (Allergenic)	From 28/10/2024 to 29/10/2024	ND (@)
Dyes-Navy Blue Colourant	From 28/10/2024 to 29/10/2024	ND (@)
Flame retardants	From 29/10/2024 to 30/10/2024	D (@)
Glycols	From 28/10/2024 to 29/10/2024	ND (@)
Halogenated solvents	From 24/10/2024 to 25/10/2024	ND
Organotin compounds	From 24/10/2024 to 25/10/2024	ND (@)
Other/Miscellaneous Chemicals (^)	From 29/10/2024 to 30/10/2024	ND (@)
Perfluorinated chemicals (PFCs)	From 28/10/2024 to 29/10/2024	ND (@)
Phthalates	From 28/10/2024 to 29/10/2024	ND (@)
Polycyclic aromatic hydrocarbons (PAHs)	From 29/10/2024 to 30/10/2024	ND (@)
Restricted Aromatic Amines (Cleavable from Azo- colourants) Azo dyes	From 29/10/2024 to 30/10/2024	ND (@)
UV Absorbers	From 28/10/2024 to 29/10/2024	ND (@)
Volatile organic compounds (VOCs)	From 24/10/2024 to 25/10/2024	ND

SOFTLINES WASTEWATER TESTING

TEST REPORT LA-241964

Number: SETTAVEX

Wastewater / Heavy metals - Test items	Testing period	Sample 2 (effluent)		
		Foundational	Progressive	Aspirational
Antimony			N/A	
Chromium VI	From 24/10/2024 to 24/10/2024	Meet		
Barium			N/A	
Selenium			N/A	
Tin			N/A	
Arsenic	From 30/10/2024 to 31/10/2024			Meet
Chromium (total)			N/A	
Cobalt			N/A	
Cadmium	From 30/10/2024 to 31/10/2024			Meet
Copper			N/A	
Lead	From 30/10/2024 to 31/10/2024			Meet
Nickel			N/A	
Silver			N/A	
Zinc			N/A	
Mercury	From 30/10/2024 to 31/10/2024			Meet

Wastewater / Conventional parameters - Test items	Testing period	Sample 2 (effluent)		
		Foundational	Progressive	Aspirational
pH ^[f]			N/A	
Temperature difference ^[f]			N/A	
E.coli			N/A	
Colour			N/A	
Persistent foam ^[f]			N/A	
Wastewater flowrate ^[f]			N/A	
Ammonium-Nitrogen			N/A	
AOX			N/A	
Biochemical Oxygen Demand (BOD ₅)			N/A	
Chemical Oxygen Demand (COD)			N/A	
Dissolved Oxygen (DO) ^[f]			N/A	
Oil & Grease			N/A	
Total Phenols / Phenol Index			N/A	
Total Chlorine ^[f]			N/A	
Total Dissolved Solids (TDS)			N/A	



SOFTLINES WASTEWATER TESTING

TEST REPORT LA-241964

Number: SETTAVEX

Total Nitrogen			N/A	
Total Phosphorus			N/A	
Total Suspended Solids (TSS)			N/A	

Wastewater / Anions - Test items	Testing period	Sample 2 (effluent)		
		Foundational	Progressive	Aspirational
Chloride		N/A		
Cyanide, total			N/A	
Sulfate		N/A		
Sulfide			N/A	
Sulfite			N/A	

Sludge / Heavy metals - Test items	Testing period	Sample 3: Sludge (Total)	Sample 3: Sludge (Leachate)
Antimony	From 29/10/2024 to 31/10/2024	Meet	
Arsenic	From 29/10/2024 to 31/10/2024	Meet	
Barium	From 29/10/2024 to 31/10/2024	Meet	
Cadmium	From 29/10/2024 to 31/10/2024	Meet	
Cobalt	From 29/10/2024 to 31/10/2024	Meet	
Copper	From 29/10/2024 to 31/10/2024	Meet	
Lead	From 29/10/2024 to 31/10/2024		Meet
Nickel	From 29/10/2024 to 31/10/2024		Meet
Selenium	From 29/10/2024 to 31/10/2024	Meet	
Silver	From 29/10/2024 to 31/10/2024	Meet	
Chromium (total)	From 29/10/2024 to 31/10/2024	Meet	
Zinc	From 29/10/2024 to 31/10/2024	Meet	
Chromium VI	From 24/10/2024 to 24/10/2024	Meet	
Mercury	From 29/10/2024 to 31/10/2024	Meet	

Sludge / Anion - Test items	Testing period	Sample 3: Sludge
Cyanide	From 25/10/2024 to 25/10/2024	Meet (@)



SOFTLINES WASTEWATER TESTING

TEST REPORT LA-241964

Number: SETTAVEX

Sludge / Conventional parameters - Test items	Testing period	Sample 3: Sludge
pH	From 25/10/2024 to 25/10/2024	Meet (@)
% Solids	From 25/10/2024 to 25/10/2024	Report only, refer data (@)
Paint filter test	From 25/10/2024 to 25/10/2024	Meet (@)
Faecal coliform	From 24/10/2024 to 25/10/2024	Meet (@)

Sludge / MRSL - Test items	Testing period	Sample 3: Sludge
Alkylphenol (AP) and Alkylphenol Ethoxylates (APEOs): including all isomers	From 29/10/2024 to 30/10/2024	ND (@)
Polycyclic Aromatic Hydrocarbons (PAHs)	From 29/10/2024 to 30/10/2024	ND (@)
Chlorotoluenes	From 29/10/2024 to 30/10/2024	ND (@)

Remark (Indicated in each parameter)

ND = Not detected (less than lab reporting limit)

D = Detected

N/A = Not applicable (Out of scope according to ZDHC WWSG v2.1)

NT = Not tested (Did not test according to applicant's request)

(S) = The samples were subcontracted to Intertek [xxxxx] for testing.

(T) = If sample temperature is greater than 8°C and less than 10°C when received from the laboratory.

(TT) = If sample temperature is exceeded 10°C when received from the laboratory.

(@) = Maximum holding time exceeded.

(*) = Sample and report for mock leather.

(^) = Borate, zinc salt would report ND when total boron or total zinc less than 100 µg/L.

^(f) = On-site test by sampler.

[a] = The local legal standard name and legal standard no. is referenced to discharge permit (or contractual agree by CETP) that provided by applicant.

This report shown the test result of the environment samples of above factory which collected on specific date and time. The results of this report shall not be used for any regulatory compliance purposes.

For and on behalf of
Intertek Ibérica Spain S.L.U.



Miriam Laca , Environmental Manager

Test results

1. Conventional parameters

Wastewater/ Conventional parameters - Test items	Test method	Limit			Lab Reporting Limit	Result sample 2 (effluent)	Unit
		Foundational	Progressive	Aspirational			
Temperature	EPA 170.1	35°C	30°C	25°C	N/A	N/A	°C
Temperature difference [°C]	EPA 170.1	Δ+15°C	Δ+10°C	Δ+5°C	N/A	N/A	[f] °C
TSS	EPA 160.2	50 mg/L	15 mg/L	5 mg/L	4 mg/L	N/A	mg/L
Chemical Oxygen Demand (COD)	ISO 6060	150 mg/L	80 mg/L	40 mg/L	30 mg/L	N/A	mg/L
Total-N	ISO11905-01/DIN 38405- 9	20 mg/L	10 mg/L	5 mg/L	0.5 mg/L	N/A	mg/L
pH	EPA 150.1	6-9			3-13	N/A	[f] pH
Colour (436 nm ; 525 nm ; 620nm)	ISO 7887-B	7;5;3	5;3;2	2;1;1	N/A	N/A	[m-1]
Biochemical Oxygen Demand (BOD5)	EPA 5210	30 mg/L	15 mg/L	8 mg/L	3 mg/L	N/A	mg/L
Ammonium- Nitrogen	EPA 350.1	10 mg/L	1 mg/L	0.5 mg/L	0.5 mg/L	N/A	mg/L
Total-P	EPA200.8	3 mg/L	0.5 mg/L	0.1 mg/L	0.05 mg/L	N/A	mg/L
AOX	ISO 9562	3 mg/L	0.5 mg/L	0.1 mg/L	0.05 mg/L	N/A	mg/L
Oil and grease	EPA1664-B	10 mg/L	2 mg/L	0.5 mg/L	5 mg/L	N/A	mg/L
Phenol	SM5530	0.5 mg/L	0.01 mg/L	0.001 mg/L	0.1 mg/L	N/A	mg/L
E. Coli	SM 9221B / SM 9221F&G	126 [MPN/100-ml]			126 [MPN/100-ml]	N/A	[MPN/100- ml]
Foam	/	Not visible	Not visible	Not visible	N/A	N/A	[f]
Cyanide	ISO 6703	0.2 mg/L	0.1 mg/L	0.05 mg/L	0.01 mg/L	N/A	mg/L
Sulfide	SM 4500-S2-D	0.5 mg/L	0.05 mg/L	0.01 mg/L	0.1 mg/L	N/A	mg/L
Sulphite	UNE ISO 10304-3	2 mg/L	0.5 mg/L	0.2 mg/L	0.2 mg/L	N/A	mg/L
Dissolved Oxygen (DO)	ISO 5814	Sample and report only	Sample and report only	Sample and report only	1 mg/L	N/A	[f] mg/L
Total Chlorine	USEPA 330.5	Sample and report only	Sample and report only	Sample and report only	0.05 mg/L	N/A	[f] mg/L
Total Dissolved Solids (TDS)	SM 2540-C	Sample and report only	Sample and report only	Sample and report only	10 mg/L	N/A	mg/L
Chloride	SM 4110-C	Sample and report only	Sample and report only	Sample and report only	1 mg/L	N/A	mg/L
Sulfate	SM 4110-C	Sample and report only	Sample and report only	Sample and report only	5 mg/L	N/A	mg/L
Wastewater Flowrate	/				N/A	N/A	[f] m3/day

Δ is the degree above ambient temperature of receiving water body.

2. Heavy metals

With reference to ISO 11885, ISO 12846, ISO 17852, US EPA 200.7, US EPA 200.8, US EPA 6010c, US EPA 6020a, US EPA 218.6 and by Inductively Coupled Argon Plasma-Mass Spectrometry (ICP-MS) analysis.

Chromium VI: With reference to ISO 18412, Colourimetric UV/VIS.

Heavy metals	CAS no.	Limit			Lab Reporting limit (mg/L)	Result sample 2 (effluent)	Unit
		Foundational	Progressive	Aspirational			
Arsenic (As)	Various	0.05 mg/L	0.01 mg/L	0.005 mg/L	0.0005	0.0014	mg/L
Cadmium (Cd)	Various	0.1 mg/L	0.05 mg/L	0.01 mg/L	0.0002	ND	mg/L
Mercury (Hg)	Various	0.01 mg/L	0.005 mg/L	0.001 mg/L	0.0003	ND	mg/L
Lead (Pb)	Various	0.1 mg/L	0.05 mg/L	0.01 mg/L	0.0005	ND	mg/L
Antimony (Sb)	Various	0.1 mg/L	0.05 mg/L	0.01 mg/L	0.0005	N/A	mg/L
Cobalt (Co)	Various	0.05 mg/L	0.02 mg/L	0.01 mg/L	0.001	N/A	mg/L
Nickel (Ni)	Various	0.2 mg/L	0.1 mg/L	0.05 mg/L	0.001	N/A	mg/L
Silver (Ag)	Various	0.1 mg/L	0.05 mg/L	0.005 mg/L	0.005	N/A	mg/L
Copper (Cu)	Various	1 mg/L	0.5 mg/L	0.25 mg/L	0.001	N/A	mg/L
Zinc (Zn)	Various	5.0 mg/L	1.0 mg/L	0.5 mg/L	0.01	N/A	mg/L
Total Chromium	Various	0.2 mg/L	0.1 mg/L	0.05 mg/L	0.001	N/A	mg/L
Chromium VI (Cr VI)	Various	0.05 mg/L	0.005 mg/L	0.001 mg/L	0.05	ND	mg/L
Barium	Various	Sample and Report only	Sample and Report only	Sample and Report only	0.001	N/A	mg/L
Selenium	Various	Sample and Report only	Sample and Report only	Sample and Report only	0.002	N/A	mg/L
Tin	Various	Sample and Report only	Sample and Report only	Sample and Report only	0.001	N/A	mg/L

3. Alkylphenol (AP) and Alkylphenol Ethoxylates (APEOs): including all isomers.

Test method: modified from to ISO 18254-1 (LC-MS/MS analysis).

Alkylphenols (APs) & Alkylphenoethoxylates (APEOs)	CAS no.	ZDHC Reporting limit (µg/L)	Result Sample 1 (Untreated wastewater)	Unit
Octylphenol (OP), mixed isomers	140-66-9/ 1806-26-4/ 27193-28-8	5	ND	µg/L
Nonylphenol (NP), mixed isomers	104-40-5/ 11066-49-2/ 25154-52- 3/84852-15-3	5	ND	µg/L
Octylphenoethoxylates (OPEOs)	9002-93-1; 9036-19-5; 68987-90-6	5	ND	µg/L
Nonylphenoethoxylates (NPEOs)	9016-45-9/26027-38-3/ 37205-87- 1/68412-54-4/127087-87-0	5	ND	µg/L

4. Chlorobenzenes & Chlorotoluenes

Test method: modified from to EPA 8260D, EPA 8270E (GC-MS analysis).

Chlorobenzenes & Chlorotoluenes	CAS no.	ZDHC Reporting limit (µg/L)	Result Sample 1 (Untreated wastewater)	Unit
Chlorobenzene	108-90-7	0.2	ND	µg/L
1,2-Dichlorobenzene	95-50-1	0.2	ND	µg/L
1,3-Dichlorobenzene	541-73-1	0.2	ND	µg/L
1,4-Dichlorobenzene	106-46-7	0.2	ND	µg/L
1,2,3-Trichlorobenzene	87-61-6	0.2	ND	µg/L
1,2,4-Trichlorobenzene	120-82-1	0.2	ND	µg/L
1,3,5-Trichlorobenzene	108-70-3	0.2	ND	µg/L
1,2,3,4-Tetrachlorobenzene	634-66-2	0.2	ND	µg/L
1,2,3,5-Tetrachlorobenzene	634-90-2	0.2	ND	µg/L
1,2,4,5-Tetrachlorobenzene	95-94-3	0.2	ND	µg/L
Pentachlorobenzene	608-93-5	0.2	ND	µg/L
Hexachlorobenzene	118-74-1	0.2	ND	µg/L
2-Chlorotoluene	95-49-8	0.2	ND	µg/L
3-Chlorotoluene	108-41-8	0.2	ND	µg/L
4-Chlorotoluene	106-43-4	0.2	ND	µg/L
2,3-Dichlorotoluene	32768-54-0	0.2	ND	µg/L
2,4-Dichlorotoluene	95-73-8	0.2	ND	µg/L
2,5-Dichlorotoluene	19398-61-9	0.2	ND	µg/L
2,6-Dichlorotoluene	118-69-4	0.2	ND	µg/L
3,4-Dichlorotoluene	95-75-0	0.2	ND	µg/L
3,5-Dichlorotoluene	25186-47-4	0.2	ND	µg/L
2,3,4-Trichlorotoluene	7359-72-0	0.2	ND	µg/L
2,3,6-Trichlorotoluene	2077-46-5	0.2	ND	µg/L

2,4,5-Trichlorotoluene	6639-30-1	0.2	ND	µg/L
2,4,6-Trichlorotoluene	23749-65-7	0.2	ND	µg/L
3,4,5-Trichlorotoluene	21472-86-6	0.2	ND	µg/L
2,3,4,5-Tetrachlorotoluene	76057-12-0	0.2	ND	µg/L
2,3,5,6-Tetrachlorotoluene	29733-70-8	0.2	ND	µg/L
2,3,4,6-Tetrachlorotoluene	875-40-1	0.2	ND	µg/L
Pentachlorotoluene	877-11-2	0.2	ND	µg/L

5. Chlorophenols

Test method: modified from to EPA 8270E (GC-MS).

Chlorophenols	CAS no.	ZDHC Reporting limit (µg/L)	Result Sample 1 (Untreated wastewater)	Unit
2-Chlorophenol	95-57-8	0.5	ND	µg/L
3-Chlorophenol	108-43-0	0.5	ND	µg/L
4-Chlorophenol	106-48-9	0.5	ND	µg/L
2,3-Dichlorophenol	576-24-9	0.5	ND	µg/L
2,4-Dichlorophenol	120-83-2	0.5	ND	µg/L
2,5-Dichlorophenol	583-78-8	0.5	ND	µg/L
2,6-Dichlorophenol	87-65-0	0.5	ND	µg/L
3,4-Dichlorophenol	95-77-2	0.5	ND	µg/L
3,5-Dichlorophenol	591-35-5	0.5	ND	µg/L
2,3,4-Trichlorophenol	15950-66-0	0.5	ND	µg/L
2,3,5-Trichlorophenol	933-78-8	0.5	ND	µg/L
2,3,6-Trichlorophenol	933-75-5	0.5	ND	µg/L
2,4,5-Trichlorophenol	95-95-4	0.5	ND	µg/L
2,4,6-Trichlorophenol	88-06-2	0.5	ND	µg/L
3,4,5-Trichlorophenol	609-19-8	0.5	ND	µg/L
2,3,4,5-Tetrachlorophenol	4901-51-3	0.5	ND	µg/L
2,3,4,6-Tetrachlorophenol	58-90-2	0.5	ND	µg/L
2,3,5,6-Tetrachlorophenol	935-95-5	0.5	ND	µg/L
Pentachlorophenol (PCP)	87-86-5	0.5	ND	µg/L

6. Restricted Aromatic Amines (Cleavable from Azo- colourants)

Test method: modified from to ISO 14362-1/3 (LC-MS/MS).

Azo Dyes	CAS no.	ZDHC Reporting limit (µg/L)	Result Sample 1 (Untreated wastewater)	Unit
4,4'-Methylene-bis(2-chloroaniline)	101-14-4	0.1	ND	µg/L
4,4'-Diaminodiphenylmethane	101-77-9	0.1	ND	µg/L
4,4'-Oxydianiline	101-80-4	0.1	ND	µg/L
4-Chloroaniline	106-47-8	0.1	ND	µg/L
3,3'-Dimethoxybenzidine	119-90-4	0.1	ND	µg/L
3,3'-Dimethylbenzidine	119-93-7	0.1	ND	µg/L
p-Cresidine	120-71-8	0.1	ND	µg/L
2,4,5-Trimethylaniline	137-17-7	0.1	ND	µg/L
4,4'-Thiodianiline	139-65-1	0.1	ND	µg/L
4-Aminoazobenzene	60-09-3	0.1	ND	µg/L
4-methoxy-m-phenylenediamine	615-05-4	0.1	ND	µg/L
3,3'-Dimethyl-4,4'-diaminodiphenylmethane	838-88-0	0.1	ND	µg/L
2,6-Xylidine	87-62-7	0.1	ND	µg/L
o-Anisidine	90-04-0	0.1	ND	µg/L
2-Naphthylamine	91-59-8	0.1	ND	µg/L
3,3'-Dichlorobenzidine	91-94-1	0.1	ND	µg/L
4-Aminobiphenyl	92-67-1	0.1	ND	µg/L
Benzidine	92-87-5	0.1	ND	µg/L
o-Toluidine	95-53-4	0.1	ND	µg/L
2,4-Xylidine	95-68-1	0.1	ND	µg/L
4-Chloro-o-toluidine	95-69-2	0.1	ND	µg/L
4-Methyl-m-phenylenediamine	95-80-7	0.1	ND	µg/L
o-Aminoazotoluene	97-56-3	0.1	ND	µg/L
5-Nitro-o-toluidine	99-55-8	0.1	ND	µg/L
2-Naphthylammoniumacetate	553-00-4	0.1	ND	µg/L
2,4,5-trimethylaniline hydrochloride	21436-97-5	0.1	ND	µg/L
4-chloro-o-toluidinium chloride	3165-93-3	0.1	ND	µg/L
4-methoxy-m-phenylene diammonium sulphate; 2,4-diaminoanisoole sulphate	39156-41-7	0.1	ND	µg/L

7. Dyes – Carcinogenic or Equivalent Concern

Test method: modified from to DIN 54231:2022-09 (LC-MS).

Carcinogenic dyes	CAS no.	ZDHC Reporting limit (µg/L)	Result Sample 1 (Untreated wastewater)	Unit
C.I. Direct Black 38	1937-37-7	500	ND	µg/L
C.I. Direct Blue 6	2602-46-2	500	ND	µg/L
C.I. Acid Red 26	3761-53-3	500	ND	µg/L
C.I. Basic Red 9	569-61-9	500	ND	µg/L
C.I. Direct Red 28	573-58-0	500	ND	µg/L
C.I. Basic Violet 14	632-99-5	500	ND	µg/L
C.I. Disperse Blue 1	2475-45-8	500	ND	µg/L
C.I. Disperse Blue 3	2475-46-9	500	ND	µg/L
C.I. Basic Blue 26 (with Michler's Ketone > 0.1%)	2580-56-5	500	ND	µg/L
C.I. Basic Green 4 (malachite green chloride)	569-64-2	500	ND	µg/L
C.I. Basic Green 4 (malachite green oxalate)	2437-29-8	500	ND	µg/L
C.I. Basic Green 4 (malachite green)	10309-95-2	500	ND	µg/L
Disperse Orange 11	82-28-0	500	ND	µg/L
Basic violet 3 with >0.1% of Michler's Ketone	548-62-9	500	ND	µg/L
C.I. Acid Violet 49	1694-09-3	500	ND	µg/L

8. Dyes – Disperse (Allergenic)

Test method: modified from to DIN 54231:2022-09 (LC-MS).

Disperse dyes	CAS no.	ZDHC Reporting limit (µg/L)	Result Sample 1 (Untreated wastewater)	Unit
Disperse Yellow 1	119-15-3	50	ND	µg/L
Disperse Blue 102	12222-97-8	50	ND	µg/L
Disperse Blue 106	12223-01-7	50	ND	µg/L
Disperse Yellow 39	12236-29-2	50	ND	µg/L
Disperse Orange 37/59/76	13301-61-6	50	ND	µg/L
Disperse Brown 1	23355-64-8	50	ND	µg/L
Disperse Orange 1	2581-69-3	50	ND	µg/L
Disperse Yellow 3	2832-40-8	50	ND	µg/L
Disperse Red 11	2872-48-2	50	ND	µg/L
Disperse Red 1	2872-52-8	50	ND	µg/L
Disperse Red 17	3179-89-3	50	ND	µg/L
Disperse Blue 7	3179-90-6	50	ND	µg/L
Disperse Blue 26	3860-63-7	50	ND	µg/L

Disperse Yellow 49	54824-37-2	50	ND	µg/L
Disperse Blue 35	12222-75-2	50	ND	µg/L
Disperse Blue 124	61951-51-7	50	ND	µg/L
Disperse Yellow 9	6373-73-5	50	ND	µg/L
Disperse Orange 3	730-40-5	50	ND	µg/L
Disperse Blue 35	56524-77-7	50	ND	µg/L

9. Flame retardants

Test method: modified from to EPA 8270E (GC-MS) and EPA 8321B (LC-MS).

Test method for Borate salt: modified from to EPA 200.8, EPA 3005A and EPA 3015A (ICP-MS), determined as total boron.

Flame retardants	CAS no.	ZDHC Reporting limit (µg/L)	Result Sample 1 (Untreated wastewater)	Unit
Tris(2-chloroethyl) phosphate (TCEP)	115-96-8	25	ND	µg/L
Decabromodiphenyl ether (DecaBDE)	1163-19-5	25	ND	µg/L
Tris(2,3-dibromopropyl) phosphate (TRIS)	126-72-7	25	ND	µg/L
Pentabromodiphenyl ether (PentaBDE)	32534-81-9	25	ND	µg/L
Octabromodiphenyl ether (OctaBDE)	32536-52-0	25	ND	µg/L
Bis(2,3-dibromopropyl) phosphate	5412-25-9	25	ND	µg/L
Tris(1-aziridinyl)phosphine oxide (TEPA)	545-55-1	25	ND	µg/L
Polybromobiphenyls (PBBs)	59536-65-1	25	ND	µg/L
Tetrabromobisphenol A (TBBPA)	79-94-7	25	ND	µg/L
Hexabromocyclododecane (HBCDD)	3194-55-6	25	ND	µg/L
2,2-Bis(bromomethyl)-1,3-propanediol (BBMP)	3296-90-0	25	ND	µg/L
Tris(1,3-dichloro-isopropyl) phosphate (TDPCP)	13674-87-8	25	ND	µg/L
Tris-(2-chloro-1-methylethyl) phosphate (TCPP)	13674-84-5	25	ND	µg/L
Decabromobiphenyl (DecaBB)	13654-09-6	25	ND	µg/L
Dibromobiphenyls (DiBB)	Various	25	ND	µg/L
Octabromobiphenyls (OctaBB)	Various	25	ND	µg/L
Dibromopropylether	21850-44-2	25	ND	µg/L
Heptabromodiphenyl ether (HeptaBDE)	68928-80-3	25	ND	µg/L
Hexabromodiphenyl ether (HexaBDE)	36483-60-0	25	ND	µg/L
Monobromobiphenyls (MonoBB)	Various	25	ND	µg/L
Monobromodiphenylethers (MonoBDEs)	Various	25	ND	µg/L
Nonabromobiphenyls (NonaBB)	Various	25	ND	µg/L
Nonabromodiphenyl ether (NonaBDE)	63936-56-1	25	ND	µg/L
Tetrabromodiphenyl ether (TetraBDE)	40088-47-9	25	ND	µg/L
Tribromodiphenylethers (TriBDEs)	Various	25	ND	µg/L

Boric acid**	10043-35-3 / 11113-50-1	100 in Boron	160	µg/L
Diboron trioxide**	1303-86-2	100 in Boron	160	µg/L
Disodium octaborate**	12008-41-2	100 in Boron	160	µg/L
Disodium tetraborate anhydrous**	1303-96-4 / 1330-43-4	100 in Boron	160	µg/L
Tetraboron disodium heptaoxide, hydrate**	12267-73-1	100 in Boron	160	µg/L

** Report total boron directly, no conversion from Boron salt.

10. Glycols

Test method: modified from to EPA 8270E (GC-MS).

Glycols	CAS no.	ZDHC Reporting limit (µg/L)	Result Sample 1 (Untreated wastewater)	Unit
Bis(2-methoxyethyl)-ether	111-96-6	50	ND	µg/L
2-ethoxyethanol	110-80-5	50	ND	µg/L
2-ethoxyethyl acetate	111-15-9	50	ND	µg/L
Ethylene glycol dimethyl ether	110-71-4	50	ND	µg/L
2-methoxyethanol	109-86-4	50	ND	µg/L
2-methoxyethylacetate	110-49-6	50	ND	µg/L
2-methoxypropylacetate	70657-70-4	50	ND	µg/L
Triethylene glycol dimethyl ether	112-49-2	50	ND	µg/L

11. Halogenated solvents

Test method: modified from to EPA 8260D (GC-MS).

Chlorinated solvents	CAS no.	ZDHC Reporting limit (µg/L)	Result Sample 1 (Untreated wastewater)	Unit
1,2-Dichloroethane	107-06-2	1	ND	µg/L
Methylene chloride	75-09-2	1	ND	µg/L
Trichloroethene	79-01-6	1	ND	µg/L
Tetrachloroethene	127-18-4	1	ND	µg/L

12. Organotin compounds

Test method: modified from to ISO 17353 (GC-MS).

Organotin compounds	CAS no.	ZDHC Reporting limit (µg/L)	Result Sample 1 (Untreated wastewater)	Unit
Mono-, di-and tri-methyltin derivatives	Various	0.01	ND	µg/L
Mono-, di-and tri-butyltin derivatives	Various	0.01	ND	µg/L
Mono-, di-and tri-phenyltin derivatives	Various	0.01	ND	µg/L
Mono-, di-and tri-octyltin derivatives	Various	0.01	ND	µg/L
Tricyclohexyltin (TCyHT)	Various	0.01	ND	µg/L
Dipropyltin compounds (DPT)	Various	0.01	ND	µg/L

Tetrabutyltin compounds (TeBT)	Various	0.01	ND	µg/L
Tripropyltin Compounds (TPT)	Various	0.01	ND	µg/L
Tetraoctyltin compounds (TeOT)	Various	0.01	ND	µg/L
Tetraethyltin Compounds (TeET)	Various	0.01	ND	µg/L

13. Phthalates

Test method: modified from to EPA 8270E (GC-MS).

Phthalates	CAS no.	ZDHC Reporting limit (µg/L)	Result Sample 1 (Untreated wastewater)	Unit
Di-2-ethylhexyl phthalate (DEHP)	117-81-7	10	ND	µg/L
Dimethoxyethyl phthalate (DMEP)	117-82-8	10	ND	µg/L
Di-n-octyl phthalate (DNOP)	117-84-0	10	ND	µg/L
Di-iso-decyl phthalate (DIDP)	26761-40-0/68515-49-1	10	ND	µg/L
Di-iso-nonyl phthalate (DINP)	28553-12-0/68515-48-0	10	ND	µg/L
Di-n-hexyl phthalate (DnHP)	84-75-3	10	ND	µg/L
Dibutyl phthalate (DBP)	84-74-2	10	ND	µg/L
Butyl benzyl phthalate (BBP)	85-68-7	10	ND	µg/L
Diethyl phthalate (DEP)	84-66-2	10	ND	µg/L
Di-n-propyl phthalate (DPRP)	131-16-8	10	ND	µg/L
Di-iso-butyl phthalate (DIBP)	84-69-5	10	ND	µg/L
Di-cyclohexyl phthalate (DCHP)	84-61-7	10	ND	µg/L
Di-iso-octyl phthalate (DIOP)	27554-26-3	10	ND	µg/L
1,2-benzenedicarboxylic acid, di-C7-11-branched and linear alkyl esters (DHNU)	68515-42-4	10	ND	µg/L
1,2-benzenedicarboxylic acid, di-C6-11-branched alkyl esters, C7-rich (DIHP)	71888-89-6	10	ND	µg/L
Di-n-pentylphthalates	131-18-0	10	ND	µg/L
Diisopentylphthalates	605-50-5	10	ND	µg/L
Dinonyl phthalate (DNP)	84-76-4	10	ND	µg/L

14. Perfluorinated chemicals (PFCs)

Test method: modified from to EPA 537:2020 (LC-MS/MS) and EPA 8270 (GC-MS).

Perfluorinated chemicals (PFCs)	CAS no.	ZDHC Reporting limit (µg/L)	Result Sample 1 (Untreated wastewater)	Unit
Perfluoro-octanoic acid (PFOA)	335-67-1	0.01	ND	µg/L
Perfluoro-octane-sulfonic acid (L-PFOS)	1763-23-1	0.01	ND	µg/L
Perfluoro-octane-sulfon-amide (PFOSA)	754-91-6	0.01	ND	µg/L
N-Methyl-perfluoro-octane-sulfon-amide (N-Me-FOSA)	31506-32-8	0.01	ND	µg/L
N-Ethyl-perfluoro-octane-sulfon-amide (N-Et-FOSA)	4151-50-2	0.01	ND	µg/L
N-Methyl-perfluoro-octane-sulfon-amido-ethanol (N-Me-FOSE alcohol)	24448-09-7	0.01	ND	µg/L
N-Ethyl-Perfluoro-octane-sulfon-amido-ethanol (N-Et-FOSE alcohol)	1691-99-2	0.01	ND	µg/L
1H, 1H, 2H, 2H-Perfluorodecanesulfonic acid (8:2 FTS)	39108-34-4	1	ND	µg/L
2-Perfluorooctylethanol (8:2 FTOH)	678-39-7	1	ND	µg/L
1H,1H,2H,2H-Perfluorodecyl acrylate (8:2 FTA)	27905-45-9	1	ND	µg/L
1H,1H,2H,2H-Perfluorodecyl methacrylate (8:2 FTMA)	1996-88-9	1	ND	µg/L
Methyl perfluorooctanoate (Me-PFOA)	376-27-2	1	ND	µg/L
Ethyl perfluorooctanoate Et-PFOA	3108-24-5	1	ND	µg/L

15. Polycyclic aromatic hydrocarbons (PAHs)

Test method: modified from to EPA 8270E (GC-MS).

Polycyclic aromatic hydrocarbons (PAHs)	CAS no.	ZDHC Reporting limit (µg/L)	Result Sample 1 (Untreated wastewater)	Unit
Benzo(a)pyrene (BaP)	50-32-8	1	ND	µg/L
Anthracene	120-12-7	1	ND	µg/L
Pyrene	129-00-0	1	ND	µg/L
Benzo(ghi)perylene	191-24-2	1	ND	µg/L
Benzo(e)pyrene	192-97-2	1	ND	µg/L
Indeno (1,2,3-cd)pyrene	193-39-5	1	ND	µg/L
Benzo(j)fluoranthene	205-82-3	1	ND	µg/L
Benzo(b)fluoranthene	205-99-2	1	ND	µg/L
Fluoranthene	206-44-0	1	ND	µg/L
Benzo(k)fluoranthene	207-08-09	1	ND	µg/L
Acenaphthylene	208-96-8	1	ND	µg/L
Chrysene	218-01-9	1	ND	µg/L
Dibenz(a,h)anthracene	53-70-3	1	ND	µg/L
Benzo(a)anthracene	56-55-3	1	ND	µg/L
Acenaphthene	83-32-9	1	ND	µg/L

Number: SETTAVEX

Phenanthrene	85-01-8	1	ND	µg/L
Fluorene	86-73-7	1	ND	µg/L
Naphthalene	91-20-3	1	ND	µg/L

16. Volatile organic compounds (VOCs)

Test method: modified from to EPA 8260D (GC-MS) and EPA 8270 (GC-MS).

Volatile organic compounds (VOCs)	CAS no.	ZDHC Reporting limit (µg/L)	Result Sample 1 (Untreated wastewater)	Unit
Benzene	71-43-2	1	ND	µg/L
Xylene	1330-20-7	1	ND	µg/L
o-cresol	95-48-7	1	ND	µg/L
p-cresol	106-44-5	1	ND	µg/L
m-cresol	108-39-4	1	ND	µg/L
Toluene*	108-88-3	1	ND	µg/L

(*) = Sample and report for mock leather.

17. Anti - Microbials & Biocides

Test method: modified from to EPA 8270E (GC-MS analysis).

Anti - Microbials & Biocides	CAS no.	ZDHC Reporting limit (µg/L)	Result Sample 1 (Untreated wastewater)	Unit
o-Phenylphenol (+salts)	90-43-7	100	ND	µg/L
Triclosan	3380-34-5	100	ND	µg/L
Permethrin	Multiple	500	ND	µg/L

18. Chlorinated paraffins

Test method: modified from to ISO 12010:2020 (GC-MS).

Chlorinated paraffins	CAS no.	ZDHC Reporting limit (µg/L)	Result Sample 1 (Untreated wastewater)	Unit
Short-chain Chlorinated paraffin (C10 – C13)	85535-84-8	25	ND	µg/L
Medium-chain Chlorinated paraffins (MCCPs) (C14-C17)	85535-85-9	500	ND	µg/L

19. Dimethyl Formamide (DMFa) (*)

Test method: modified from to EPA 8270E (GC-MS).

N,N-di-methylformamide (DMFa)	CAS no.	ZDHC Reporting limit (µg/L)	Result Sample 1 (Untreated wastewater)	Unit
Dimethyl formamide; N,N-dimethylformamide	68-12-2	1000	ND	µg/L

(*) = Sample and report for mock leather.

20. Dyes-Navy Blue Colourant

Test method: modified from to DIN 54231:2022-09 (LC-MS).

Dyes-Navy Blue Colourant	CAS no.	ZDHC Reporting limit (µg/L)	Result Sample 1 (Untreated wastewater)	Unit
Component 1: C39H23Cl-CrN7O12S 2Na	118685-33-9	500	ND	µg/L
Component 2: C46H-30CrN10O20S2 3Na	Not Allocated	500	ND	µg/L

21. Other/Miscellaneous Chemicals (^^)

Others: With reference to Liquid extraction, LC-MS-MS analysis.

Test method for Borate, Zinc salt: modified from to EPA 200.8, EPA 3005A and EPA 3015A (ICP-MS), determined as total boron and total zinc.

Other/Miscellaneous Chemicals	CAS no.	ZDHC Reporting limit (µg/L)	Result Sample 1 (Untreated wastewater)	Unit
AEAA [2-(2-aminoethylamino)ethanol]	111-41-1	500	ND	µg/L
Bisphenol A	80-05-7	10	ND	µg/L
Thiourea	62-56-6	50	ND	µg/L
Quinoline	91-22-5	50	ND	µg/L
Borate, zinc salt (^^)	12767-90-7	100 in Boron & 100 in Zinc	Boron: 160 Zinc: ND	µg/L

^^ = Report total boron & total zinc individually, and no conversion from boron / zinc salt.

22. UV Absorbers

Test method: modified from to EPA 8270 (GC-MS).

UV Absorbers	CAS no.	ZDHC Reporting limit (µg/L)	Result Sample 1 (Untreated wastewater)	Unit
2-(2H-benzotriazol-2-yl)-4-(tert-butyl)-6-(sec-butyl) phenol(UV-350)	36437-37-3	100	ND	µg/L
2-(2H-benzotriazol-2-yl)-4,6-ditertpentylphenol (UV-328)	25973-55-1	100	ND	µg/L
2-benzotriazol-2-yl-4,6-di-tertbutylphenol	3846-71-7	100	ND	µg/L
2,4-Di-tert-butyl-6-(5-chlorobenzotriazole-2-yl) phenol (UV-327)	3864-99-1	100	ND	µg/L

23. Sludge Parameters – Step 1 - Metals

Test method: modified from to EPA 200.8 (ICP-MS).

Test method for Chromium VI: modified from to EPA 7196 (UV/VIS).

Test method for Mercury: modified from to EPA 3051A (ICP-MS).

Sludge Parameters – Step 1 - Metals	ZDHC reporting limit (Dry weight) (mg/kg)	Lab reporting limit (Dry weight) (mg/kg)	Result Sample 3 (Sludge - Dry weight)	Unit
Antimony	5	0.25	0.34	mg/kg
Arsenic	5	0.25	0.44	mg/kg
Barium	200	0.25	185	mg/kg
Cadmium	1	0.1	0.17	mg/kg
Cobalt	400	0.25	0.89	mg/kg
Copper	50	0.25	40.3	mg/kg
Lead	5	0.25	5.22	mg/kg
Nickel	20	0.25	25.1	mg/kg
Selenium	5	0.5	0.91	mg/kg
Silver	50	2.5	ND	mg/kg
Total Chromium	50	0.25	29.97	mg/kg
Zinc	400	2.5	393	mg/kg
Chromium (VI)	20	5	ND	mg/kg
Mercury	1	0.1	ND	mg/kg

24. Sludge Parameters – Step 1 - Anions

With reference to USEPA 9013, USEPA 9014, USEPA 9213, HJ745 with Colourimetry or ISE analysis.

Sludge Parameters – Step 1 - Anions	ZDHC reporting limit (Dry weight) (mg/kg)	Lab reporting limit (Dry weight) (mg/kg)	Result Sample 3 (Sludge - Dry weight)	Unit
Cyanide	20	20	ND	mg/kg

25. Sludge Parameters - Step 1 – Conventional

Sludge Parameters – Step 1 - Conventional	Test method	Lab reporting limit (Dry weight) (mg/kg)	Result Sample 3 (Sludge - Dry weight)	Unit
pH	USEPA SW 9045D	N/A	6.80 [f]	N/A
% Solids	USEPA 160.3	N/A	31.5	%
Paint Filter Test	USEPA 9095B	N/A	PASS	N/A
Fecal Coliform	USEPA 1681	10 MPN/g	ND	MPN/g

^ - Report "Pass" when Paint Filter Test does not contain free liquid; Report "Fail" when Paint Filter Test does contain free liquid.

26. Sludge Parameters - Step 1 - MRSL - Alkylphenol (AP) and Alkylphenol Ethoxylates (APEOs): including all isomers.

Test method: modified from to ISO 18254 (LC-MS/MS).

Sludge Parameters - Step 1 - MRSL - Alkylphenol (AP) and Alkylphenol Ethoxylates (APEOs): including all isomers	CAS no.	ZDHC reporting limit (Dry weight) (mg/kg)	Result Sample 3 (Sludge - Dry weight)	Unit
Nonylphenol ethoxylates (NPEO)	9016-45-9; 26027-38-3; 37205-87-1; 68412-54-4; 127087-87-0	0.4	ND	mg/kg
Nonylphenol (NP), mixed isomers	104-40-5; 11066-49-2; 25154-52-3; 84852-15-3	0.4	ND	mg/kg
Octylphenol ethoxylates (OPEO)	9002-93-1; 9036-19-5; 68987-90-6	0.4	ND	mg/kg
Octylphenol (OP), mixed isomers	140-66-9; 1806-26-4; 27193-28-8	0.4	ND	mg/kg

27. Sludge Parameters - Step 1 - MRSL - Polycyclic Aromatic Hydrocarbons (PAHs)

Test method: modified from to EPA 3550 and EPA 8270E (GC-MS).

Sludge Parameters - Step 1 - MRSL - Polycyclic Aromatic Hydrocarbons (PAHs)	CAS no.	ZDHC reporting limit (Dry weight) (mg/kg)	Result Sample 3 (Sludge - Dry weight)	Unit
Acenaphthene	83-32-9	0.2	ND	mg/kg
Acenaphthylene	208-96-8	0.2	ND	mg/kg
Anthracene	120-12-7	0.2	ND	mg/kg
Benzo[a]anthracene	56-55-3	0.2	ND	mg/kg
Benzo[a]pyrene (BaP)	50-32-8	0.2	ND	mg/kg
Benzo[b]fluoranthene	205-99-2	0.2	ND	mg/kg
Benzo[e]pyrene	192-97-2	0.2	ND	mg/kg
Benzo[ghi]perylene	191-24-2	0.2	ND	mg/kg
Benzo[j]fluoranthene	205-82-3	0.2	ND	mg/kg
Benzo[k]fluoranthene	207-08-9	0.2	ND	mg/kg
Chrysene	218-01-9	0.2	ND	mg/kg
Dibenz[a,h]anthracene	53-70-3	0.2	ND	mg/kg
Fluoranthene	206-44-0	0.2	ND	mg/kg
Fluorene	86-73-7	0.2	ND	mg/kg
Indeno[1,2,3-cd]pyrene	193-39-5	0.2	ND	mg/kg
Naphthalene	91-20-3	0.2	ND	mg/kg
Phenanthrene	85-01-8	0.2	ND	mg/kg
Pyrene	129-00-0	0.2	ND	mg/kg

28. Sludge Parameteres - Step 1 - MRSL – Chlorotoluenes

Test method: modified from to EPA 8270 (GC-MS).

Sludge Parameteres - Step 1 - MRSL – Chlorotoluenes	CAS no.	Lab reporting limit (Dry weight) (mg/kg)	Result Sample 3 (Sludge - Dry weight)	Unit
2-Chlorotoluene	95-49-8	0.2	ND	mg/kg
3-Chlorotoluene	108-41-8	0.2	ND	mg/kg
4-Chlorotoluene	106-43-4	0.2	ND	mg/kg
2,3-Dichlorotoluene	32768-54-0	0.2	ND	mg/kg
2,4-Dichlorotoluene	95-73-8	0.2	ND	mg/kg
2,5-Dichlorotoluene	19398-61-9	0.2	ND	mg/kg
2,6-Dichlorotoluene	118-69-4	0.2	ND	mg/kg
3,4-Dichlorotoluene	95-75-0	0.2	ND	mg/kg
3,5-Dichlorotoluene	25186-47-4	0.2	ND	mg/kg
2,3,4-Trichlorotoluene	7359-72-0	0.2	ND	mg/kg
2,3,6-Trichlorotoluene	2077-46-5	0.2	ND	mg/kg
2,4,5-Trichlorotoluene	6639-30-1	0.2	ND	mg/kg
2,4,6-Trichlorotoluene	23749-65-7	0.2	ND	mg/kg
3,4,5-Trichlorotoluene	21472-86-6	0.2	ND	mg/kg
2,3,4,5-Tetrachlorotoluene	76057-12-0	0.2	ND	mg/kg
2,3,5,6-Tetrachlorotoluene	29733-70-8	0.2	ND	mg/kg
2,3,4,6-Tetrachlorotoluene	875-40-1	0.2	ND	mg/kg
Pentachlorotoluene	877-11-2	0.2	ND	mg/kg

29. Sludge Parameteres - Step 2 – Metals

With reference to toxicity leachate extraction procedure EPA 1311 followed by Acid digestion with USEPA 200.8 (ICP-MS)

Test method for Chromium VI: With reference to toxicity leachate extraction procedure EPA 1311 followed by ISO 18412, EPA 7196 (UV/VIS).

Test method for Mercury: With reference to toxicity leachate extraction procedure EPA 1311 followed by acid digestion EPA 3051A (ICP-MS).

Sludge Parameteres - Step 2 – Metals	Lab Reporting limit (mg/L)	Result Sample 3 (Sludge)	Unit
Antimony	0.0005	N/A	mg/L
Arsenic	0.0005	N/A	mg/L
Barium	0.001	N/A	mg/L
Cadmium	0.0002	N/A	mg/L
Cobalt	0.001	N/A	mg/L
Copper	0.001	N/A	mg/L
Lead	0.0005	0.0194	mg/L
Nickel	0.001	0.029	mg/L

Selenium	0.002	N/A	mg/L
Silver	0.005	N/A	mg/L
Total Chromium	0.001	N/A	mg/L
Zinc	0.01	N/A	mg/L
Chromium (VI)	0.05	N/A	mg/L
Mercury	0.0003	N/A	mg/L

Appendix 1: Reference to ZDHC WWSG v2.1 Table 4B

Parameters	Total metals and anions threshold values (mg/kg)	Disposal pathways	C	D	E	F	G	G
		A and B (Leachate result in mg/L)	(Leachate result in mg/L)	(Leachate result in mg/L)	(Leachate result in mg/L)	(Leachate result in mg/L)	(Leachate result in mg/L)	(Total metals limit in mg/kg)
Arsenic	10	Report only if required to test	5	2.75	0.5	0.5	0.5	75
Cadmium	3		1	0.58	0.15	0.15	0.15	85
Total Chromium	100		15	10	5	5	5	3000
Lead	10		5	2.75	0.5	0.5	0.5	840
Antimony	12		15	7.8	0.6	0.6	0.6	Sample and report only
Barium	700		100	67.5	35	35	35	
Cobalt	1600		80	80	80	80	80	4300
Copper	200		25	17.5	10	10	10	
Nickel	70		20	11.75	3.5	3.5	3.5	
Selenium	10		1	0.75	0.5	0.5	0.5	100
Silver	100		5	5	5	5	5	Sample and report only
Zinc	1000		250	150	50	50	50	
Chromium VI	50		5	3.75	2.5	2.5	2.5	50
Mercury	1		0.2	0.125	0.05	0.05	0.05	57

Appendix 2: reference to ZDHC WWSG v2.1 Table 4C

Parameters	Disposal pathways					
	A and B	C	D	E	F	G
pH	Sample and report only	5 – 11 s.u.	5 – 11 s.u.	5 – 11 s.u.	6.5 – 9 s.u.	6.5 – 9 s.u.
% Solids		Sample and report only	Sample and report only	Sample and report only	Sample and report only	Sample and report only
Fecal Coliform					< 1000 (MPN/g)	
Paint Filter Test		Pass Paint filter test				Sample and report only
Alkylphenol (AP) and Alkylphenol Ethoxylates (APEOs): including all isomers		< 0.4 mg/kg				
Polycyclic Aromatic Hydrocarbons (PAHs)		< 0.2 mg/kg				
Chlorotoluenes						

Appendix 2: reference to ZDHC WWSG v2.1 Table 4D

Parameters	Disposal pathways					
	A and B	C	D	E	F	G
Cyanide	Report only if required to test	100 mg/kg	85 mg/kg	70 mg/kg	70 mg/kg	70 mg/kg

Photo of sampling points:



Photo of wastewater before treatment (untreated)

17/10/2024, 08:00



Photo of effluent

17/10/2024, 08:15

Photo of sludge

17/10/2024, 14:30

Photo of samples:



[Insert photo date & time]



Photo of effluent

[Insert photo date & time]

Photo of sludge

[Insert photo date & time]



SAMPLING PROTOCOL (PAGE 1 OF 3)

intertek ZDHC Monitoring
Total Quality. Assured.

Sampling Protocol for Wastewater and Sludge acc. ZDHC SAP 2.1 incl. Apdx. E

Facility Name:	SETTAVEX, S.A		
Address and Contact:	ZONA INDUSTRIELLE DE SETTAT BP 668, SETTAT MAROC		
Facility type: (tick all applicable):	<input checked="" type="checkbox"/> Dyeing and Finishing	<input type="checkbox"/> Fabric Mill	<input type="checkbox"/> Laundry, Washing and Finishing
Date of sampling:	<input type="checkbox"/> Natural Leather processing	<input type="checkbox"/> Printing	<input type="checkbox"/> Synthetic Leather processing
Sample General ID (if applicable):	<input type="checkbox"/> direct discharge	<input checked="" type="checkbox"/> indirect discharge	<input type="checkbox"/> with pre-treatment
Discharge description:	<input type="checkbox"/> Zero Liquid Discharge (ZLD)	<input type="checkbox"/> with own ETP	discharge to: SEWAGE
Weather conditions:	on sampling day: NORMAL		on day before: NORMAL

Fill in all above information as applicable.

Sample Type and Details (see also page 2)

<input checked="" type="checkbox"/> Effluent Discharge	<input type="checkbox"/> direct:	or <input checked="" type="checkbox"/> indirect	<input checked="" type="checkbox"/> Facility has WWTP	<input checked="" type="checkbox"/> with Equalisation Tank (EQT) present:
	Enter sampling times in Sample Details (page 2), and measure field parameters.	Enter sampling time(s) for indirect discharge. Field parameters are not required, except on client's request.	<input type="checkbox"/> Plant is in operating condition	Hydraulic Retention Time (HRT): h (= Volume of tank [m ³] / Flow rate [m ³ /h]) If HRT > 12h, grab sampling from EQT is allowed.
<input type="checkbox"/> Pre-treated WW without sludge	<input type="checkbox"/> Untreated WW	<input checked="" type="checkbox"/> with Equalisation Tank (EQT) present:	<input type="checkbox"/> Incoming Water	<input type="checkbox"/> MIMCF
		HRT: h (= Volume of tank [m ³] / Flow rate [m ³ /h]) If HRT > 12h, grab sampling from EQT is allowed		
<input type="checkbox"/> Sludge with below disposal pathway*1:	<input type="checkbox"/> A	<input type="checkbox"/> B	<input checked="" type="checkbox"/> C	<input type="checkbox"/> D
	>1000 °C offsite incineration	Landfill with significant control	Building products processed >1000 °C	Landfill with limited control
			Incineration / Building products processed <1000 °C	Landfill with no control
				Land application
	*1) if supplier cannot provide information, pathway "F" shall be assumed.			
Sludge volume generated: Om ³ /h OL/sec ○ other unit (specify): ○ per facility info ○ measured ○ estimated			
<input type="checkbox"/> Process Chemical	<input type="checkbox"/> liquid	<input type="checkbox"/> solid (powder/granulate/pieces)	<input type="checkbox"/> from running process	<input type="checkbox"/> from warehouse/storage

Times of Sampling (if applicable)	Untreated:	1	2	3	4	5	6	7	or Grab (HRT>12h):
	Effluent (indirect) ²⁾ :	1	2	3	4	5	6	7	or Grab (HRT>12h):
	Incoming ²⁾ :	1	2	3	4	5	6	7	or Grab ²⁾ (HRT>12h):
	Sludge (liquid):	1	2	3	4	5	6	7	Solid sludge: <input checked="" type="checkbox"/>

¹⁾ for direct discharge, see p. 2
²⁾ take grab sample for tap water, river water, and industrial treated river water without EQT; recycled water from EQT <12h must be composite.

Picture ID (or Date & Time / Interval):	GPS coordinates of sampling points:
	Incoming W.: Lat.: ON OS Long.: OE OW
	Untreated WW: Lat.: ON OS Long.: OE OW
	Effluent: Lat.: ON OS Long.: OE OW
	Sludge: Lat.: ON OS Long.: OE OW



SAMPLING PROTOCOL (PAGE 2 OF 3)

ZDHC Monitoring

Quality. Assured.

Sample Details: Field parameters usually are only required for direct discharge. If direct discharge, also for indirect discharges, use the flow rate.

Composite Sample
 Grab Sample (only allowed from EQT of Effluent with HRT > 12h) Volume of aliquot(s): _____ mL
(enter data in column for Averaged Readings and in field at right)

Time of discrete effluent sample **	1	2	3	4	5	6	7	Averaged Readings or Grab Sample readings:
pH:								
Temp. WW discharge of receiving water:	°C	°C	°C	°C	°C	°C	°C	°C
Flow rate:	L/s	L/s	L/s	L/s	L/s	L/s	L/s	m ³ /d avg.
Dissolved Oxygen:	mg/L	mg/L	mg/L	mg/L	mg/L	mg/L	mg/L	mg/L
Total Chlorine:	mg/L	mg/L	mg/L	mg/L	mg/L	mg/L	mg/L	mg/L
Persistent foam:	<input type="radio"/> yes <input type="radio"/> no	<input type="radio"/> yes <input type="radio"/> no	<input type="radio"/> yes <input type="radio"/> no	<input type="radio"/> yes <input type="radio"/> no	<input type="radio"/> yes <input type="radio"/> no	<input type="radio"/> yes <input type="radio"/> no	<input type="radio"/> yes <input type="radio"/> no	

**): time when discrete sample for composite was taken. Use comment field if number of samples is greater than seven, or if above fields are otherwise not sufficient. Note: 1.0 m³/h = 0.27 L/s ; 1.0 L/s = 86.4 m³/d; 1 m³/h = 0.042 m³/d; multiply the flow rate in m³/h by the daily operation time of the ETP to get flow rate in m³/d;

Sampling procedure: automated sampling with beaker/bowl other: _____

Wastewater Flow Data (Effluent/Discharge)

System: Flow meter (In facility) Pipe (O) Flume (U) Wier (V)

Diameter [cm]: _____

Water Depth [cm]: _____

Flow Speed [cm/Sec]: _____

General Field Parameters and Sensory Data (enter as far as applicable)

Type	T ambient air [°C]	Odour	Colour	Foaming	Floating matter
Incoming				<input type="radio"/> yes <input type="radio"/> no	<input type="radio"/> yes <input type="radio"/> no
Untreated				<input type="radio"/> yes <input type="radio"/> no	<input type="radio"/> yes <input type="radio"/> no
Effluent				<input type="radio"/> yes <input type="radio"/> no	<input type="radio"/> yes <input type="radio"/> no
Sludge					

Field Testing QA/QC

Parameter	Lab Control Sample target value	Lab Control Sample measured value	Accuracy [%]
pH			
Total Chlorine			

Other observations:

Additional notes (e.g., alternatively measured flow and readings, abbreviations used, etc):

Rev 10b-4b - use with Guideline CS009.TP (Issue 10b) Page 2 of 3 Effective Date: 04-Sept-2023

©Intertek 2023, All Rights Reserved. Intertek is the owner of the copyright in the material and intellectual know-how presented. No parts of this material may be reproduced, adapted, or distributed outside of your company without the consent of Intertek other than to the extent necessary to view the material.

Page 27 of 30

(Intertek Ibérica Spain S.L.U.-Punta Sollana N°6-Puerto Bilbao - 48508 Zierbena
Inscrita en el R.M. de Bizkaia, Tomo 1547 general, Libro 1065 sección 3ª, Folio 145, N. 9971, Inscripción 1ª, VAT nº ESB 48171086)

SAMPLING PROTOCOL (PAGE 3 OF 3)

intertek ZDHC Monitoring
Quality. Assured.

ZDHC Wastewater Sampling - Facility Confirmation
The Wastewater samples have been collected under the facility's normal production scale and wastewater flow rate. The sampler listed below was on-site and collected the samples.

Sampling person (name & email address): YOUSEF ELMOUAFI Facility Name: SETTAVEX S.A.
SETTAVEX
 (Stamp: 17 OCT. 2024)
 Department maintenance

Sampler's ZDHC accreditation no.: CD 74D 106 819 591 Facility's Representative name: _____

Sampler's Signature: [Signature] Facility's Representative Signature and Stamp: [Signature]
 Intertek Labtest Sari
 Niveau 10 - Tour CMA CGM COMNAV
 130 Avenue de la République, 93200 Bobigny
 Tél: 03 22 29 81 91 - Fax: 03 22 29 81 90
 Chiffre d'affaires 2022: 17 029 1312 - TPE: 1921112

Rev 10b-4b - use with Guideline CS009.TP (Issue 1Cb) Page 3 of 3 Effective Date: 04-Sept-2023
 © Intertek 2023, All Rights Reserved. Intertek is the owner of the copyright in the material and intellectual know-how presented. No parts of this material may be reproduced, adapted, or distributed outside of your company without the consent of Intertek other than to the extent necessary to view the material.



Document on sludge disposal or licensed third-party waste contractor for sludge disposal.

N/A



SOFTLINES WASTEWATER TESTING

TEST REPORT LA-241964

Number: SETTAVEX

Testing period: From 24/10/2024 to 31/10/2024

Testing period Subcontracted Lab (if applicable): N/A

End of report

This report is made solely on the basis of your instructions and/or information and materials supplied. Results refer only to samples received in the lab. It is not intended to be a recommendation for any particular course of action. Intertek does not accept a duty of care or any other responsibility to any person other than the Client in respect of this report and only accepts liability to the Client insofar as is expressly contained in the terms and conditions governing Intertek's provision of services to you. Intertek makes no warranties or representations either express or implied with respect to this report save as provided for in those terms and conditions. We have aimed to conduct the Review on a diligent and careful basis and we do not accept any liability to you for any loss arising out of or in connection with this report, in contract, tort, by statute or otherwise, except in the event of our gross negligence or wilful misconduct.

