

# TEST REPORT

FACTORY INFORMATION	
<b>Name</b>	: MERKOTEKS TEKSTİL SAN. VE TİC. A.Ş.
<b>Address</b>	: 15 Temmuz Mah. Halkalı Cad. No: 113 Bağcılar / İSTANBUL
<b>Telephone / Fax</b>	: 0 212 657 97 47 / 0 212 657 97 54
<b>VAT Office / Number</b>	: -
<b>Type of Wastewater Discharge</b>	: Indirect Discharge with Pretreatment
<b>Application Date</b>	: 13.03.2024
<b>Application Number</b>	: T-86400-2024-01

SAMPLE INFORMATION	
<b>Sample Type</b>	: Wastewater
<b>Sample Name</b>	: Untreated Wastewater
<b>No. of Samples</b>	: 1
<b>Sampling Date</b>	: 14.03.2024
<b>Sampling Location</b>	: Untreated Wastewater (N:41° 02'42.04'' - E:28° 48'50.19'')
<b>Sampling Method</b>	: 6 Hours Composite (during the discharge period)
<b>Sample Arrival Type</b>	: Sampling by our Laboratory (Seal: 21979)
<b>Sample Received Date</b>	: 14.03.2024
<b>Sample ID</b>	: AS-14032024-002
<b>Test Performing Period</b>	: 14.03.2024 - 02.04.2024
<b>Report Date</b>	: 02.04.2024
<b>Report No</b>	: R-86400-2024-002

Factory Name: MERKOTEKS TEKSTİL SAN. VE TİC. A.Ş.			Sample ID			AS-14032024-002			
Factory Address: 15 Temmuz Mah. Halkalı Cad. No: 113 Bağcılar / İSTANBUL			Date of sampling			14.03.2024			
			Sampling Location			Untreated Wastewater			
			Sampling start time			09:00			
			Sampling end time			13:00			
			Date of sample received			14.03.2024			
			Sample Description			Untreated Wastewater			
ITEMS	CAS No.	Methods	Lab Reporting Limit	ZDHC Reporting Limit	Unit	Untreated Wastewater Results	Foundational Limit mg/L	Progressive Limit mg/L	Aspirational Limit mg/L
<b>ZDHC MRSL WASTEWATER PARAMETERS AND REPORTING LIMITS, TABLES 1A-1T</b>									
<b>IA. Anti- Microbials &amp; Biocides</b>									
<b>IA. Alkylphenols (APs) and Alkylphenol Ethoxylates (APEOs); including all isomers</b>									
Nonylphenol ethoxylates (NPEO)	9016-45-9, 26027-38-3, 37205-87-1, 68412-54-4, 127087-87-0	ISO 18857-2	0,5	5	µg/L	n.d.	-	-	-
Nonylphenol (NP), mixed isomers	104-40-5, 11066-49-2, 25154-52-3, 84852-15-3,	ASTM D7065	0,5	5	µg/L	n.d.	-	-	-
Octylphenol ethoxylates (OPEO)	9002-93-1, 9036-19-5, 68987-90-6	ASTM D7065	0,5	5	µg/L	n.d.	-	-	-
Octylphenol (OP), mixed isomers	140-66-9, 1806-26-4, 27193-28-8	ISO 18254-1	0,5	5	µg/L	n.d.	-	-	-
<b>IB. Anti- Microbials &amp; Biocides</b>									
o-Phenylphenol (+salts)	90-43-7	USEPA 8270E + BS EN 12673-1999	1	100	µg/L	n.d.	-	-	-
Triclosan	3380-34-5	USEPA 8270E + BS EN 12673-1999	0,01	100	µg/L	n.d.	-	-	-
Permethrin	Multiple	USEPA 8270E	0,01	500	µg/L	n.d.	-	-	-
<b>IC. Chlorinated Paraffins</b>									
Medium-chain Chlorinated paraffins (MCCPs) (C14-C17)	85535-85-9	USEPA 8270E + BS EN 12673-1999	0,1	5	µg/L	n.d.	-	-	-
Short-chain Chlorinated paraffin (C10 - C13)	85535-84-8	USEPA 3510 + ISO 18219-2	0,1	5	µg/L	n.d.	-	-	-
<b>ID. Chlorobenzenes and Chlorotoluenes</b>									
Monochlorobenzene	108-90-7	USEPA 8270E	0,02	0,2	µg/L	n.d.	-	-	-
1,2-Dichlorobenzene	95-50-1	USEPA 8270E	0,02	0,2	µg/L	n.d.	-	-	-
1,3-Dichlorobenzene	541-73-1	USEPA 8270E	0,02	0,2	µg/L	n.d.	-	-	-
1,4-Dichlorobenzene	106-46-7	USEPA 8270E	0,02	0,2	µg/L	n.d.	-	-	-
1,2,3-Trichlorobenzene	87-61-6	USEPA 8270E	0,02	0,2	µg/L	n.d.	-	-	-
1,2,4-Trichlorobenzene	120-82-1	USEPA 8270E	0,02	0,2	µg/L	n.d.	-	-	-
1,3,5-Trichlorobenzene	108-70-3	USEPA 8270E	0,02	0,2	µg/L	n.d.	-	-	-
1,2,3,4-Tetrachlorobenzene	634-66-2	USEPA 8270E	0,02	0,2	µg/L	n.d.	-	-	-
1,2,3,5-Tetrachlorobenzene	634-90-2	USEPA 8270E	0,02	0,2	µg/L	n.d.	-	-	-
1,2,4,5-Tetrachlorobenzene	95-94-3	USEPA 8270E	0,02	0,2	µg/L	n.d.	-	-	-
Pentachlorobenzene	608-93-5	USEPA 8270E	0,02	0,2	µg/L	n.d.	-	-	-
Hexachlorobenzene	118-74-1	USEPA 8270E	0,02	0,2	µg/L	n.d.	-	-	-
2-Chlorotoluene	95-49-8	USEPA 8270E	0,02	0,2	µg/L	n.d.	-	-	-
3-Chlorotoluene	108-41-8	USEPA 8270E	0,02	0,2	µg/L	n.d.	-	-	-
4-Chlorotoluene	106-43-4	USEPA 8270E	0,02	0,2	µg/L	n.d.	-	-	-
2,3-Dichlorotoluene	32768-54-0	USEPA 8270E	0,02	0,2	µg/L	n.d.	-	-	-
2,4-Dichlorotoluene	95-73-8	USEPA 8270E	0,02	0,2	µg/L	n.d.	-	-	-
2,5-Dichlorotoluene	19398-61-9	USEPA 8270E	0,02	0,2	µg/L	n.d.	-	-	-
2,6-Dichlorotoluene	118-69-4	USEPA 8270E	0,02	0,2	µg/L	n.d.	-	-	-
3,4-Dichlorotoluene	95-75-0	USEPA 8270E	0,02	0,2	µg/L	n.d.	-	-	-
3,5-Dichlorotoluene	25186-47-4	USEPA 8270E	0,02	0,2	µg/L	n.d.	-	-	-

This report, which belongs to the MERKOTEKS TEKSTİL SAN. VE TİC. A.Ş. may not be reproduced, in whole or in part, without the written consent of Alka Laboratories. Unsigned and unsealed reports are invalid. The test results represent only these samples. The number of pages is 9 and it is prepared in two copies. E-signed reports are sent digitally to the relevant customers / institutions / organizations. Test results are representative of this sample only. ALKA Laboratories disclaims its responsibility for any negativities that may affect the analysis result during the collection, protection, preservation and transportation of the samples sent to ALKA Laboratories for analysis by the customer and/or delivered by the company. This report cannot be used in official transactions related to Environmental Legislation.

Factory Name: MERKOTEKS TEKSTİL SAN. VE TİC. A.Ş.			Sample ID			AS-14032024-002			
Factory Address: 15 Temmuz Mah. Halkalı Cad. No: 113 Bağcılar / İSTANBUL			Date of sampling			14.03.2024			
			Sampling Location			Untreated Wastewater			
			Sampling start time			09:00			
			Sampling end time			13:00			
			Date of sample received			14.03.2024			
			Sample Description			Untreated Wastewater			
ITEMS	CAS No.	Methods	Lab Reporting Limit	ZDHC Reporting Limit	Unit	Untreated Wastewater Results	Foundational Limit mg/L	Progressive Limit mg/L	Aspirational Limit mg/L
2,3,4-Trichlorotoluene	7359-72-0	USEPA 8270E	0,02	0,2	µg/L	n.d.	-	-	-
2,3,6-Trichlorotoluene	2077-46-5	USEPA 8270E	0,02	0,2	µg/L	n.d.	-	-	-
2,4,5-Trichlorotoluene	6639-30-1	USEPA 8270E	0,02	0,2	µg/L	n.d.	-	-	-
2,4,6-Trichlorotoluene	23749-65-7	USEPA 8270E	0,02	0,2	µg/L	n.d.	-	-	-
3,4,5-Trichlorotoluene	21472-86-6	USEPA 8270E	0,02	0,2	µg/L	n.d.	-	-	-
2,3,4,5-Tetrachlorotoluene	76057-12-0	USEPA 8270E	0,02	0,2	µg/L	n.d.	-	-	-
2,3,5,6-Tetrachlorotoluene	875-40-1	USEPA 8270E	0,02	0,2	µg/L	n.d.	-	-	-
2,3,4,6-Tetrachlorotoluene	29733-70-8	USEPA 8270E	0,02	0,2	µg/L	n.d.	-	-	-
Pentachlorotoluene	877-11-2	USEPA 8270E	0,02	0,2	µg/L	n.d.	-	-	-
<b>1E. Chlorophenols</b>									
2-Chlorophenol	95-57-8	USEPA 3510C+ EPA 8041A	0,5	0,5	µg/L	n.d.	-	-	-
3-Chlorophenol	108-43-0	USEPA 3510C+ EPA 8041A	0,5	0,5	µg/L	n.d.	-	-	-
4-Chlorophenol	106-48-9	USEPA 3510C+ EPA 8041A	0,5	0,5	µg/L	n.d.	-	-	-
2,3-Dichlorophenol	576-24-9	USEPA 3510C+ EPA 8041A	0,5	0,5	µg/L	n.d.	-	-	-
2,4-Dichlorophenol	120-83-2	USEPA 3510C+ EPA 8041A	0,5	0,5	µg/L	n.d.	-	-	-
2,5-Dichlorophenol	583-78-8	USEPA 3510C+ EPA 8041A	0,5	0,5	µg/L	n.d.	-	-	-
2,6-Dichlorophenol	87-65-0	USEPA 3510C+ EPA 8041A	0,5	0,5	µg/L	n.d.	-	-	-
3,4-Dichlorophenol	95-77-2	USEPA 3510C+ EPA 8041A	0,5	0,5	µg/L	n.d.	-	-	-
3,5-Dichlorophenol	591-35-5	USEPA 3510C+ EPA 8041A	0,5	0,5	µg/L	n.d.	-	-	-
2,3,4-Trichlorophenol	15950-66-0	USEPA 3510C+ EPA 8041A	0,5	0,5	µg/L	n.d.	-	-	-
2,3,5-Trichlorophenol	933-78-8	USEPA 3510C+ EPA 8041A	0,5	0,5	µg/L	n.d.	-	-	-
2,3,6-Trichlorophenol	933-75-5	USEPA 3510C+ EPA 8041A	0,5	0,5	µg/L	n.d.	-	-	-
2,4,5-Trichlorophenol	95-95-4	USEPA 3510C+ EPA 8041A	0,5	0,5	µg/L	n.d.	-	-	-
2,4,6-Trichlorophenol	88-06-2	USEPA 3510C+ EPA 8041A	0,5	0,5	µg/L	n.d.	-	-	-
3,4,5-Trichlorophenol	609-19-8	USEPA 3510C+ EPA 8041A	0,5	0,5	µg/L	n.d.	-	-	-
2,3,4,5-Tetrachlorophenol	4901-51-3	USEPA 3510C+ EPA 8041A	0,5	0,5	µg/L	n.d.	-	-	-
2,3,4,6-Tetrachlorophenol	58-90-2	USEPA 3510C+ EPA 8041A	0,5	0,5	µg/L	n.d.	-	-	-
2,3,5,6-Tetrachlorophenol	935-95-5	USEPA 3510C+ EPA 8041A	0,5	0,5	µg/L	n.d.	-	-	-
Pentachlorophenol	87-86-5	USEPA 3510C+ EPA 8041A	0,5	0,5	µg/L	n.d.	-	-	-
<b>1F. N,N-di-methylformamide(DMFa)</b>									
Dimethyl formamide; N,N-dimethylformamide (DMFa)	68-12-2	EPA 5030+EPA8260	10	1000	µg/L	n.d.	-	-	-
<b>1G. Dyes – Carcinogenic or Equivalent Concern</b>									
Basic violet 3 with >0.1% of Michler's Ketoneb	548-62-9	DIN 54231	20	500	µg/L	n.d.	-	-	-
C.I. Acid Red 26	3761-53-3	DIN 54231	20	500	µg/L	n.d.	-	-	-

This report, which belongs to the MERKOTEKS TEKSTİL SAN. VE TİC. A.Ş. may not be reproduced, in whole or in part, without the written consent of Alka Laboratories. Unsigned and unsealed reports are invalid. The test results represent only these samples. The number of pages is 9 and it is prepared in two copies. E-signed reports are sent digitally to the relevant customers / institutions / organizations. Test results are representative of this sample only. ALKA Laboratories disclaims its responsibility for any negativities that may affect the analysis result during the collection, protection, preservation and transportation of the samples sent to ALKA Laboratories for analysis by the customer and/or delivered by the company. This report cannot be used in official transactions related to Environmental Legislation.

Factory Name: MERKOTEKS TEKSTİL SAN. VE TİC. A.Ş.			Sample ID			AS-14032024-002			
Factory Address: 15 Temmuz Mah. Halkalı Cad. No: 113 Bağcılar / İSTANBUL			Date of sampling			14.03.2024			
			Sampling Location			Untreated Wastewater			
			Sampling start time			09:00			
			Sampling end time			13:00			
			Date of sample received			14.03.2024			
			Sample Description			Untreated Wastewater			
ITEMS	CAS No.	Methods	Lab Reporting Limit	ZDHC Reporting Limit	Unit	Untreated Wastewater Results	Foundational Limit mg/L	Progressive Limit mg/L	Aspirational Limit mg/L
C.I. Acid Violet 49	1694-09-3	DIN 54231	20	500	µg/L	n.d.	-	-	-
C.I. Basic Blue 26 (with Michler's Ketone > 0.1%)	2580-56-5	DIN 54231	20	500	µg/L	n.d.	-	-	-
C.I. Basic Green 4 (Malachite Green Chloride)	569-64-2	DIN 54231	20	500	µg/L	n.d.	-	-	-
C.I. Basic Green 4 (Malachite Green Oxalate)	2437-29-8	DIN 54231	20	500	µg/L	n.d.	-	-	-
C.I. Basic Green 4 (Malachite Green)	10309-95-2	DIN 54231	20	500	µg/L	n.d.	-	-	-
C.I. Basic Red 9	569-61-9	DIN 54231	20	500	µg/L	n.d.	-	-	-
C.I. Basic Violet 14	632-99-5	DIN 54231	20	500	µg/L	n.d.	-	-	-
C.I. Direct Black 38	1937-37-7	DIN 54231	20	500	µg/L	n.d.	-	-	-
C.I. Direct Blue 6	2602-46-2	DIN 54231	20	500	µg/L	n.d.	-	-	-
C.I. Direct Red 28	573-58-0	DIN 54231	20	500	µg/L	n.d.	-	-	-
C.I. Disperse Blue 1	2475-45-8	DIN 54231	20	500	µg/L	n.d.	-	-	-
C.I. Disperse Blue 3	2475-46-9	DIN 54231	20	500	µg/L	n.d.	-	-	-
Disperse Orange 11	82-28-0	DIN 54231	20	500	µg/L	n.d.	-	-	-
<b>IH. Dyes – Disperse (Allergenic)</b>									
Disperse Blue 102	12222-97-8	DIN 54231	20	50	µg/L	n.d.	-	-	-
Disperse Blue 106	12223-01-7	DIN 54231	20	50	µg/L	n.d.	-	-	-
Disperse Blue 124	61951-51-7	DIN 54231	20	50	µg/L	n.d.	-	-	-
Disperse Blue 26	3860-63-7	DIN 54231	20	50	µg/L	n.d.	-	-	-
Disperse Blue 35	12222-75-2, 56524-77-7	DIN 54231	20	50	µg/L	n.d.	-	-	-
Disperse Blue 7	3179-90-6	DIN 54231	20	50	µg/L	n.d.	-	-	-
Disperse Brown 1	23355-64-8	DIN 54231	20	50	µg/L	n.d.	-	-	-
Disperse Orange 1	2581-69-3	DIN 54231	20	50	µg/L	n.d.	-	-	-
Disperse Orange 3	730-40-5	DIN 54231	20	50	µg/L	n.d.	-	-	-
Disperse Orange 37/59/76	13301-61-6	DIN 54231	20	50	µg/L	n.d.	-	-	-
Disperse Red 1	2872-52-8	DIN 54231	20	50	µg/L	n.d.	-	-	-
Disperse Red 11	2872-48-2	DIN 54231	20	50	µg/L	n.d.	-	-	-
Disperse Red 17	3179-89-3	DIN 54231	20	50	µg/L	n.d.	-	-	-
Disperse Yellow 1	119-15-3	DIN 54231	20	50	µg/L	n.d.	-	-	-
Disperse Yellow 3	2832-40-8	DIN 54231	20	50	µg/L	n.d.	-	-	-
Disperse Yellow 39	12236-29-2	DIN 54231	20	50	µg/L	n.d.	-	-	-
Disperse Yellow 49	54824-37-2	DIN 54231	20	50	µg/L	n.d.	-	-	-
Disperse Yellow 9	6373-73-5	DIN 54231	20	50	µg/L	n.d.	-	-	-
<b>II. Dyes – Navy Blue Colourant</b>									
Component 1: C39H23Cl·CrN7O12S 2Na	118685-33-9	DIN 54231	20	500	µg/L	n.d.	-	-	-
Component 2: C46H-30CrN10O20S2 3Na	Not Allocated	DIN 54231	20	500	µg/L	n.d.	-	-	-
<b>IJ. Flame Retardants</b>									
2,2-bis(bromomethyl)- 1,3-propanediol (BBMP)	3296-90-0	USEPA 8270E	0,1	Textile:25 Leather:5	µg/L	n.d.	-	-	-

This report, which belongs to the MERKOTEKS TEKSTİL SAN. VE TİC. A.Ş. may not be reproduced, in whole or in part, without the written consent of Alka Laboratories. Unsigned and unsealed reports are invalid. The test results represent only these samples. The number of pages is 9 and it is prepared in two copies. E-signed reports are sent digitally to the relevant customers / institutions / organizations. Test results are representative of this sample only. ALKA Laboratories disclaims its responsibility for any negativities that may affect the analysis result during the collection, protection, preservation and transportation of the samples sent to ALKA Laboratories for analysis by the customer and/or delivered by the company. This report cannot be used in official transactions related to Environmental Legislation.

Factory Name: MERKOTEKS TEKSTİL SAN. VE TİC. A.Ş.			Sample ID			AS-14032024-002			
Factory Address: 15 Temmuz Mah. Halkalı Cad. No: 113 Bağcılar / İSTANBUL			Date of sampling			14.03.2024			
			Sampling Location			Untreated Wastewater			
			Sampling start time			09:00			
			Sampling end time			13:00			
			Date of sample received			14.03.2024			
			Sample Description			Untreated Wastewater			
ITEMS	CAS No.	Methods	Lab Reporting Limit	ZDHC Reporting Limit	Unit	Untreated Wastewater Results	Foundational Limit mg/L	Progressive Limit mg/L	Aspirational Limit mg/L
Bis(2,3-dibromopropyl) phosphate (BIS)	5412-25-9	USEPA 8270E	0,1	Textile:25 Leather:5	µg/L	n.d.	-	-	-
Decabromodiphenyl ether (DecaBDE)	1163-19-5	USEPA 8270E	0,03	Textile:25 Leather:5	µg/L	n.d.	-	-	-
Hexabromocyclodecane (HBCDD)	3194-55-6	USEPA 8270E	0,03	Textile:25 Leather:5	µg/L	n.d.	-	-	-
Octabromodiphenyl ether (OctaBDE)	32536-52-0	USEPA 8270E	0,03	Textile:25 Leather:5	µg/L	n.d.	-	-	-
Pentabromodiphenyl ether (PentaBDE)	32534-81-9	USEPA 8270E	0,03	Textile:25 Leather:5	µg/L	n.d.	-	-	-
Polybromobiphenyls (PBB)	59536-65-1	USEPA 8270E	0,03	Textile:25 Leather:5	µg/L	n.d.	-	-	-
Tetrabromobisphenol A (TBBPA)	79-94-7	USEPA 8270E	0,1	Textile:25 Leather:5	µg/L	n.d.	-	-	-
Tris-(2-chloro-1-methylethyl) phosphate (TCPP)	13674-84-5	USEPA 8270E	0,2	Textile:25 Leather:5	µg/L	n.d.	-	-	-
Tris(1-aziridinyl) phosphine oxide (TEPA)	545-55-1	USEPA 8270E	0,1	Textile:25 Leather:5	µg/L	n.d.	-	-	-
Tris(1,3-dichloro-isopropyl) phosphate (TDPCP)	13674-87-8	USEPA 8270E	0,1	Textile:25 Leather:5	µg/L	n.d.	-	-	-
Tris(2-chloroethyl) phosphate (TCEP)	115-96-8	USEPA 8270E	0,1	Textile:25 Leather:5	µg/L	n.d.	-	-	-
Tris(2,3,-dibromopropyl)- phosphate (TRIS)	126-72-7	USEPA 8270E	0,1	Textile:25 Leather:5	µg/L	n.d.	-	-	-
Decabromobiphenyl (DecaBB)	13654-09-6	USEPA 8270E	0,03	25	µg/L	n.d.	-	-	-
Dibromobiphenyls (DiBB)	Multiple	USEPA 8270E	0,03	25	µg/L	n.d.	-	-	-
Octabromobiphenyls (OctaBB)		USEPA 8270E	0,03	25	µg/L	n.d.	-	-	-
Dibromopropylether		USEPA 8270E	0,03	25	µg/L	n.d.	-	-	-
Heptabromodiphenyl ether (HeptaBDE)	68928-80-3	USEPA 8270E	0,03	25	µg/L	n.d.	-	-	-
Hexabromodiphenyl ether (HexaBDE)	36483-60-0	USEPA 8270E	0,03	25	µg/L	n.d.	-	-	-
Monobromobiphenyls (MonoBB)	Multiple	USEPA 8270E	0,03	25	µg/L	n.d.	-	-	-
Monobromodiphenylethers (MonoBDEs)		USEPA 8270E	0,03	25	µg/L	n.d.	-	-	-
Nonabromobiphenyls (NonaBB)		USEPA 8270E	0,03	25	µg/L	n.d.	-	-	-
Nonabromodiphenyl ether (NonaBDE)		63936-56-1	USEPA 8270E	0,03	25	µg/L	n.d.	-	-
Tetrabromodiphenyl ether (TetraBDE)	40088-47-9	USEPA 8270E	0,03	25	µg/L	n.d.	-	-	-
Tribromodiphenylethers (TriBDEs)	Multiple	USEPA 8270E	0,03	25	µg/L	n.d.	-	-	-
Boric acid	10043-35-3 11113-50-1	USEPA 3050 + USEPA 6010D, ISO 11885	50	100	µg/L	n.d.	-	-	-
Diboron trioxide	1303-86-2								
Disodium octaborate	12008-41-2								
Disodium tetraborate anhydrous	1303-96-4 1330-43-4								
Tetraboron disodium heptaoxide, hydrate	12267-73-1								
<b>1K. Glycols / Glycol Ethers</b>									
2-ethoxyethanol	110-80-5	USEPA 8270E	0,1	50	µg/L	n.d.	-	-	-
2-ethoxyethyl acetate	111-15-9	USEPA 8270E	0,2	50	µg/L	n.d.	-	-	-
2-methoxyethanol	109-86-4	USEPA 8270E	0,2	50	µg/L	n.d.	-	-	-
2-methoxyethylacetate	110-49-6	USEPA 8270E	0,1	50	µg/L	n.d.	-	-	-
2-methoxypropylacetate	70657-70-4	USEPA 8270E	0,2	50	µg/L	n.d.	-	-	-

This report, which belongs to the MERKOTEKS TEKSTİL SAN. VE TİC. A.Ş. may not be reproduced, in whole or in part, without the written consent of Alka Laboratories. Unsigned and unsealed reports are invalid. The test results represent only these samples. The number of pages is 9 and it is prepared in two copies. E-signed reports are sent digitally to the relevant customers / institutions / organizations. Test results are representative of this sample only. ALKA Laboratories disclaims its responsibility for any negativities that may affect the analysis result during the collection, protection, preservation and transportation of the samples sent to ALKA Laboratories for analysis by the customer and/or delivered by the company. This report cannot be used in official transactions related to Environmental Legislation.

Factory Name: MERKOTEKS TEKSTİL SAN. VE TİC. A.Ş.			Sample ID			AS-14032024-002			
Factory Address: 15 Temmuz Mah. Halkalı Cad. No: 113 Bağcılar / İSTANBUL			Date of sampling			14.03.2024			
			Sampling Location			Untreated Wastewater			
			Sampling start time			09:00			
			Sampling end time			13:00			
			Date of sample received			14.03.2024			
			Sample Description			Untreated Wastewater			
ITEMS	CAS No.	Methods	Lab Reporting Limit	ZDHC Reporting Limit	Unit	Untreated Wastewater Results	Foundational Limit mg/L	Progressive Limit mg/L	Aspirational Limit mg/L
Bis(2-methoxyethyl)-ether	111-96-6	USEPA 8270E	0,1	50	µg/L	n.d.	-	-	-
Ethylene glycol dimethyl ether	110-71-4	USEPA 8270E	0,2	50	µg/L	n.d.	-	-	-
Triethylene glycol dimethyl ether	112-49-2	USEPA 8270E	0,1	50	µg/L	n.d.	-	-	-
<b>1L. Halogenated Solvents</b>									
1,2-dichloroethane	107-06-2	USEPA 5030 C 2003 + USEPA 8260 D 2017	1	1	µg/L	n.d.	-	-	-
Methylene chloride	75-09-2	USEPA 8260D	1	1	µg/L	n.d.	-	-	-
Tetrachloroethylene	127-18-4	USEPA 8260D	1	1	µg/L	n.d.	-	-	-
Trichloroethylene	79-01-6	USEPA 8260D	1	1	µg/L	n.d.	-	-	-
<b>1M. Organotin Compounds</b>									
Dipropyltin compounds (DPT)	Multiple	ISO 17353	0,01	0,01	µg/L	n.d.	-	-	-
Mono-, di- and tri-butyltin derivatives		ISO 17353	0,01	0,01	µg/L	n.d.	-	-	-
Mono-, di- and tri-methyltin derivatives		ISO 17353	0,01	0,01	µg/L	n.d.	-	-	-
Mono-, di- and tri-octyltin derivatives		ISO 17353	0,01	0,01	µg/L	n.d.	-	-	-
Mono-, di- and tri-phenyltin derivatives		ISO 17353	0,01	0,01	µg/L	n.d.	-	-	-
Tetrabutyltin compounds (TeBT)		ISO 17353	0,01	0,01	µg/L	n.d.	-	-	-
Tripropyltin Compounds (TPT)		ISO 17353	0,01	0,01	µg/L	n.d.	-	-	-
Tetraoctyltin compounds (TeOT)		ISO 17353	0,01	0,01	µg/L	n.d.	-	-	-
Tricyclohexyltin (TCyHT)		ISO 17353	0,01	0,01	µg/L	n.d.	-	-	-
Tetraethyltin Compounds (TeET)		ISO 17353	0,01	0,01	µg/L	n.d.	-	-	-
<b>1N. Other/Miscellaneous Chemicals</b>									
AEEA [2-(2-aminoethylamino)ethanol]	111-41-1	EPA 538	10	500	µg/L	n.d.	-	-	-
Bisphenol A	80-05-7	DIN EN ISO 18254-1	0,1	10	µg/L	n.d.	-	-	-
Thiourea	62-56-6	EPA 538	10	50	µg/L	n.d.	-	-	-
Quinoline	91-22-5	EPA 538	10	50	µg/L	n.d.	-	-	-
Borate, zinc salt	12767-90-7	USEPA 3050 + USEPA 6010D	10	100	µg/L	14	-	-	-
<b>1O. Perfluorinated and Polyfluorinated Chemicals (PFCs)</b>									
Perfluorooctane sulfonate (PFOS) and related substances, Perfluorooctanoic acid (PFOA)	Multiple	DIN 38407-42(Modified)	0,0006	0,01	µg/L	n.d.	-	-	-
Perfluorooctanoic acid (PFOA) related substances		DIN 38407-42(Modified)	0,0006	1	µg/L	n.d.	-	-	-
<b>1P. Phthalates – including all other esters of ortho-phthalic acid</b>									
1,2-benzenedicarboxylic acid, di-C6-8 branched and linear alkyl esters, C7-rich (DHP)	71888-89-6 84777-06-0	USEPA 3510C 1996 + USEPA 8270E 2017	0,5	10	µg/L	n.d.	-	-	-
1,2-benzenedicarboxylic acid, di-C7-11 branched and linear alkyl esters (DHNUP)	68515-42-4 68515-50-4	USEPA 3510C 1996 + USEPA 8270E 2017	0,5	10	µg/L	n.d.	-	-	-
Bis(2-methoxyethyl) phthalate (DMEP)	117-82-8	USEPA 3510C 1996 + USEPA 8270E 2017	0,5	10	µg/L	n.d.	-	-	-
Butyl benzyl phthalate (BBP)	85-68-7	USEPA 3510C 1996 + USEPA 8270E 2017	0,5	10	µg/L	n.d.	-	-	-
Di-cyclohexyl phthalate (DCHP)	84-61-7	USEPA 3510C 1996 + USEPA 8270E 2017	0,5	10	µg/L	n.d.	-	-	-

This report, which belongs to the MERKOTEKS TEKSTİL SAN. VE TİC. A.Ş. may not be reproduced, in whole or in part, without the written consent of Alka Laboratories. Unsigned and unsealed reports are invalid. The test results represent only these samples. The number of pages is 9 and it is prepared in two copies. E-signed reports are sent digitally to the relevant customers / institutions / organizations. Test results are representative of this sample only. ALKA Laboratories disclaims its responsibility for any negativities that may affect the analysis result during the collection, protection, preservation and transportation of the samples sent to ALKA Laboratories for analysis by the customer and/or delivered by the company. This report cannot be used in official transactions related to Environmental Legislation.

Factory Name: MERKOTEKS TEKSTİL SAN. VE TİC. A.Ş.			Sample ID			AS-14032024-002			
Factory Address: 15 Temmuz Mah. Halkalı Cad. No: 113 Bağcılar / İSTANBUL			Date of sampling			14.03.2024			
			Sampling Location			Untreated Wastewater			
			Sampling start time			09:00			
			Sampling end time			13:00			
			Date of sample received			14.03.2024			
			Sample Description			Untreated Wastewater			
ITEMS	CAS No.	Methods	Lab Reporting Limit	ZDHC Reporting Limit	Unit	Untreated Wastewater Results	Foundational Limit mg/L	Progressive Limit mg/L	Aspirational Limit mg/L
Di-iso-decyl phthalate (DIDP)	26761-40-0	USEPA 3510C 1996 + USEPA 8270E 2017	0,5	10	µg/L	n.d.	-	-	-
Di-iso-octyl phthalate (DIOP)	27554-26-3	USEPA 3510C 1996 + USEPA 8270E 2017	0,5	10	µg/L	n.d.	-	-	-
Di-isobutyl phthalate (DIBP)	84-69-5	USEPA 3510C 1996 + USEPA 8270E 2017	0,5	10	µg/L	n.d.	-	-	-
Di-isononyl phthalate (DINP)	28553-12-0	USEPA 3510C 1996 + USEPA 8270E 2017	0,5	10	µg/L	n.d.	-	-	-
Di-n-hexyl phthalate (DnHP)	84-75-3	USEPA 3510C 1996 + USEPA 8270E 2017	0,5	10	µg/L	n.d.	-	-	-
Di-n-octyl phthalate (DNOP)	117-84-0	USEPA 3510C 1996 + USEPA 8270E 2017	0,5	10	µg/L	n.d.	-	-	-
Di-n-pentylphthalates	131-18-0	USEPA 3510C 1996 + USEPA 8270E 2017	0,5	10	µg/L	n.d.	-	-	-
Di-n-propyl phthalate (DPRP)	131-16-8	USEPA 3510C 1996 + USEPA 8270E 2017	0,5	10	µg/L	n.d.	-	-	-
Di(ethylhexyl) phthalate (DEHP)	117-81-7	USEPA 3510C 1996 + USEPA 8270E 2017	0,5	10	µg/L	n.d.	-	-	-
Dibutyl phthalate (DBP)	84-74-2	USEPA 3510C 1996 + USEPA 8270E 2017	0,5	10	µg/L	n.d.	-	-	-
Diethyl phthalate (DEP)	84-66-2	USEPA 3510C 1996 + USEPA 8270E 2017	0,5	10	µg/L	n.d.	-	-	-
Diisopentylphthalates	605-50-5	USEPA 3510C 1996 + USEPA 8270E 2017	0,5	10	µg/L	n.d.	-	-	-
Dinonyl phthalate (DNP)	84-76-4	USEPA 3510C 1996 + USEPA 8270E 2017	0,5	10	µg/L	n.d.	-	-	-
<b>1Q. Polycyclic Aromatic Hydrocarbons (PAHs)</b>									
Acenaphthene	83-32-9	USEPA 3510C 1996 + USEPA 8270E 2017	0,02	1	µg/L	n.d.	-	-	-
Acenaphthylene	208-96-8	USEPA 3510C 1996 + USEPA 8270E 2017	0,02	1	µg/L	n.d.	-	-	-
Anthracene	120-12-7	USEPA 3510C 1996 + USEPA 8270E 2017	0,02	1	µg/L	n.d.	-	-	-
Benzo[a]anthracene	56-55-3	USEPA 3510C 1996 + USEPA 8270E 2017	0,02	1	µg/L	n.d.	-	-	-
Benzo[a]pyrene (BaP)	50-32-8	USEPA 3510C 1996 + USEPA 8270E 2017	0,02	1	µg/L	n.d.	-	-	-
Benzo[b]fluoranthene	205-99-2	USEPA 3510C 1996 + USEPA 8270E 2017	0,02	1	µg/L	n.d.	-	-	-
Benzo[e]pyrene	192-97-2	USEPA 3510C 1996 + USEPA 8270E 2017	0,02	1	µg/L	n.d.	-	-	-
Benzo[ghi]perylene	191-24-2	USEPA 3510C 1996 + USEPA 8270E 2017	0,02	1	µg/L	n.d.	-	-	-
Benzo[j]fluoranthene	205-82-3	USEPA 3510C 1996 + USEPA 8270E 2017	0,02	1	µg/L	n.d.	-	-	-
Benzo[k]fluoranthene	207-08-9	USEPA 3510C 1996 + USEPA 8270E 2017	0,02	1	µg/L	n.d.	-	-	-
Chrysene	218-01-9	USEPA 3510C 1996 + USEPA 8270E 2017	0,02	1	µg/L	n.d.	-	-	-
Dibenz[a,h]anthracene	53-70-3	USEPA 3510C 1996 + USEPA 8270E 2017	0,02	1	µg/L	n.d.	-	-	-
Fluoranthene	206-44-0	USEPA 3510C 1996 + USEPA 8270E 2017	0,02	1	µg/L	n.d.	-	-	-
Fluorene	86-73-7	USEPA 3510C 1996 + USEPA 8270E 2017	0,02	1	µg/L	n.d.	-	-	-
Indeno[1,2,3-cd]pyrene	193-39-5	USEPA 3510C 1996 + USEPA 8270E 2017	0,02	1	µg/L	n.d.	-	-	-
Naphthalene	91-20-3	USEPA 3510C 1996 + USEPA 8270E 2017	0,02	1	µg/L	n.d.	-	-	-
Phenanthrene	85-01-8	USEPA 3510C 1996 + USEPA 8270E 2017	0,02	1	µg/L	n.d.	-	-	-

This report, which belongs to the MERKOTEKS TEKSTİL SAN. VE TİC. A.Ş. may not be reproduced, in whole or in part, without the written consent of Alka Laboratories. Unsigned and unsealed reports are invalid. The test results represent only these samples. The number of pages is 9 and it is prepared in two copies. E-signed reports are sent digitally to the relevant customers / institutions / organizations. Test results are representative of this sample only. ALKA Laboratories disclaims its responsibility for any negativities that may affect the analysis result during the collection, protection, preservation and transportation of the samples sent to ALKA Laboratories for analysis by the customer and/or delivered by the company. This report cannot be used in official transactions related to Environmental Legislation.

Factory Name: MERKOTEKS TEKSTİL SAN. VE TİC. A.Ş.			Sample ID			AS-14032024-002			
Factory Address: 15 Temmuz Mah. Halkalı Cad. No: 113 Bağcılar / İSTANBUL			Date of sampling			14.03.2024			
			Sampling Location			Untreated Wastewater			
			Sampling start time			09:00			
			Sampling end time			13:00			
			Date of sample received			14.03.2024			
			Sample Description			Untreated Wastewater			
ITEMS	CAS No.	Methods	Lab Reporting Limit	ZDHC Reporting Limit	Unit	Untreated Wastewater Results	Foundational Limit mg/L	Progressive Limit mg/L	Aspirational Limit mg/L
Pyrene	129-00-0	USEPA 3510C 1996 + USEPA 8270E 2017	0,02	1	µg/L	n.d.	-	-	-
<b>IR. Restricted Aromatic Amines (Cleavable from Azo-colourants)</b>									
2-naphthylamine	91-59-8	USEPA 8270E	0,1	0,1	µg/L	n.d.	-	-	-
2-Naphthylammoniumacetate	553-00-4	USEPA 8270E	0,1	0,1	µg/L	n.d.	-	-	-
2,4-xylydine	95-68-1	USEPA 8270E	0,1	0,1	µg/L	n.d.	-	-	-
2,4,5-trimethylaniline	137-17-7	USEPA 8270E	0,1	0,1	µg/L	n.d.	-	-	-
2,4,5-trimethylaniline hydrochloride	21436-97-5	USEPA 8270E	0,1	0,1	µg/L	n.d.	-	-	-
2,6-xylydine	87-62-7	USEPA 8270E	0,1	0,1	µg/L	n.d.	-	-	-
3,3'-dichlorobenzidine	91-94-1	USEPA 8270E	0,1	0,1	µg/L	n.d.	-	-	-
3,3-dimethoxybenzidine	119-90-4	USEPA 8270E	0,1	0,1	µg/L	n.d.	-	-	-
3,3-dimethylbenzidine	119-93-7	USEPA 8270E	0,1	0,1	µg/L	n.d.	-	-	-
4-aminoazobenzene	60-09-3	USEPA 8270E	0,1	0,1	µg/L	n.d.	-	-	-
4-aminodiphenyl	92-67-1	USEPA 8270E	0,1	0,1	µg/L	n.d.	-	-	-
4-chloro-o-toluidine	95-69-2	USEPA 8270E	0,1	0,1	µg/L	n.d.	-	-	-
4-chloro-o-toluidinium chloride	3165-93-3	USEPA 8270E	0,1	0,1	µg/L	n.d.	-	-	-
4-chloroaniline	106-47-8	USEPA 8270E	0,1	0,1	µg/L	n.d.	-	-	-
4-methoxy-m-phenylene diammonium sulphate; 2,4-diaminoaniline sulphate	39156-41-7	USEPA 8270E	0,1	0,1	µg/L	n.d.	-	-	-
4-methoxy-m-phenylenediamine	615-05-4	USEPA 8270E	0,1	0,1	µg/L	n.d.	-	-	-
4-methyl-m-phenylenediamine	95-80-7	USEPA 8270E	0,1	0,1	µg/L	n.d.	-	-	-
4,4-methylenbis-(2-chloro-aniline)	101-14-4	USEPA 8270E	0,1	0,1	µg/L	n.d.	-	-	-
4,4-methylenedi-o-toluidine	838-88-0	USEPA 8270E	0,1	0,1	µg/L	n.d.	-	-	-
4,4-methylenedianiline	101-77-9	USEPA 8270E	0,1	0,1	µg/L	n.d.	-	-	-
4,4-oxydianiline	101-80-4	USEPA 8270E	0,1	0,1	µg/L	n.d.	-	-	-
4,4-thiodianiline	139-65-1	USEPA 8270E	0,1	0,1	µg/L	n.d.	-	-	-
5-nitro-o-toluidine	99-55-8	USEPA 8270E	0,1	0,1	µg/L	n.d.	-	-	-
6-methoxy-m-toluidine	120-71-8	USEPA 8270E	0,1	0,1	µg/L	n.d.	-	-	-
Benzidine	92-87-5	USEPA 8270E	0,1	0,1	µg/L	n.d.	-	-	-
o-aminoazotoluene	97-56-3	USEPA 8270E	0,1	0,1	µg/L	n.d.	-	-	-
o-anisidine	90-04-0	USEPA 8270E	0,1	0,1	µg/L	n.d.	-	-	-
o-toluidine	95-53-4	USEPA 8270E	0,1	0,1	µg/L	n.d.	-	-	-
<b>IS. UV Absorbers</b>									
2-(2H-benzotriazol-2-yl)-4-(tert-butyl)-6-(sec-butyl)phenol (UV-350)	36437-37-3	USEPA 8270	1	100	µg/L	n.d.	-	-	-
2-(2H-benzotriazol-2-yl)-4,6-ditertbutylphenol (UV-328)	25973-55-1	USEPA 8270	1	100	µg/L	n.d.	-	-	-
2-benzotriazol-2-yl-4,6-di-tertbutylphenol (UV-320)	3846-71-7	USEPA 8270	1	100	µg/L	n.d.	-	-	-
2,4-Di-tert-butyl-6-(5-chlorobenzotriazole-2-yl)phenol (UV-327)	3864-99-1	USEPA 8270	1	100	µg/L	n.d.	-	-	-
<b>IT. Volatile Organic Compounds (VOC)</b>									
Benzene	71-43-2	USEPA 8260D	1	1	µg/L	n.d.	-	-	-

This report, which belongs to the MERKOTEKS TEKSTİL SAN. VE TİC. A.Ş. may not be reproduced, in whole or in part, without the written consent of Alka Laboratories. Unsigned and unsealed reports are invalid. The test results represent only these samples. The number of pages is 9 and it is prepared in two copies. E-signed reports are sent digitally to the relevant customers / institutions / organizations. Test results are representative of this sample only. ALKA Laboratories disclaims its responsibility for any negativities that may affect the analysis result during the collection, protection, preservation and transportation of the samples sent to ALKA Laboratories for analysis by the customer and/or delivered by the company. This report cannot be used in official transactions related to Environmental Legislation.



Factory Name: MERKOTEKS TEKSTİL SAN. VE TİC. A.Ş.			Sample ID			AS-14032024-002			
Factory Address: 15 Temmuz Mah. Halkalı Cad. No: 113 Bağcılar / İSTANBUL			Date of sampling			14.03.2024			
			Sampling Location			Untreated Wastewater			
			Sampling start time			09:00			
			Sampling end time			13:00			
			Date of sample received			14.03.2024			
			Sample Description			Untreated Wastewater			
ITEMS	CAS No.	Methods	Lab Reporting Limit	ZDHC Reporting Limit	Unit	Untreated Wastewater Results	Foundational Limit mg/L	Progressive Limit mg/L	Aspirational Limit mg/L
m-cresol	108-39-4	USEPA 3510C+ EPA 8041A	0,5	1	µg/L	n.d.	-	-	-
o-cresol	95-48-7	USEPA 3510C+ EPA 8041A	0,5	1	µg/L	n.d.	-	-	-
p-cresol	106-44-5	USEPA 3510C+ EPA 8041A	0,5	1	µg/L	n.d.	-	-	-
Xylene	1330-20-7	USEPA 8260D	1	1	µg/L	n.d.	-	-	-
Toluene	108-88-3	EPA 8260 D	1	1	µg/L	n.d.	-	-	-

Remarks: n.d. = Not Detected

PREPARED Report Responsible	APPROVED Laboratory Manager	SEAL
		

This certificate is a qualified electronic certificate according to the Electronic Signature Law No. 5070. This report is archived electronically by our laboratory.

This report, which belongs to the MERKOTEKS TEKSTİL SAN. VE TİC. A.Ş. may not be reproduced, in whole or in part, without the written consent of Alka Laboratories. Unsigned and unsealed reports are invalid. The test results represent only these samples. The number of pages is 9 and it is prepared in two copies. E-signed reports are sent digitally to the relevant customers / institutions / organizations. Test results are representative of this sample only. ALKA Laboratories disclaims its responsibility for any negativities that may affect the analysis result during the collection, protection, preservation and transportation of the samples sent to ALKA Laboratories for analysis by the customer and/or delivered by the company. This report cannot be used in official transactions related to Environmental Legislation.

# TEST REPORT

## FACTORY INFORMATION

<b>Name</b>	: MERKOTEKS TEKSTİL SAN. VE TİC. A.Ş.
<b>Address</b>	: 15 Temmuz Mah. Halkalı Cad. No: 113 Bağcılar / İSTANBUL
<b>Telephone / Fax</b>	: 0 212 657 97 47 / 0 212 657 97 54
<b>VAT Office / Number</b>	: -
<b>Type of Wastewater Discharge</b>	: Indirect Discharge with Pretreatment
<b>Application Date</b>	: 13.03.2024
<b>Application Number</b>	: T-86400-2024-01


## SAMPLE INFORMATION

<b>Sample Type</b>	: Wastewater
<b>Sample Name</b>	: Discharge Wastewater
<b>No. of Samples</b>	: 1
<b>Sampling Date</b>	: 14.03.2024
<b>Sampling Location</b>	: Discharge Wastewater (N:41° 02'42.04''- E:28° 48'50.19'')
<b>Sampling Method</b>	: 6 Hours Composite (during the discharge period)
<b>Sample Arrival Type</b>	: Sampling by our Laboratory (Seal: 21978)
<b>Sample Received Date</b>	: 14.03.2024
<b>Sample ID</b>	: AS-14032024-001
<b>Test Performing Period</b>	: 14.03.2024 - 02.04.2024
<b>Report Date</b>	: 02.04.2024
<b>Report No</b>	: R-86400-2024-003

Factory Name: MERKOTEKS TEKSTİL SAN. VE TİC. A.Ş.		Sample ID	AS-14032024-001					
Factory Address: 15 Temmuz Mah. Halkalı Cad. No: 113 Bağcılar / İSTANBUL		Date of sampling	14.03.2024					
		Sampling Location	Discharge Wastewater					
		Sampling start time	10:00					
		Sampling end time	14:00					
		Date of sample received	14.03.2024					
		Sample Description	Discharge Wastewater					
ITEMS	CAS No.	Methods	Lab Reporting Limit	Unit	Discharge Wastewater Results	Foundational Limit mg/L	Progressive Limit mg/L	Aspirational Limit mg/L
<b>ZDHC HEAVY METAL WASTEWATER PARAMETERS AND LIMITS, TABLE 2</b>								
Arsenic	-	USEPA 3051A + USEPA 200.7	0,005	mg/L	n.d.	Textile and Leather: 0,05	Textile and Leather: 0,01	Textile and Leather:0,005
Cadmium	-	USEPA 3051A + USEPA 200.7	0,003	mg/L	n.d.	Textile and Leather: 0,1	Textile and Leather: 0,05	Textile and Leather: 0,01
Chromium (VI)	-	ISO 18412	0,001	mg/L	n.d.	Textile: 0,05 Leather: 0,15	Textile: 0,005 Leather: 0,05	Textile: 0,001 Leather:0,02
Lead	-	USEPA 3051A + USEPA 200.7	0,01	mg/L	n.d.	Textile and Leather: 0,1	Textile and Leather: 0,05	Textile and Leather: 0,01
Mercury	-	ISO 11885	0,001	mg/L	n.d.	Textile and Leather: 0,01	Textile and Leather:0,005	Textile and Leather:0,001

**Remarks:**

n.d. = Not Detected,

<p><b>PREPARED</b> Report Responsible</p>	<p><b>APPROVED</b> Laboratory Manager</p>	<p><b>SEAL</b></p> 
---	---	--

This certificate is a qualified electronic certificate according to the Electronic Signature Law No. 5070. This report is archived electronically by our laboratory.

This report, which belongs to the MERKOTEKS TEKSTİL SAN. VE TİC. A.Ş. may not be reproduced, in whole or in part, without the written consent of Alka Laboratories. Unsigned and unsealed reports are invalid. The test results represent only these samples. The number of pages is 2 and it is prepared in two copies. E-signed reports are sent digitally to the relevant customers / institutions / organizations. Test results are representative of this sample only. ALKA Laboratories disclaims its responsibility for any negativities that may affect the analysis result during the collection, protection, preservation and transportation of the samples sent to ALKA Laboratories for analysis by the customer and/or delivered by the company. This report cannot be used in official transactions related to Environmental Legislation.

# TEST REPORT

## FACTORY INFORMATION

<b>Name</b>	: MERKOTEKS TEKSTİL SAN. VE TİC. A.Ş.
<b>Address</b>	: 15 Temmuz Mah. Halkalı Cad. No: 113 Bağcılar / İSTANBUL
<b>Telephone / Fax</b>	: 0 212 657 97 47 / 0 212 657 97 54
<b>VAT Office / Number</b>	: -
<b>Type of Wastewater Discharge</b>	: Indirect Discharge with Pretreatment
<b>Application Date</b>	: 13.03.2024
<b>Application Number</b>	: T-86400-2024-01

## SAMPLE INFORMATION

<b>Sample Type</b>	: Waste Sludge Collection Area
<b>Sample Name</b>	: Sludge
<b>No. of Samples</b>	: 1
<b>Sampling Date</b>	: 14.03.2024
<b>Sampling Location</b>	: Sludge (N:41° 02'41.93''- E:28° 48'50.31'')
<b>Sampling Method</b>	: -
<b>Sample Arrival Type</b>	: Sampling by our Laboratory (Seal: 21977)
<b>Sample Volume</b>	: 1 kg plastic cap
<b>Sample Received Date</b>	: 14.03.2024
<b>Sample ID</b>	: ATC-14032024-001
<b>Test Performing Period</b>	: 14.03.2024 - 02.04.2024
<b>Report Date</b>	: 02.04.2024
<b>Report No</b>	: R-86400-2024-005

<b>Factory Name:</b> MERKOTEKS TEKSTİL SAN. VE TİC. A.Ş.			<b>Sample ID</b>			ATC-14032024-001	
			<b>Date of sampling</b>			14.03.2024	
<b>Factory Address:</b> 15 Temmuz Mah. Halkalı Cad. No: 113 Bağcılar / İSTANBUL			<b>Sampling Location</b>			Sludge	
			<b>Sampling start time</b>			12:00	
			<b>Sampling end time</b>			-	
			<b>Date of sample received</b>			14.03.2024	
			<b>Sample Description</b>			Sludge	
ITEMS	CAS No.	Methods	Lab Reporting Limit	ZDHC Reporting Limit	Unit	Sludge Results	Total Metals and Anions Threshold Values (mg/kg)
<b>ZDHC SLUDGE PARAMETERS AND LIMITS, TABLE 4A</b>							
<b>METALS</b>							
Antimony	-	USEPA 3050 + USEPA 6010D	0,25	5	mg/kg	n.d.	12
Arsenic	-	USEPA 3050 + USEPA 6010D	0,5	Textile: 5 Leather: 2	mg/kg	n.d.	10
Barium	-	USEPA 3050 + USEPA 6010D	0,5	200	mg/kg	<b>41,64</b>	700
Cadmium	-	USEPA 3050 + USEPA 6010D	0,15	Textile: 1 Leather: 2	mg/kg	<b>0,258</b>	3
Cobalt	-	USEPA 3050 + USEPA 6010D	0,5	400	mg/kg	<b>2,964</b>	1600
Copper	-	USEPA 3050 + USEPA 6010D	0,5	50	mg/kg	<b>15,815</b>	200
Lead	-	USEPA 3050 + USEPA 6010D	0,05	Textile: 5 Leather: 2	mg/kg	<b>1,202</b>	10
Nickel	-	USEPA 3050 + USEPA 6010D	0,5	20	mg/kg	<b>25,713</b>	70
Selenium	-	USEPA 3050 + USEPA 6010D	0,25	5	mg/kg	n.d.	10
Silver	-	USEPA 3050 + USEPA 6010D	0,5	50	mg/kg	<b>0,147</b>	100
Total Chromium	-	USEPA 3050 + USEPA 6010D	0,5	50	mg/kg	<b>13,592</b>	100
Zinc	-	USEPA 3050 + USEPA 6010D	0,5	400	mg/kg	<b>267,506</b>	1000
Chromium (VI)	-	USEPA 3060A + USEPA 7196	1	Textile: 20 Leather: 2	mg/kg	n.d.	50
Mercury	-	USEPA 3051A + USEPA 6020B	0,05	Textile: 1 Leather: 0,2	mg/kg	n.d.	1
<b>ANIONS*</b>							
Cyanide	-	USEPA 9013 + USEPA 9014	0,1	20	mg/kg	<b>0,2</b>	-
<b>CONVENTIONAL</b>							
pH	-	TS EN 15933	-	-	-	<b>8,14</b>	-
% Solids	-	USEPA 160.3	-	-	%	<b>99,137</b>	-
Paint Filter	-	USEPA 9095B	-	-	-	Pass	-
Fecal Coliform	-	USEPA 1680	1,8	-	MPN/ml	n.d.	-
<b>MRSL</b>							
Nonylphenol (NP), mixed isomers	104-40-5	USEPA 3540 + ASTM D7065	0,4	0,4	mg/kg	n.d.	-
Nonylphenol ethoxylates (NPEO)	127087-87-0	USEPA 3540 + ISO 18254-1 + ISO 18857-2	0,4	0,4	mg/kg	n.d.	-
Octylphenol (OP), mixed isomers	140-66-9	USEPA 3540 + ASTM D7065	0,4	0,4	mg/kg	n.d.	-
Octylphenol ethoxylates (OPEO)	68987-90-6	USEPA 3540 + ISO 18254-1 + ISO 18857-2	0,4	0,4	mg/kg	n.d.	-
Acenaphthene	83-32-9	USEPA 3540 + USEPA 3650 + USEPA 8270	0,02	0,2	mg/kg	n.d.	-
Acenaphthylene	208-96-8	USEPA 3540 + USEPA 3650 + USEPA 8270	0,02	0,2	mg/kg	n.d.	-

This report, which belongs to the MERKOTEKS TEKSTİL SAN. VE TİC. A.Ş. may not be reproduced, in whole or in part, without the written consent of Alka Laboratories. Unsigned and unsealed reports are invalid. The test results represent only these samples. The number of pages is 4 and it is prepared in two copies. E-signed reports are sent digitally to the relevant customers / institutions / organizations. Test results are representative of this sample only. ALKA Laboratories disclaims its responsibility for any negativities that may affect the analysis result during the collection, protection, preservation and transportation of the samples sent to ALKA Laboratories for analysis by the customer and/or delivered by the company. This report cannot be used in official transactions related to Environmental Legislation.

<b>Factory Name:</b> MERKOTEKS TEKSTİL SAN. VE TİC. A.Ş.			<b>Sample ID</b>			ATC-14032024-001	
			<b>Date of sampling</b>			14.03.2024	
<b>Factory Address:</b> 15 Temmuz Mah. Halkalı Cad. No: 113 Bağcılar / İSTANBUL			<b>Sampling Location</b>			Sludge	
			<b>Sampling start time</b>			12:00	
			<b>Sampling end time</b>			-	
			<b>Date of sample received</b>			14.03.2024	
			<b>Sample Description</b>			Sludge	
ITEMS	CAS No.	Methods	Lab Reporting Limit	ZDHC Reporting Limit	Unit	Sludge Results	Total Metals and Anions Threshold Values (mg/kg)
Anthracene	0120-12-7	USEPA 3540 + USEPA 3650 + USEPA 8270	0,02	0,2	mg/kg	n.d.	-
Benzo[a]anthracene	56-55-3	USEPA 3540 + USEPA 3650 + USEPA 8270	0,02	0,2	mg/kg	n.d.	-
Benzo[a]pyrene	50-32-8	USEPA 3540 + USEPA 3650 + USEPA 8270	0,02	0,2	mg/kg	n.d.	-
Benzo[b]fluoranthene	205-99-2	USEPA 3540 + USEPA 3650 + USEPA 8270	0,02	0,2	mg/kg	n.d.	-
Benzo[e]pyrene	192-97-2	USEPA 3540 + USEPA 3650 + USEPA 8270	0,02	0,2	mg/kg	n.d.	-
Benzo[ghi]perylene	191-24-2	USEPA 3540 + USEPA 3650 + USEPA 8270	0,02	0,2	mg/kg	n.d.	-
Benzo[j]fluoranthene	205-82-3	USEPA 3540 + USEPA 3650 + USEPA 8270	0,02	0,2	mg/kg	n.d.	-
Benzo[k]fluoranthene	0207-08-09	USEPA 3540 + USEPA 3650 + USEPA 8270	0,02	0,2	mg/kg	n.d.	-
Chrysene	0218-01-09	USEPA 3540 + USEPA 3650 + USEPA 8270	0,02	0,2	mg/kg	n.d.	-
Dibenz[a,h]anthracene	53-70-3	USEPA 3540 + USEPA 3650 + USEPA 8270	0,02	0,2	mg/kg	n.d.	-
Fluoranthene	206-44-0	USEPA 3540 + USEPA 3650 + USEPA 8270	0,02	0,2	mg/kg	n.d.	-
Fluorene	86-73-7	USEPA 3540 + USEPA 3650 + USEPA 8270	0,02	0,2	mg/kg	n.d.	-
Indeno[1,2,3-cd]pyrene	193-39-5	USEPA 3540 + USEPA 3650 + USEPA 8270	0,02	0,2	mg/kg	n.d.	-
Naphthalene	91-20-3	USEPA 3540 + USEPA 3650 + USEPA 8270	0,02	0,2	mg/kg	n.d.	-
Phenanthrene	85-01-8	USEPA 3540 + USEPA 3650 + USEPA 8270	0,02	0,2	mg/kg	n.d.	-
Pyrene	129-00-0	USEPA 3540 + USEPA 3650 + USEPA 8270	0,02	0,2	mg/kg	n.d.	-
Other isomers of mono-, di-, tri-, tetra-, penta- and hexa- Chlorobenzene and mono-, di-, tri-, tetra- and penta-chlorotoluene	Multiple (Other isomers)	USEPA 8270E	0,2	0,2	mg/kg	n.d.	-


**Remarks:**

n.d. = Not Detected,

**\*Table 4D:** Corresponding Anions Limits for Specific Sludge Disposal Pathways for Textile and Leather.

Parameters	A Offsite Incineration at >1000°C	C Building Products Processed at >1000°C	D Landfill with Limited Control Measures	E Offsite Incineration and Building Products Processed at <1000°C	F Landfill with No Control Measures	G Land Application
	B Landfill with Significant Control Measures	Test Results				
Cyanide	Report only if required to test	100	85	70	70	70

This report, which belongs to the MERKOTEKS TEKSTİL SAN. VE TİC. A.Ş. may not be reproduced, in whole or in part, without the written consent of Alka Laboratories. Unsigned and unsealed reports are invalid. The test results represent only these samples. The number of pages is 4 and it is prepared in two copies. E-signed reports are sent digitally to the relevant customers / institutions / organizations. Test results are representative of this sample only. ALKA Laboratories disclaims its responsibility for any negativities that may affect the analysis result during the collection, protection, preservation and transportation of the samples sent to ALKA Laboratories for analysis by the customer and/or delivered by the company. This report cannot be used in official transactions related to Environmental Legislation.

<p><b>PREPARED</b> Report Responsible</p>	<p><b>APPROVED</b> Laboratory Manager</p>	<p><b>SEAL</b></p> 
---	---	--

This certificate is a qualified electronic certificate according to the Electronic Signature Law No. 5070. This report is archived electronically by our laboratory.